MICROBIOCIDE M-12

30000

ACTIVE INGREDIENTS

Disodium cyanodithioimidocarbonate

 $4.90^{\circ}c$

Potassium N-methyldithiocarbamate

6 76°°

INERT INGREDIENTS

88 34° o

TOTAL

100.0°c

This product contains 1 03 lb of active ingredients per gallon and weighs 8.88 lb per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician Remove and wash contaminated clothing before reuse. If swallow ed. give patient doses of powdered charcoal immediately or all he can swallow of raw egg white milk, gruel, or flour and water. Then induce vomiting with salt, soap, or mustard in warm water. Call a physician immediately.

ENVIRONMENTAL HAZARDS. This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

MICROBIOCIDE M-12 is used to control algae, pacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 5-1 to 10-2 fluid ounces of MICROBIOCIDE M-12 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.7 to 10.2 fluid ounces of MICRO-BIOCIDE M-12 per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

STORAGE AND DISPOSAL

PROHIBITIONS Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL Containers under 30-gation capacity must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for pesticide containers or buried in a safe place. Containers over 30 gation capacity should be resealed and offered for reconditioning or triple rinsed (or equivalent) and offered for recycling reconditioning or disposal in an approved landfill or buried in a safe place.

GENERAL Consult Federal State or Local disposal authorities for approved alternative procedures

Manufactured by

BCB Contractors, Inc. 2920 West 16th Street Indianapolis, IN 46222

25

EPA REG. NO. 38784 04

EPA EST NO. 38784INO1