W. C. SANDONIS DE LA PROPERCIONAL ACCUSA	FPA REGISTRATION NO.	DATE OF ISSUANCE
U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIBES PROGRAMS REGISTIANTION DIVISION HIT 167 MATERIAL TO C. 4.4	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	
NOTICE OF PESTICIDE: THE HERE STRATION		
Under the Federal Insecticade Fungicide and Rodenticide Act as amended.	. 4	
AME AND ADDRESS OF REGISTR 1 (Include ZIP code)		
r-	~1	
The second secon		
L	_1	
NOTE Changes in labeling formula differing in substance submitted to and accepted by the Registration Division proproduct always refer to the above U.S. EPA registration nu	or to use of the label in commer-	
On the basis of information furnished by the registrant, the federal Insecticide, Fungicide, and Rodenticide Act.	· above named pesticide is here	by Registered/Reregistered under
A copy of the labeling accepted in connection with this R-	egistration/Reregistration is ret	urned herewith.
Registration is in no way to be construed as an indorsementealth and the environment, the Administrator, on his motificide in accordance with the Act. The acceptance of any nact is not to be construed as giving the registrant a right by others.	on, may at any time suspend or connection with the region	ancel the registration of a pest- stration of a product under this to its use if it has been covered
	·	
· · · · ·		
•		
	•	
i c	131.00	
ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE

DANTOCHLOR RW

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

RECIRCULATING COOLING WATER SYSTEMS

DantoChlor^m RW aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water towers, influent systems such as flow through filters, lagoons etc., industrial water scrubbing systems and brewery pasteurizers.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleansed before treatment is begun.

FOR CONTROL OF BACTERIA AND FUNGI

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 1.0 lbs. to 1000 gallons or 12 to 120 parts per million of the water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident add 0.1 to 0.75 pounds to 1000 gals. or 12 to 90 parts per million of water in the system every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When a system is noticeably fouled, add 0.1 to 1.0 pounds to 1000 gals. or 12 to 120 parts per million of water in the system.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.1 to 0.75 pound to 1000 gallons or 12 to 90 parts per million of water in the system.

FOR CONTROL OF ALGAE

INTERMITTENT OR SLUG METHOD

INITIAL POSE: When the system is noticeably fouled add 0.1 to 1.0 pound per 1000 gallons or 0.12 to 1.20 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When algae control is evident add 0.1 to 0.25 pound to 1000 gallons daily or 12 to 90 parts per million daily or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 1.0 pound to 1000 gallons or 12 to 120 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.1 to 0.75 pound to 1000 gallons or 12 to 90 parts per million of water in the system.

AIRWASHERS

For use only in industrial airwasher systems that maintain effective mist eliminating components.

DantoChlor[™] RW controls slime forming bacteria, fungi and algae in industrial airwasher systems. Add DantoChlor[™] RW at the rate of 0.1 to 1.0 pounds (12 to 120 ppm) per 1000 gallons of water in the system, depending upon the severity of the contamination.

Control the application by measuring the free chlorine residual in the treated water. There is no need to exceed 1.0 ppm as free chlorine.

Badly fouled systems must be cleaned before treatment is begun.

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When system is noticeably fouled add to airwasher sump or chill water sump to insure uniform mixing. Add 0.1 to 1.0 pound to 1000 gallons or 12 to 120 parts per million of water.

SUBSEQUENT DOSE: When microbial control is evident add 0.1 to 0.65 pounds to 1000 gals. or 12 to 72 parts per million of water.

(Directions for Use continued on right panel)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

ACTIVE INGREDIENT

1,3-dichloro-5,5

1,3-dichloro-5-e
Other related co
Inert ingredient

DANGER

HARMFUL IF SWALLOWED. HIGHLY CORROSIVE.

Ros Included: Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or clothing.

Wear rubber gloves, chemical goggles and face shield when handling. Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

Minimum Availat

EPA Re

(approp KEEP OU1

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

STATEMENT

Ingestion: Feed

soak

Eyes:

Flust of wa

Skin:

Wash plent

cont

Inhalation: Remov

irri phys

by made

PHYSICAL AND CHEMICAL HAZARDS

CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

Co name + address

P

CONTENTS - BRIQUETTES

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

RMFUL IF SWALLOWED. HIGHLY CORRUSIVE.

mage. Irritating to nose and throat. Avoid eathing dust. Use with adequate ventilation. not get into eyes, on skin or clothing. ar rubber gloves, chemical goggles and face ield when handling. Wash thoroughly after indling. Immediately remove contaminated othing and wash before reuse.

ENVIRONMENTAL HAZARDS

is pesticide is toxic to fish. Do not disarge into lakes, streams, ponds or public ter unless in accordance with NPDES permit. It guidance contact your Regional Office of EPA. Do not contaminate water by cleaning container and equipment or disposal of stes. Apply this pesticide only as ecified on this label.

PHYSICAL AND CHEMICAL HAZARDS

EMICAL HAZARD: STRONG CXIDIZING AGENT. Mix by with water. Use clein dry utensils. Do to add this product to any dispensing device ntaining remnants of any other product. Such a may cause a violent reaction leading to re or explosion. Contamination with moisture, sanic matter, or other chemicals may start a smical reaction with generation of heat, peration of hazardous gases and possible heration of fire and explosion. In case of atamination or decomposition, do not reseal stainer. If possible, isolate container in air or well ventilated area. Flood with the volumes of water, if necessary.

Co nama taddress

ACTIVE INGREDIENTS:

1,3-dichloro-5,5-dimethylhydantoin86	5.0%
1,3-dichloro-5-ethyl-5-methylhydantoin 3	3.0%
Other related compounds10).0%
Inert ingredients	1.02

Minimum Available Chlorine 34.0%

EPA Reg. No. 38906-EPA Est. No. 38906-PA 01

Net Weight

(appropriate to container)
KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

Ingestion: Feed gruel, cooked cereal or bread soaked in milk followed by olive oil. Immediately contact physician.


Eyes: Flush eyes immediately with plenty of water for at least 15 minutes. Immediately contact physician.

Skin: Wash immediately with soap and plenty of water. Immediately contact physician.

Inhalation: Remove person to fresh air. If irritation persists contact physician. Never give anything by mouth to an unconscious person.

with Committees the Erra of The State of The

SEI .: 1984



7

CONTENTS - BRIQUETTES

EDIENTS:

ro-5,5-dimethylhydantoin	.86.07
ro-5-ethyl-5-methylhydantoin	. 3.07
ted compounds	. 10.07
edients	1.0%

vailable Chlorine 34.0%

EPA Reg. No. 38906-EPA Est. No. 38906-PA 01

Net Weight

appropriate to container)

EP OUT OF REACH OF CHILDREN

DANGER

EMENT OF PRACTICAL TREATMENT

Feed gruel, cooked cereal or bread soaked in milk followed by olive oil. Immediately contact physician.

Flush eyes immediately with plenty of water for at least 15 minutes. Immediately contact physician.

Wash immediately with soap and plenty of water. Immediately contact physician.

Remove person to fresh air. If irritation persists contact physician. Never give anything by mouth to an unconscious person.

with a second NE

SE: 1984

Index of the stoods of the Act of

INITIAL DOSE: When system is noticeably fouled add to air washer sump or chill water sump to insure uniform mixing. Add 0.1 to 1.0 pound to 1000 gallons or 12 to 120 parts per million of water.

SUBSEQUENT DOSE: When microbial control is evident add 0.1 to 0.6 pounds to 1000 gallons or 12 to 72 parts per million of water.

STORAGE AND DISPOSAL

STORAGE: Keep container tightly closed. Store in a dry place. Do not store at elevated temperatures.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous and/or toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to the label instructions contact your state pesticide or environmental control agent or the hazardous waste representative at the nearest EPA regional office for guidance.

METAL AND PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate or burn, if allowed by State and Local authorities. If burned stay out of smoke.

FIBER DRUMS AND LINERS: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Then dispose of liner and drum in a sanitary landfill or incinerate if allowed by State and Local authorities. Do not rinse empty drum or liner.

FOR INDUSTRIAL USE ONLY

Technical advice regarding specific on site problems are available from GLYCO INC. A Material Safety Data Sheet relative to the use of this product is also available upon request.

noticeably fouled l water sump to l to 1.0 pound to s per million of

ml control is to 1000 gallons of water.

DSAL

ly closed. Store not store at k.

iter, food or feed
il. Pesticide
izardous and/or
osal of excess
ure, or rinsate
leral law. If
e disposed of by
label instructions
sticide or environor the hazardous
at the nearest EPA
uidance.

TAINERS: Triple
Then offer for ioning, or puncn a sanitary landr burn, if allowed thorities. If oke.

S: Completely gand tapping sides clinging particles. and drum in a incinerate if Local authorities. um or liner.

RIAL USE ONLY

rding specific on site e from GLYCO INC. A Sheet relative to the also available upon



OXIDIZING MATERIAL N.O.S.

(DICHLORODIALKYLHYDANTOINS)
UN # 1479