

AUG 28 1986


Glyco, Inc.
488 Main Avenue
P.O. Box 5100
Norwalk, CT 06856-5100

Gentlemen:

Subject: Dantobrom RW
EPA Registration No. 38906-12
Your Submission Dated March 24, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,



Jeff Kempter
Acting Product Manager (32)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

89920:Jenkins:C-11:KENCO:7/28/86:8/6/86:de:vo

CONCURRENCES

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

ACCEPTED
with COMMENTS
in EPA Letter Dated:

AUG 28 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

38906-12

DANTOBROM RW

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

RECIRCULATING COOLING WATER SYSTEMS

DANTOBROM RW aids in the control of bacterial, fungal and algal slime in evaporative condensers, heat exchangers, water systems, influent systems such as flow through filters, lagoons etc., industrial water scrubbing systems and brewery pasteurizers.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR CONTROL OF BACTERIA AND FUNGI INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 1.0 lbs. to 1000 gallons or 12 to 120 parts per million of the water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident add 0.1 to 0.75 pounds to 1000 gals. or 12 to 90 parts per million of water in the system every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When a system is noticeably fouled, add 0.1 to 1.0 pounds to 1000 gals. or 12 to 120 parts per million of water in the system.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.1 to 0.75 pound to 1000 gallons or 12 to 90 parts per million of water in the system.

(Continued on Panel 1)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

HARMFUL IF SWALLOWED. HIGHLY CORROSIVE. Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves, chemical goggles and face shield when handling. Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on the label.

PHYSICAL AND CHEMICAL HAZARDS

CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. In case of contamination or decomposition, do not reuse container. If possible, isolate container in open air or well-ventilated area. Flood with large volumes of water, if necessary.

Contents: BRIQUETTES

Active Ingredients	
1-bromo-3-chloro-5,5-dimethylhydantoin	80.0%
1,3-dichloro-5,5-dimethylhydantoin	27.4%
1,3-dichloro-5-ethyl-5-methylhydantoin	10.8%
Inert Ingredients	2.0%

Available - bromine	38.2%
Available - chlorine	38.8%

EPA Reg. No. 2806-12
EPA Est. No. 2-8806-PA 01
NET WEIGHT
(as marked on container)

KEEP OUR OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

INGESTION: Feed gruel, cooked cereal or bread soaked in milk followed by olive oil. Immediately contact physician.

EYES: Flush eyes immediately with plenty of water for at least 15 minutes. Immediately contact physician.

SKIN: Wash immediately with soap and plenty of water. Immediately contact physician.

INHALATION: Remove person to fresh air. If irritation persists contact physician. Never give anything by mouth to an unconscious person.

GLYCO

GLYCO INC.
400 MAIN AVENUE (Route 7)
P.O. BOX 5100
NORWALK, CT 06856-5100
(203)-847-1181

FOR CONTINUOUS INTERMITTENT USE

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 1.0 pound per 1000 gallons of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When the system is noticeably fouled add 0.1 to 0.75 pound to 1000 parts per million daily control.

CONTINUOUS

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 1.0 pound to 1000 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.1 to 0.75 pounds to 1000 parts per million of water in the system.

AIRWATER

For use only in industrial air conditioning systems. Main effective must eliminate.

DANTOBROM RW controls fungi and algae in industrial air conditioning systems. Add 0.1 to 1.0 pounds to 1000 gallons of water in the system depending upon the severity of the problem.

Control the application by residual in the treated medium. Add 1.0 ppm as free chlorine. Badly fouled systems must be cleaned before treatment is begun.

INTERMITTENT

INITIAL DOSE: When the system is noticeably fouled add 0.1 to 1.0 pound to 1000 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When the system is noticeably fouled add 0.1 to 0.80 pound to 1000 parts per million of water in the system.

(Continued)

↑
REVISED
TAG