

INSECTICIDE CATTLE EAR TAGS

For use on Beef and Non-Lactating Dairy Cattle to control Horn Flies (including pyrethroid resistant populations), Gulf Coast Ticks and Spinose Ear Ticks, and to aid in the control of Face Flies.

Keep Out of Reach of Children WARNING

See carton for Precautionary Statements and Directions for Use.

ACTIVE INGREDIENT:

| Diazinon | O. O-diethyl-O-{2-isopropyl-6 methyl 4 pyrimidinyl} | SY WEIGHT | phosphorothioate | 20% | 80% | IMERT INGREDIENTS | 80% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |

ACCEPTED

SPERSON ...

waterphysics of the

NET WT. 15 GRAMS PER TAG CONTENTS: 10 TAGS

JUN 1 3 1990 EPA REQ. NO. 39039-3 EPA EST. NO. 39039-WY-01

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the perticide registered under EPA Reg. No. 39039 - 3

contains 20 EAR TAGS

MADEINUSA

NOTICE OF WARRANTY

Y-TEX CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of tags only.

ENVIRONMENTAL HAZARDS

THIS PESTICIDE IS TOXIC TO FISH. Do not apply directly to water. Do not contaminate water by disposal of used tags. Use this product only as specified on the label.

EPA EST. NO. 39039-WY-01 EPA REG. NO. 39039-3

OPINIZE!

INSECTICIDE CATTLE EAR TAGS

For use on Beef and Non-Lactating Dairy Cattle to Control Horn Flies (including pyrethroid-resistant populations), Gulf Coast Ticks, Spinose Ear Ticks, and Aid in Control of Face Flies. Gives up to 5 Month's Control of Pyrethroid-Resistant Horn Flies.



Keep Out of Reach of Children

WARNING

See side panels for additional precautionary statements.





Distriction
0.0 destryl 0.02 isopropyl 6 methyl 4 pyrimidicyll 87 WEIGHT phosphorethicate 20% 80% TOTAL 100%

NET WT.,15 GRAMS PER TAG CONTENTS: 2 POUCHES OF 10 TAGS EACH


PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS WARNING

Harmful if absorbed through the skin rubbed in eyes, flush with plenty of water. If swallowed or if swallowed. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. If rubbed in eyes, flush with plenty of water. If swallowed or if eye irritation persists, call a physician. Wear clean playes daily when applying tags. Progloves daily when applying tags. Pro-longed or frequently repeated skin contact may cause allergic reaction to some individuals. If sensitization reaction results, consult with a physician.





It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of purificide application. For optimizing pestic or the user at the time of purificide application. For optimizing pestic or the user at the time of $p_{\rm c}$ broide application. tags per animal one in each ear in May to Junion when thes become a problem in the spring Froy design of the month's control of form thes including pyrethroid resistant hom thes. Also control South Claust the springse earlities and aids in the month of tare thes. Replace as necessary Apply as show with the time two mere taken in costem. If while the international content is smoother than the problem of the p tags per animal ione in each ear in May to Juni - r when thes become a problem in the spring two piece tagging system. Calves less than 3 months of age should not be ragged as ear damper have ex-



STORAGE AND DISPOSAL

Store in a cool place in original container Opened pouches containing ear tags should be resealed for storage Do not contaminate water, food or feed by storage or disposal STORAGE: Store in cool place away from direct sunlight

PESTICIOF DISPOSAL: Remove tags before slaughter

Securely wrap used tags in a plastic bag or several layers of newspaper and disc CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash

Y TEX CORPORATION • 1825 BIG HORN AVENUE • CODY • WYOMING • 82414