

Now Includes Lice Control!

MADE IN
USA

Y-TEX[®]
Optimizer[™]

INSECTICIDE CATTLE EAR TAGS

For use on Beef and Non-Lactating Dairy Cattle in summer to Control Horn Flies (including pyrethroid-resistant populations), Lice, Gulf Coast Ticks, Spineless Ear Ticks, and Aid in Control of Face Flies. Gives up to 5 Month's Control of Pyrethroid-Resistant Horn Flies. For use in winter to control Cattle Biting Lice, Little Blue Cattle Lice, and Aid in Control of Longnosed and Shortnosed Cattle Lice.

CONTAINS
100
EAR TAGS

Keep Out of
Reach of Children

WARNING

See side panels for additional
precautionary statements.

ACTIVE INGREDIENT:

Disinfectant	
O, O diethyl O (2-methoxy-5-methyl-4-pyridyl) phosphorothioate	BY WEIGHT
phosphorothioate	31.4%
INERT INGREDIENTS	68.6%
TOTAL	100.0%

NET WT. 15 GRAMS PER TAG

CONTENTS: 10 POUCHES OF 10 TAGS EACH

Y-TEX CORPORATION, 1825 BIG HORN AVENUE, CODY, WYOMING 82414

(Front Panel)
100 TAGS

ACCEPTED

JAN 7 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the purpose of
registration under
FIFRA Act, No. 1044-3

1044

Y-TEX[®] OptimizerTM

INSECTICIDE CATTLE EAR TAGS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS WARNING

Harmful if absorbed through the skin or if swallowed. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of food and feedstuffs. If rubbed in eyes, flush with plenty of water. If swallowed or if eye irritation persists, call a physician. Wear clean gloves daily when applying tags. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals. If sensitization reaction results, consult with a physician.

NOTE TO PHYSICIAN:

Disinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

(Right Side Panel)
100 TAGS

3 of 3

Y-TEX[®] Optimizer[™]

INSECTICIDE CATTLE EAR TAGS

NOTICE OF WARRANTY

Y-TEX CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its use which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of tags only.

ENVIRONMENTAL HAZARDS

THIS PESTICIDE IS TOXIC TO FISH. Do not apply directly to water. Do not contaminate water by disposal of used tags. Use this product only as specified on the label.

EPA EST. NO. 39039-WY-01
EPA REG. NO. 39039-3

(Left Side Panel)
100 TAGS

100
TAGS

100
TAGS

Y-TEX[®] Optimizer

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application.

Summer Season: For optimum control of horn flies, lice, Gulf Coast ticks, spinose ear ticks, and to aid in the control of face flies, attach two ear tags per animal (one in each ear) in May to June or when flies become a problem in the spring. Provides up to five months' control of horn flies, including pyrethroid-resistant horn flies.

Winter Season: To control lice during winter season, apply two new tags per animal in late fall. Kills cattle biting lice within two weeks. Controls little blue cattle lice and aids in control of longhorned and shorthorned cattle lice.

Apply new tags in spring for fly and tick control. Replace as necessary. Apply as shown with the Y-TEX 2-piece tagging system. All animals in the herd should be tagged. Calves less than 3 months of age should be tagged with the lighter-weight Optimizer-Calf[™] tags or ear damage may result. To minimize development of insecticide resistance, remove used tags at end of fly and lice seasons and follow Y-TEX's recommended tag rotation program.

STEP 1

Seat male button firmly on pin, press down and give a slight twist.



STEP 2

Place female tag firmly under clip. Collar on tag must be pointing away from pin.



STEP 3

Position applicator over ear and snap the handles together.



The pin for ear button and third red cartilage as a

STORAGE AND DISPOSAL

Store in a cool place in original container.

Opened pouches containing ear tags should be resealed for storage.

Do not contaminate water, food or feed by storage or disposal.

STORAGE:

Store in cool place away from direct sunlight.

PESTICIDE DISPOSAL:

Remove tags before slaughter. Securely wrap used tags in a plastic bag or several layers of newspaper and discard in trash.

CONTAINER DISPOSAL:

Do not reuse bag. Discard bag in trash.

- Two tags per animal give up to five months' control of pyrethroid-resistant horn flies.
- Two tags per animal control lice, Gulf Coast ticks, spinose ear ticks, and provide substantial reductions of face flies during summer season.
- Two tags per animal control biting lice, little blue cattle lice, and provide substantial reductions of other sucking lice during winter season.
- Guaranteed against loss due to tag or button failure.*
- No withdrawal time required.

Long taper and rounded edges for durability

Ribbed design for season-long durability

Large surface area for insecticide effectiveness

Snap-Lok[™] collar for guaranteed retention*
U.S. Patent 4,581,533

GUARANTEE

*This guarantee is limited to the right of the user to return the tags for a full refund if the tags fail to provide for a full (100%) season of protection.

Rear Panel (100 Tag Carton)

