

Until Reregistration

Python Insecticide Cattle
 Ear Tag

Y-TEX Corporation
 P.O. Box 1450
 1825 Big Horn Ave
 Cody, Wyoming 82414-1450

166
 18
 5437113

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.
 2. Conditional registration is granted, provided Y-Tex Corporation agrees in writing to conduct acute toxicity tests, if tests currently under review are unacceptable and waiver is denied.
 3. Add the phrase "EPA Registration No. 39039-4" to your label before you release the product for shipment.
 4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.
- If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6 (e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
 George T. LaRocca
 Product Manager (13)

Insecticide-Rodenticide Branch

Enclosure:

CONCURRENT REGISTRATION DIVISION (H7505C)

SYMBOL							
SURNAME	Moran	Atter					
DATE	4/5/93	4/6/93					

CONTAINS 20 EAR TAGS

MADE IN USA

Y-TEX[®] PYTHON[™] INSECTICIDE CATTLE EAR TAGS



For use on Beef and Dairy Cattle (Including Lactating) and Calves to Control Horn Flies, Face Flies, Lice, Gulf Coast Ticks, Spinose Ear Ticks, and Aid in Control of Stable Flies, Black Flies, House Flies and small Horse Flies.

Keep Out of Reach of Children

CAUTION

See side panels for additional precautionary statements

ACTIVE INGREDIENTS:

S-Cyano (3-phenoxyphenyl) methyl
(±) cis/trans 3-(2, 2-dichloroethenyl)
-2, 2 dimethylcyclopropane-carboxylate* 10%
*Cis/trans isomer ratio:
Max. 55% (±) cis and Min. 45% (±) trans

Piperonyl Butoxide, Technical
Min. 80% (butylcarbityl)(6-propylpiperonyl) ether
and Max. 20% related compounds 20%

INERT INGREDIENTS 70%
TOTAL 100%

NET WT. 9.5 GRAMS PER TAG CONTENTS: 20 TAGS

FRONT PANEL




ON
← BOTTOM

2 9 6
ACCEPTED
with COMMENTS
in EPA Letter Dated
4/6/93
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide:
registered under EPA Reg. No.
39039-4

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS WARNING

May be harmful if swallowed or absorbed through the skin. Avoid contact with skin and eyes. *Wear rubber or non-permeable protective gloves when applying tags.* Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed or foodstuffs. If rubbed in eyes, flush with plenty of water. If swallowed, or if eye irritation persists, get medical attention.



BEST AVAILABLE COPY

Y-TEX Python™ INSECTICIDE CATTLE EAR TAGS

- Synergized pyrethroid formula for maximum effectiveness against horn flies.
- Also controls face flies, lice, ear ticks, and aids in control of other biting flies.

- Can be used on lactating dairy cows.
- No withdrawal time required.
- Guaranteed against loss due to tag or button failure.*

Snap-Lok™ collar for guaranteed retention* (U.S. Patent No. 4,581,874)

Ribbed design for season-long durability
Long taper and rounded edges for durability

Large surface area for insecticide effectiveness

GUARANTEE

*The guarantee is a limited guarantee limited to the replacement of tags only. If the tags failed after being properly applied, to remain in the animal's ear for a five (5) month period due to tag breakage or separation from button.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application.

Summer Season: To control horn flies for about 3-4 months and aid in control of face flies, apply 1 tag per animal in late spring. To control horn flies, face flies, lice, Gulf Coast ticks and Spinose ear ticks for 4-5 months, and to aid in control of stable flies, black flies, house flies and small horse flies, apply two tags per animal (1 in each ear) when flies appear in spring. Apply 2 tags to large bulls for optimum horn fly protection.

Winter Season: For season-long lice control, apply tags in late fall. To control biting lice, shortnosed sucking lice and aid in control of other sucking lice, apply 1 tag per calf or 2 tags per mature animal (1 in each ear).

Apply as shown with the Y-TEX 2-piece tagging system. All animals in the herd should be tagged. To minimize development of insecticide resistance, remove used tags at end of fly and lice seasons, and follow Y-TEX's recommended tag rotation program.

EP 1
Seat male button firmly on pin, press down and give a slight twist.

STEP 2 Place female tag firmly under clip. Collar on tag must be pointing away from pin.

STEP 3 Position applicator over ear and squeeze the handles together.

The ideal position for male stud is between the second and third radial cartilage as shown.

STORAGE AND DISPOSAL

Store in a cool place in original container.
Opened bags containing ear tags should be resealed for storage.
Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in cool place away from direct sunlight.

PESTICIDE DISPOSAL: Remove tags before slaughter. Securely wrap used tags in a plastic bag or several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

Y-TEX CORPORATION • 1825 BIG HORN AVENUE • COOY • WYOMING • 82414

NOTICE OF WARRANTY

Y-TEX CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of tags only.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not contaminate water by disposal of used tags. Use this product only as specified on this label.

EPA EST. NO. 39039-WY-01
EPA REG. NO. 39039-

REAR PANEL

BEST AVAILABLE COPY

Under the
 provisions of
 or other
 regulations in
 30

Y-TEX[®] Python[™]

INSECTICIDE CATTLE EAR TAGS

For use on Beef and Dairy Cattle (including Lactating) and Calves to Control Horn Flies, Face Flies, Lice, Gulf Coast Ticks, Spinose Ear Ticks, and Aid in Control of Stable Flies, Black Flies, House Flies and small Horse

BEST AVAILABLE COPY

**MADE IN
 USA**

ACTIVE INGREDIENTS:

S-Cyano (3-phenoxyphenyl) methyl	
(±) cis/trans 3-(2, 2-dichloroethenyl)	
-2, 2 dimethylcyclopropane-carboxylate*	10%
*Cis/trans isomer ratio:	
Max. 55% (±) cis and Min. 45% (±) trans	
Piperonyl Butoxide, Technical	
Min. 80% (butylcarbityl)(6-propylpiperonyl) ether	
and Max. 20% related compounds	20%
INERT INGREDIENTS	70%
TOTAL	100%

**CON
 10
 EAR**



Keep Out of
 Reach of Children
CAUTION

See side panels for additional
 precautionary statements

Normal Python Ranch Pack

FRONT PANEL

Y-TEX[®]
PYthon[™]
INSECTICIDE CATTLE EAR TAGS

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
WARNING**

May be harmful if swallowed or absorbed through the skin. Avoid contact with skin and eyes. *Wear rubber or non-permeable protective gloves when applying tags.* Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed or foodstuffs. If rubbed in eyes, flush with plenty of water. If swallowed, or if eye irritation persists, get medical attention.

(RIGHT SIDE PANEL)

Y-TEX[®]
PYthon[™]
INSECTICIDE CATTLE EAR TAGS

NOTICE OF WARRANTY

Y-TEX CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of tags only.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not contaminate water by disposal of used tags. Use this product only as specified on this label.

EPA EST. NO. 39039-WY-01
EPA REG. NO. 39039-

(LEFT SIDE PANEL)

Y-TEX
Python™ INSECTICIDE
 CATTLE EAR TAGS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application.


Summer Season: To control horn flies for about 3-4 months and aid in control of face flies, apply 1 tag per animal in late spring. To control horn flies, face flies, lice, Gulf Coast ticks and Spinose ear ticks for 4-5 months, and to aid in control of stable flies, black flies, house flies and small horse flies, apply two tags per animal (1 in each ear) when flies appear in spring. Apply 2 tags to large bulls for optimum horn fly protection.

Winter Season: For season-long lice control, apply tags in late fall. To control biting lice, shortnosed sucking lice and aid in control of other sucking lice, apply 1 tag per calf or 2 tags per mature animal (1 in each ear).

Apply as shown with the Y-TEX 2-piece tagging system. All animals in the herd should be tagged. To minimize development of insecticide resistance, remove used tags at end of fly and lice seasons, and follow Y-TEX's recommended tag rotation program.


STEP 1

Seat male button firmly on pin, press down and give a slight twist.



STEP 2

Place female tag firmly under clip. Collar on tag must be pointing away from pin.



STEP 3

Position applicator over ear and squeeze the handles together.



The ideal position for male stud is between the second and third radial cartilage as shown.

STORAGE AND DISPOSAL

Store in a cool place in original container.

Opened bags containing ear tags should be resealed for storage.

Do not contaminate water, food or feed by storage or disposal.

STORAGE:

Store in cool place away from direct sunlight.

PESTICIDE DISPOSAL:

Remove tags before slaughter. Securely wrap used tags in a plastic bag or several layers of newspaper and discard in trash.

CONTAINER DISPOSAL:

Do not reuse bag. Discard bag in trash.

- Synergized pyrethroid formula for maximum effectiveness against horn flies.
- Also controls face flies, lice, ear ticks, and aids in control of other biting flies.
- Can be used on lactating dairy cows.
- No withdrawal time required.
- Guaranteed against loss due to tag or button failure.*

Long taper and rounded edges for durability

Ribbed design for season-long durability

Large surface area for insecticide effectiveness

Snap-Lok™ collar for guaranteed retention* (U.S. Patent No. 4,581,834)

GUARANTEE

This guarantee is a limited guarantee, limited to the replacement of tags only, if the tags failed after being properly applied, to remain in the animal's ear for a five (5) month period due to tag breakage or separation from button.

Y-TEX Corporation, 1825 Big Horn Avenue, Cody, Wyoming 82414

YTP-45-393

(REAR PANEL)

BEST AVAILABLE COPY