

PM 03

39039-5

6/12/98

344253

114

JUN 12 1998

Dr. Mike Fletcher  
Y-TEX Corporation  
P.O. Box 1450  
Cody, WY 82414-1450

Dear Dr. Fletcher:

Subject: Amendment- Revise sheep pour-on directions  
and Add premise pests  
DRYZON WP Livestock Premise & Sheep Insecticide  
EPA Registration Number 39039-5  
Your submission dated August 20, 1997  
and revised labeling FAXed June 12, 1998

The amendment referred to above, as submitted June 12, 1998  
in connection with a registration under FIFRA section 3(c)(7)(a),  
is acceptable provided that you:

1. Submit and/or cite all data or other material required for  
registration/reregistration of your product under FIFRA  
section 3(c)(5) or FIFRA section 4 when the Agency requires  
all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the  
product for shipment bearing the amended labeling:
  - a) Delete the heading **Physical or Chemical Hazards** and its  
associated text [the text you proposed is for emulsifiable  
concentrates, not wettable powders].
  - b) In the footnote for Residual Sprays in Barns, correct  
"garbage dumps and canals" to read "garbage dumps and  
corrals".
  - c) As discussed by telephone, revise the Remarks for the Sheep  
Pour-on to read "Agitate mixture frequently. Apply up to 2  
fl. oz. per animal" [to allow for variation in animal size].  
You may want to add "over head, neck, and top line of each  
animal" as appears on the supplemental label.

d) On the supplemental label to be applied on top of canisters in current inventory, revise the next to last sentence to read "Apply up to 2 fl. oz. of mixture over head, neck, and top line of each animal."

3. Submit three (3) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Sincerely,

George T. LaRocca  
Product Manager 13  
Insecticide/Rodenticide Branch  
Registration Division (7505C)

Y-TEX®  
**DRYZON™ WP**

**Livestock Premise & Sheep Insecticide**

Controls flies, ticks, ants and other pests in livestock structures as a residual spray or sweetened fly bait. Controls keds (sheep "ticks"), lice, ticks, flies and mites on sheep.

**Active Ingredient:**

Diazinon:

0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate . . . 50%

Inert Ingredients . . . . . 50%

Total 100%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
See side panels for  
additional precautionary statements

Net Contents: 8 ozs. plus 1 oz. scoop

EPA Est. No.: 39578-TX-01  
EPA Reg. No.: 39039-5

Y-TEX Corporation • Cody • Wyoming • 82414

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

JUN 12 1998

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
39039-5

**M A S T E R   L A B E L**

**PRECAUTIONARY STATEMENTS**

Hazards to Humans and Domestic Animals

**CAUTION**

Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust or spray mist. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and feed. Keep out of reach of domestic animals.

**Statement of Practical Treatment**

If swallowed: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth if person is unconscious or convulsing.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

If on skin: Remove contaminated clothing and wash affected areas thoroughly with soap and water. Get medical attention.

If in eyes: Flush eyes with plenty of water. Call a physician if irritation develops or persists.

**Note to Physician:** This product is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal but only in conjunction with atropine.

**Environmental Hazards:** This product is highly toxic to birds, fish and other wildlife. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas.

Do not contaminate water by cleaning of equipment or disposal of equipment wash waters.

**Physical or Chemical Hazards**

Do not use, pour, spill, or store near heat or open flame.

**NOTICE OF WARRANTY**

Y-TEX CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of product only.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**GENERAL INFORMATION**

Best control is obtained when application is made at the first sign of pests. Application should be repeated only as directed to maintain control.

Since DRYZON WP is a wettable powder formula, constant agitation is necessary during application.

To avoid spray drift, do not apply under windy conditions.

**Work Safety Rules:**

REPEATED EXPOSURES TO CHOLINESTERASE INHIBITORS SUCH AS ARE CONTAINED IN THIS PRODUCT MAY, WITHOUT WARNING, CAUSE PROLONGED SUSCEPTIBILITY TO VERY SMALL DOSES OF ANY CHOLINESTERASE INHIBITOR.

When handling DRYZON WP, do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. See Practical Treatment section of this label. When handling this product, wear the personal protective equipment listed in the following section.

**Personal Protective Equipment:** long-sleeved shirt, long-legged pants, shoes and socks, and chemical resistant gloves.

Do not apply this product in a way that will contact unprotected workers, either directly or through drift. Only protected handlers may be in the area during application.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**Pesticide:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If pesticide, spray mixture or rinsates cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container:** Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke from burning container.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire or other emergency, call 1-800-248-5724 day or night.

DIRECTIONS FOR USE (continued)  
ARTHROPOD PEST CONTROL IN LIVESTOCK STRUCTURES

**BARN SPRAY:**

For control of Flies and other Nuisance Pests such as Ants, Boxelder Bugs, Brown Dog Ticks, Chiggers, Clover Mites, Cockroaches, Crickets, Earwigs, Fleas, Millipedes, Sowbugs (Pillbugs), Spiders and Springtails (Collembola) in barns and animal sleeping quarters. Do not apply spray dilutions inside dairy barns, milk rooms or poultry houses.

| Application      | DRYZON WP                      | Water and other Additives        | Remarks   |
|------------------|--------------------------------|----------------------------------|---|
| Residual Sprays* | 0.5 - 1.0 lb.<br>0.5 - 1.0% AI | 6 gal. water                     | Spray ceilings and walls,<br>1 gal. per 350-750 sq. ft. |
| Bait Spray**     | 0.5 lb.<br>1.14% AI            | 2.5 gal. water.<br>1.0 lb. sugar | Spot treat fly resting<br>areas.                        |

\* When using spray mixtures for fly and nuisance pest control do not contaminate milk, feed, drinking water, or apply to animals or poultry. Remove animals from buildings or corrals prior to treatment and keep animals out until spray residues have dried. Apply as an overall spray to ceilings and walls of livestock sheds, calf barns, hog barns, loafing sheds, and other farm buildings except poultry houses, dairy barns, and milk rooms. Areas where flies congregate, such as garbage dumps and canals, should be sprayed thoroughly. Longer residual control may be obtained from the higher rate of 1 lb. in 6 gals. of water. Apply until surface is wet but do not let runoff occur (1 gal. should cover 350 - 750 sq. ft. of area, depending on surface treated). Repeat application as fly populations warrant. Do not use in edible product areas of food processing plants or other areas where food is commercially prepared or processed. Do not use in dwellings.

\*\* Spot treat areas frequented by flies including cracks, crevices, doorways, around windows or other areas flies congregate. Repeat application as fly populations warrant.

**ARTHROPOD PEST CONTROL ON SHEEP**


**SHEEP "TICKS" (KEDS), LICE, TICKS, FLIES AND MITES ON SHEEP:**

Apply as follows and repeat applications as necessary. Do not slaughter sheep within 14 days after treatment.

| Application          | DRYZON WP           | Water and other Additives                 | Remarks                                      |
|----------------------|---------------------|---|--|
| High gallonage spray | 0.5 lb.<br>0.03% AI | 100 gal. water                            | 1 gal. per animal                            |
| Low gallonage spray  | 0.5 lb.<br>0.06% AI | 50 gal. water                             | 1 quart per animal                           |
| Pour-on              | 0.5 lb.<br>1.0% AI  | 3 gal. water,<br>5 fl. oz. wetting agent* | 2 fl. oz. per animal<br>(Agitate frequently) |

\* Household detergent, dish soap or other suitable wetting agent.

6/4



Supplemental Label for  
**DRYZON™ WP**  
to be applied on top of the canisters  
in current inventory