

39039-6

09/14/2001

117

CONTAINS 20 EAR TAGS
MADE IN USA

Y-TEX® WARRIOR

WHITE CATTLE EAR TAG

Use on Beef and Non-Lactating Dairy Cattle
to Control Horn Flies (including pyrethroid-resistant
strains), Biting Lice, Sucking Lice, Gulf Coast Tick,
Spring Tick, Ear Ticks, and Aid in Control of Face Flies,
Stable Flies and House Flies.

Keep Out of Reach of Children

WARNING

See back of tag for precautionary statements

INGREDIENTS:

1,1-Dichloro-2,2-bis(4-chlorophenyl)ethane
1,1-Dichloro-2,2-bis(4-propyl-6-methyl-4-pyrimidinyl)ethane
1,1-Dichloro-2,2-bis(4-propyl-6-methyl-4-pyrimidinyl)ethane
1,1-Dichloro-2,2-bis(4-propyl-6-methyl-4-pyrimidinyl)ethane

BY WEIGHT 100%

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS WARNING

Harmful if absorbed through the skin or if swallowed. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed or foodstuffs. If rubbed in eyes, flush with plenty of water. If swallowed or if eye irritation persists, call a physician. Wear rubber or non-permeable protective gloves when applying tags. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals. If sensitization reaction results, consult with a physician.

NOTICE OF WARRANTY

Y-TEX CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of tags only.

ENVIRONMENTAL HAZARDS

THIS PESTICIDE IS TOXIC TO FISH. Do not apply directly to water. Do not contaminate water by disposal of used tags. Use this product only as specified on the label.

EPA EST NO. 39039-WY-01
EPA REG. NO. 39039-6

Patent No. 5,472,955

NET WT. 15 GRAMS PER TAG

CONTENTS: 20 TAGS



0 30907 04736 5

Revised 20 Tag Carton

ACCEPTED
SEP 14 2001
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 39039-6

Y-TEX[®] WARRIOR[™] INSECTICIDE CATTLE EAR TAGS

Snap-Lok[™] collar for guaranteed retention* (U.S. Patent No. 4,581,634)

Ribbed design for season-long durability

Long taper and rounded edges for durability

Large surface area for insecticide effectiveness

GUARANTEE

* This guarantee is a limited guarantee, limited to the replacement of tags only, if the tags failed after being properly applied, to remain in the animal's ear for a five (5) month period due to tag breakage or separation from button.

- One tag per animal controls pyrethroid-resistant horn flies for 3 to 4 months and aids in control of face flies.
- One tag per animal controls biting and sucking lice during winter.
- No withdrawal time required.
- Two tags per animal control horn flies, lice, Gulf Coast and spinose ear ticks up to 5 months and aid in control of face flies, stable flies and house flies.
- Guaranteed against loss due to tag or button failure.*

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Reformulation or repackaging of this product is prohibited. This labeling must be in the possession of the user at the time of pesticide application.

Summer Season: Apply 1 tag per animal to control horn flies for 3-4 months, control lice and aid in control of face flies. Apply 2 tags per animal (1 in each ear) for optimum control of horn flies, lice, Gulf Coast ticks and spinose ear ticks for up to 5 months. Two tags per animal also provides substantial reductions of face flies and aids in control of stable flies and house flies. Apply when pests appear.


Winter Season: Apply 1 new tag per animal in late fall to early winter to control biting and sucking lice. Kills biting lice and most sucking lice within 2 weeks. Protects from lice reinfestation for 2-3 months.

Apply new tags in spring for fly and tick control. Replace as necessary. Apply as shown with the Y-TEX 2-piece tagging system. All animals in the herd should be tagged. Calves less than 3 months of age should not be tagged or ear damage may result. To minimize development of insecticide resistance, remove used tags at end of fly and lice seasons and follow Y-TEX's recommended tag rotation program.


STEP 1
Seat male button firmly on pin, press down and give a slight twist.




STEP 2
Place female tag firmly under clip. Collar on tag must be pointing away from pin.



STEP 3
Position applicator over ear and squeeze the handles together.



The ideal position for male stud is between the second and third radial cartilage as shown.



STORAGE AND DISPOSAL

Store in a cool place in original container. Opened bags containing ear tags should be resealed for storage. Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in cool place away from direct sunlight.

PESTICIDE DISPOSAL: Remove tags before slaughter.

Securely wrap used tags in a plastic bag or several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

Y-TEX CORPORATION • 1825 BIG HORN AVENUE • CODY • WYOMING • 82414

FIRST AID

This product contains diazinon and chlorpyrifos, organophosphate insecticides that inhibit cholinesterase.

If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If a person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.


HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.

NOTE TO PHYSICIAN

Diazinon and chlorpyrifos are organophosphate insecticides. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

YTP-88-295



Y-TEX® WARRIOR™

INSECTICIDE CATTLE EAR TAGS

For use on Beef and Non-Lactating Dairy Cattle to Control Horn Flies (Including pyrethroid-resistant populations), Biting Lice, Sucking Lice, Gulf Coast Ticks, Spinose Ear Ticks, and Aid in Control of Face Flies, Stable Flies and House Flies.

Keep Out of Reach of Children

WARNING

See side panels for additional precautionary statements

ACTIVE INGREDIENTS:

	BY WEIGHT
Diazinon	
0,0-dieethyl-O-(2-Isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	30.0%
Chlorpyrifos	
0,0-dieethyl O-(3,5,6-trichloro-2-pyridinyl) phosphorothioate	10.0%
INERT INGREDIENTS	60.0%
TOTAL	100.0%

**MADE IN
USA**

**CONTAINS
100
EAR TAGS**

NET WT. 15 GRAMS PER TAG CONTENTS: 5 POUCHES OF 20 TAGS EACH

ACCEPTED
SEP 14 2001
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the sale of the registered under EPA Reg. No. 39039-6

Revised Label - 100 Tags
Front Panel
(No revisions to Front Panel)

Y-TEX® WARRIOR™

INSECTICIDE CATTLE EAR TAGS

FIRST AID	
This product contains diazinon and chlorpyrifos, organophosphate insecticides that inhibit cholinesterase.	
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If a person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
<p align="center">HOT LINE NUMBER</p> <p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.</p>	
<p align="center">NOTE TO PHYSICIAN</p> <p>Diazinon and chlorpyrifos are organophosphate insecticides. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.</p>	

Revised Label - 100 Tag Carton
 Left side Panel
 (with revisions)

Y-TEX[®] WARRIOR[™] INSECTICIDE CATTLE EAR TAGS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING

Harmful if absorbed through the skin or if swallowed. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed or foodstuffs. If rubbed in eyes, flush with plenty of water. If swallowed or if eye irritation persists, call a physician. Wear rubber or non-permeable protective gloves when applying tags. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals. If sensitization reaction results, consult with a physician.

NOTICE OF WARRANTY

Y-TEX CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of tags only.

ENVIRONMENTAL HAZARDS


THIS PESTICIDE IS TOXIC TO FISH. Do not apply directly to water. Do not contaminate water by disposal of used tags. Use this product only as specified on the label.


EPA EST NO. 39039-WY-01
EPA REG. NO. 39039-6

Patent No. 5,472,955



Revised Label - 100 Tag Carton
Right Side Panel
(with revisions)





Revised Label - 100 Tag Carton

Top Panel

RANCH PACK

Upper Back Panel (with revisions)

Y-TEX[®] WARRIOR[™] INSECTICIDE CATTLE EAR TAGS


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Reformulation or repackaging of this product is prohibited. This labeling must be in the possession of the user at the time of pesticide application.

Summer Season: Apply 1 tag per animal to control horn flies for 3-4 months, control lice and aid in control of face flies. Apply 2 tags per animal (1 in each ear) for optimum control of horn flies, lice, Gulf Coast ticks and ~~spiders~~ ear ticks for up to 5 months. Two tags per animal also provides substantial reductions of face flies and aids in control of stable flies and house flies. Apply when pests appear.

Winter Season: Apply 1 new tag per animal in late fall to early winter to control biting and sucking lice. Kills biting lice and most sucking lice within 2 weeks. Protects from lice reinfestation for 2-3 months.

Apply new tags in spring for fly and tick control. Replace as necessary. Apply as shown with the Y-TEX 2-piece tagging system. All animals in the herd should be tagged. Calves less than 3 months of age should not be tagged or ear damage may result. To minimize development of insecticide resistance, remove used tags at end of fly and lice seasons and follow Y-TEX's recommended tag rotation program.



STORAGE AND DISPOSAL

Store in a cool place in original container.
Opened bags containing ear tags should be resealed for storage.
Do not contaminate water, food or feed by storage or disposal.

STORAGE:

Store in cool place away from direct sunlight.

PESTICIDE DISPOSAL:

Remove tags before slaughter.
Securely wrap used tags in a plastic bag or several layers of newspaper and discard in trash.

CONTAINER DISPOSAL:

Do not reuse bag. Discard bag in trash.

- One tag per animal controls pyrethroid-resistant horn flies for 3 to 4 months and aids in control of face flies.
- One tag per animal controls biting and sucking lice during winter.
- No withdrawal time required.
- Two tags per animal control horn flies, lice, Gulf Coast and spinose ear ticks up to 5 months and aid in control of face flies, stable flies and house flies.
- Guaranteed against loss due to tag or button failure.*

Long taper and rounded edges for durability

Ribbed design for season-long durability

Snap-Lok™ collar for guaranteed retention* (U.S. Patent No. 4,581,834)

Large surface area for insecticide effectiveness

GUARANTEE

• This guarantee is a limited guarantee, limited to the replacement of tags only, if the tags failed after being properly applied, to remain in the animal's ear for a five (5) month period due to tag breakage or separation from button.

Y-TEX CORPORATION • 1825 BIG HORN AVENUE • CODY • WYOMING • 82414

YTP-73-295

*Revised Label - 100 Tag Carton
Lower Back Panel
(No revisions to this panel)*

0 30907 04737 2

