

39039-6

10/21/2013

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

OCT 21 2013

Mr. Michael G. Fletcher, Ph.D.
Y- Tex Corporation
P.O. Box 1450
1825 Big Horn Avenue
Cody, Wyoming 82414-1450

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Dr. Fletcher:


The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated September 18, 2013 for the following product(s):

Warrior Insecticide EPA Registration Number 39039-6
Cattle Ear Tags

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,


Richard J. Gebken
Product Manager
Insecticide Branch
Registration Division (7504P)

Y•TEX® CORPORATION

P.O. Box 1450, 1825 Big Horn Avenue, Cody, Wyoming 82414-1450 • Phone (307) 587-5515 • FAX (307) 527-6433

TRANSMITTAL DOCUMENT NOTIFICATION PER PR NOTICE 98-10

September 17, 2013

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn: Mr. Richard Gebken

SUBJECT: NOTIFICATION of minor label changes to add U.S. units of measure

Dear Mr. Gebken:

Please find enclosed five NOTIFICATIONS per PR Notice 98-10 to add U.S. units of measure to the labels of five of our registered ear tag products.

Product Name	EPA Reg. No.	Active Ingredient(s)	Change
GardStar plus Insecticide Ear Tag	39039-1	Permethrin, 10%	Net Wt. 0.34 oz. (9.5 grams) per tag
Optimizer Insecticide Ear Tag	39039-3	Diazinon, 21.0%	Net Wt. 0.53 oz. (15 grams) per tag
PYthon Insecticide Cattle Ear Tag	39039-4	Zetacypermethrin, 10% Piperonyl Butoxide, 20%	Net Wt. 0.34 oz. (9.5 grams) per tag
Warrior Insecticide Cattle Ear Tag	39039-6	Diazinon, 30% Chlorpyrifos, 10%	Net Wt. 0.53 oz. (15 grams) per tag
PYthon Magnum Insecticide Cattle Ear Tag	39039-11	Zetacypermethrin, 10% Piperonyl Butoxide, 20%	Net Wt. 0.54 oz. (15.4 grams) per tag

These notifications are consistent with CFR 40 156.10(d) labeling requirements.

I have enclosed the following for each product:

1. Form 8570-1
2. Three copies of the revised label with changes highlighted


If I need to supply further information, please contact me at the address or phone number provided above, or by e-mail at mfletcher@ytex.com.

Sincerely,

Michael G. Fletcher, Ph.D.
Vice President - Specialty Products

Enclosures

cc: Kathy Skates, kskates@ytex.com



4/8

Y-TEX[®] WARRIOR[™]

INSECTICIDE CATTLE EAR TAGS

For use on Beef and Non-Lactating Dairy Cattle to Control Horn Flies (including pyrethroid-resistant populations), Biting Lice, Sucking Lice, Gulf Coast Ticks, Spinose Ear Ticks, and Aid in Control of Face Flies, Stable Flies and House Flies.

KEEP OUT OF REACH OF CHILDREN WARNING

See side panels for Precautionary Statements

ACTIVE INGREDIENT:	By Weight
Diazinon 0, 0-diethyl-0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	30.0%
Chlorpyrifos 0,0-diethyl 0-(3,5,6-trichloro-2-pyridinyl) phosphorothioate	10.0%
OTHER INGREDIENTS	60.0%
TOTAL	100.0%


NET WT. 0.53 oz. (15 grams) PER TAG

CONTENTS: _____ TAGS
(qty. = 20 or 100)

Y-TEX CORPORATION, 1825 BIG HORN AVENUE, CODY, WYOMING 82414

NOTIFICATION

OCT 21 2013



5/8

Y-TEX®

WARRIOR™ Insecticide Cattle Ear Tags

- Guaranteed against loss due to tag or button failure*
- Snap-Lok® collar for guaranteed retention*
- No withdrawal time required
- One tag per animal controls pyrethroid-resistant horn flies for 3 to 4 months and aids in control of face flies.
- One tag per animal controls biting and sucking lice during winter.
- Two tags per animal control horn flies, lice, Gulf Coast and spinose ear ticks up to 5 months and aid in control of face flies, stable flies and house flies.
- Ribbed design for season-long durability
- Long taper and rounded edges for durability
- Large surface area for insecticide effectiveness

GUARANTEE

*This guarantee is a limited guarantee, limited to the replacement of tags only, if the tags failed after being properly applied, to remain in the animal's ear for a five (5) month period due to tag breakage or separation from button.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Reformulation or repackaging of this product is prohibited. This labeling must be in the possession of the user at the time of pesticide application.

NOTE: When applying tags, wear chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or greater than 14 mils).

Summer Season: Apply 1 tag per animal to control horn flies for 3-4 months, control lice and aid in control of face flies. Apply 2 tags per animal (1 in each ear) for optimum control of horn flies, lice, Gulf Coast ticks and spinose ear ticks for up to 5 months. Two tags per animal also provides substantial reductions of face flies and aids in control of stable flies and house flies. Apply when pests appear.

Winter Season: Apply 1 new tag per animal in late fall to early winter to control biting and sucking lice. Kills biting lice and most sucking lice within two weeks. Protects from lice reinfestation for 2-3 months.

Apply new tags in spring for fly and tick control. Replace as necessary. Apply as shown with the Y-TEX 2-piece tagging system. All animals in the herd should be tagged. Calves less than 3 months of age should not be tagged or ear damage may result. To minimize development of insecticide resistance, remove used tags at end of fly and lice seasons and follow Y-TEX's recommended tag rotation program.

STEP 1 (drawing)

Seat male button firmly on pin, press down and give a slight twist.

STEP 2 (drawing)

Place female tag firmly under clip. Collar on tag must be pointing away from pin.

STEP 3 (drawing)

Position applicator over ear and squeeze the handles together.

(drawing of completed installation in ear)

The ideal position for male stud is between the second and third radial cartilage as shown.

