



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

January 10, 2024

Michael Fletcher
Vice President – Specialty Products
Y-TEX Corporation
1825 Big Horn Avenue
Cody, WY 82414

Subject: Label Amendment – Implementing Chlorpyrifos and Diazinon Mitigation for the NMFS 2022 Biological Opinion for Chlorpyrifos, Malathion, and Diazinon as well as General Label Updates
Product Name: Warrior Cattle Ear Tag
EPA Registration Number: 39039-6
Application Dates: 5/19/2022; 10/19/2022; 10/19/2022
Decision Numbers: 584840; 588329; 594762

Dear Michael Fletcher:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the NMFS's 2022 Biological Opinion for EPA's Registration Review of Pesticide Products Containing Chlorpyrifos, Malathion, and Diazinon and has concluded that your submission is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the

Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact David Drawbaugh at (202) 566-2604 or at drawbaugh.david@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'Michael Walsh', is written over a light gray horizontal line.

Michael Walsh
Product Manager 11
Invertebrate & Vertebrate Branch 2
Registration Division
Office of Pesticide Programs

Attachment

December 14, 2023

{Y-TEX's Master Label – Warrior Insecticide Cattle Ear Tag

Version: 1223

EPA Reg. No. 39039-6

Page 1 of 5}

{Information enclosed in brackets [] denotes optional language}

DIAZINON	GROUP	1B	INSECTICIDE
CHLORPYRIFOS	GROUP	1B	INSECTICIDE

Y-TEX[®] WARRIOR[™]

INSECTICIDE CATTLE EAR TAG

For use on Beef and Non-Lactating Dairy Cattle to Control Horn Flies (including pyrethroid-resistant populations), Biting Lice, Sucking Lice, Gulf Coast Ticks, Spinose Ear Ticks, and Aid in Control of Face Flies, Stable Flies and House Flies.

In the United States, ear tags containing chlorpyrifos may be used only on beef and non-lactating dairy cattle, and on cattle in mating and cow-calf operations as long as the animals are not offered for slaughter within one (1) year of tag removal. Operators should maintain records to capture dates of ear tag removal and when animals are sent to slaughter.

KEEP OUT OF REACH OF CHILDREN WARNING

See side panels for Precautionary Statements

ACTIVE INGREDIENT:

By Weight

Diazinon

0, 0-diethyl-0-(2-isopropyl-6-methyl-4-pyrimidinyl)

phosphorothioate

30.0%

Chlorpyrifos

0,0-diethyl 0-(3,5,6-trichloro-2-pyridinyl) phosphorothioate

10.0%

OTHER INGREDIENTS

60.0%

TOTAL

100.0%

NET WT. 0.53 oz. (15 grams) PER TAG


CONTENTS: ____ TAGS
[20 tags] [100 tags]

EPA EST. NO. 39039-WY-01

EPA REG. NO. 39039-6



Y-TEX CORPORATION, 1825 BIG HORN AVENUE, CODY, WYOMING 82414



FIRST AID

This product contains diazinon and chlorpyrifos, organophosphate insecticides that inhibit cholinesterase.

If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
Diazinon and chlorpyrifos are organophosphate insecticides. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.	

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
WARNING

May be fatal if swallowed. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing vapors. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Do not contaminate food or feed.

When applying tags, wear chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or greater than 14 mils).

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

- User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

{Information enclosed in brackets [] denotes optional language}

- User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of used tags. Use this product only as specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Reformulation or repackaging of this product is prohibited. This labeling must be in the possession of the user at the time of pesticide application.

Resistance-management Recommendations. For resistance management, Warrior Insecticide Cattle Ear Tag contains Group 1B insecticides. Any insect population may contain individuals naturally resistant to Warrior Insecticide Cattle Ear Tag and other Group 1B insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same herds. Appropriate resistance management strategies should be followed. Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.

Endangered Species Protection Requirements: It is a Federal offense to use any pesticide in a manner that results in an unauthorized "take" (e.g., kill or otherwise harm) of an endangered species and certain threatened species under the Endangered Species Act section 9. When using this product, you must follow the measures contained in the Endangered Species Protection Bulletin for the area in which you are applying the product. You must obtain a Bulletin no earlier than six months before using this product. To obtain Bulletins, consult <http://www.epa.gov/espp/>, call 1-844-447-3813, or email ESPP@epa.gov. You must use the Bulletin valid for the month in which you will apply the product.

Reporting Ecological Incidents: To report ecological incidents, including mortality, injury, or harm to plants and animals, call Y-TEX Corporation at 800-443-6401.

In the United States, ear tags containing chlorpyrifos may be used only on beef and non-lactating dairy cattle, and on cattle in mating and cow-calf operations as long as the animals are not offered for slaughter within one (1) year of tag removal. Operators should maintain records to capture dates of ear tag removal and when animals are sent to slaughter.

Summer Season: Apply 1 tag per animal to control horn flies for 3-4 months, control lice and aid in control of face flies. Apply 2 tags per animal (1 in each ear) for optimum control of horn flies, lice, Gulf Coast ticks and spinose ear ticks for up to 5 months. Two tags per animal also provides substantial reductions of face flies and aids in control of stable flies and house flies. Apply when pests appear.


Winter Season: Apply 1 new tag per animal in late fall to early winter to control biting and sucking lice. Kills biting lice and most sucking lice within two weeks. Protects from lice reinfestation for 2-3 months.

Apply new tags in spring for fly and tick control. Replace as necessary. Apply as shown with the Y-TEX 2-piece tagging system. All animals in the herd should be tagged. Calves less than 3 months of age should not be tagged or ear damage may result.

{Information enclosed in brackets [] denotes optional language}

STEP 1

Seat male button firmly on pin, press down and give a slight twist.

**STEP 2**

Place female tag firmly under clip. Collar on tag must be pointing away from pin.

**STEP 3**

Position applicator over ear and squeeze the handles together.



The ideal position for male stud is

between the second and third radial cartilage as shown.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool place in original container away from direct sunlight. Opened bags containing ear tags should be resealed for storage.

PESTICIDE DISPOSAL: Remove tags before slaughter. If used in the United States, do not offer for slaughter within one (1) year of tag removal. Operators should maintain records to capture dates of ear tag removal and when animals are sent to slaughter. Securely wrap used tags in a plastic bag and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

NOTICE OF WARRANTY

To the extent consistent with applicable law, Y-TEX CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of tags only.

{Optional/Alternative Marketing Claims and Images}

[Guaranteed against loss due to tag or button failure*]

[Snap-Lok® collar for guaranteed retention*]

[One tag per animal controls pyrethroid-resistant horn flies for 3 to 4 months and aids in control of face flies.]

[One tag per animal controls biting and sucking lice during winter.]

[Two tags per animal control horn flies, lice, Gulf Coast and spinose ear ticks up to 5 months and aid in control of face flies, stable flies and house flies.]

[Ribbed design for season-long durability]

[Long taper and rounded edges for durability]

[Large surface area for insecticide effectiveness]

[GUARANTEE

*This guarantee is a limited guarantee, limited to the replacement of tags only, if the tags failed after being properly applied, to remain in the animal's ear for a five (5) month period due to tag breakage or separation from button.]

December 14, 2023


{Y-TEX's Master Label – Warrior Insecticide Cattle Ear Tag

Version: 1223

Page 5 of 5}

EPA Reg. No. 39039-6

{Information enclosed in brackets [] denotes optional language}



[[picture of tag, actual color]

]

{top panel of 20 tag carton}

[

[CONTAINS 20 EAR TAGS]

MADE IN USA

]

{top panel of 100 tag carton}

[

[RANCHPACK]

[CONTAINS 100 EAR TAGS]

MADE IN USA

]