

Ready-to-Use
Y-TEX®
BRUTE™
 Pour-on for Cattle

- Long-lasting residual control of lice and horn flies on lactating and non-lactating dairy cattle and beef cattle.
- Precise dose dispensed directly from container or dispensing gun.
- Recommended for Agricultural/Commercial use.

Active Ingredient

Permethrin* 10.0%
 (3-Phenoxyphenyl)methyl(±)cis-trans 3-(2,2-dichloroethyl)-
 -2,2-dimethylcyclopropanecarboxylate.

INERT INGREDIENTS† 90.0%
 100.0%

*cis/trans ratio: Max. 65%(±)cis and Min. 35%(±) trans.

†Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE INSIDE OF BACK PANEL FOR
 ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS:

EPA Est. No. 10370-TX-1 EPA Reg. No. 39039-7

Y-TEX CORPORATION • 1825 Big Horn Avenue • Cody • WY 82414

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS
 & DOMESTIC ANIMALS**

WARNING

Harmful if inhaled. Causes moderate eye injury and skin irritation. Do not get on skin or clothing. Avoid breathing vapor or spray mist and contact with eyes. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling. Do not use on horses.

**STATEMENT OF
 PRACTICAL TREATMENT**

IF SWALLOWED: Promptly drink a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Center immediately. Do not induce vomiting unless under a physician's care. This product contains petroleum distillate. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air, apply artificial respiration if indicated. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water.

Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

NOTICE OF WARRANTY:

Y-TEX CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of product only.

**ENVIRONMENTAL
 HAZARDS**

This product is highly toxic to fish. Do not apply directly to water to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL & CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES:


Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL:

Containers one gallon and smaller: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

Containers larger than one gallon: Metal containers - Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers - Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. Glass containers - Triple rinse or equivalent, then dispose of in a sanitary landfill or by other approved state and local procedures.



**DIRECTIONS FOR
USE ON CONTAINER
WITH MEASURING
CHAMBER
INCORPORATED
INTO CONTAINER:**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply to Dairy Cattle (lactating and non-lactating) and Beef Cattle. Loosen cap, squeeze bottle to fill measuring chamber with required dosage. Remove cap and apply to animal.

TARGET INSECTS	APPLICATION
For up to 6 weeks' control of susceptible Horn flies.	Apply down midline of back over shoulders.
For control of lice and aid in control of face flies, stable flies, horse flies, deer flies, house flies, mosquitoes and black flies.	Apply from poll down neck, over shoulders. Dose: 1/8 fl. oz. (3.75 ml) per 250 lbs. body wt. to max. 1/2 fl. oz. (15 ml) per animal. (1ml = 1cc)

Repeat treatment as needed, but not more often than once every 2 weeks. For optimum lice control, two treatments at a 14 day interval are recommended. **Do not use on horses.**

Special Note:

Brute is non-systemic and will not control cattle grubs.

Bar Code

**DIRECTIONS
FOR USE ON
CONTAINERS TO
BE USED WITH
A SEPARATE
APPLICATOR GUN:**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply to Dairy Cattle (lactating and non-lactating) and Beef Cattle.

TARGET INSECTS	APPLICATION
For up to 6 weeks' control of susceptible Horn flies.	Apply down midline of back over shoulders.
For control of lice and aid in control of face flies, stable flies, horse flies, deer flies, house flies, mosquitoes and black flies.	Apply from poll down neck, over shoulders. Dose: (ml or cc) Weight: (lb.)
	2.5 Birth-199
	5.0 200-399
	7.5 400-599
	10.0 600-799
	12.5 800-999
	15.0 1000 & over

Repeat treatment as needed, but not more often than once every 2 weeks. For optimum lice control, two treatments at a 14 day interval are recommended. **Do not use on horses.**

Special Note:

Brute is non-systemic and will not control cattle grubs.

Bar Code