

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

Mr. Mike G. Fletcher, Ph.D. Y- Tex Corporation P.O. Box 1450 1825 Big Horn Avenue Cody, Wyoming 82414-1450



Dear Dr. Fletcher:

Subject: Amendment- add two additional size tags (6 and 8 gram tags)

cays)

YT-1601 Dog Tag

EPA Registration Number 39039-14

Your submission dated September 26, 2011

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following comments:

- 1. Add a re-application interval or state product longevity as 4 months.
- 2. The following claims are acceptable:

"Controls fleas for up to 4 months."

"Controls brown dog ticks for up to 4 months."

"Aids in control of American dog tick for up to 4 months."

- 3. Change "Controls Lone Star ticks for up to 3 months" to "Aids in control of Lone Star ticks for up to 4 months."
- 4. Change "For application to dogs weighing 14-29 lbs. (4 gram medallion)" to "For application to dogs weighing 14-29 lbs. (4 grams medallion)"
- 5. Change "For application to dogs weighing over 29 to 55 lbs. (6 gram medallion)" to "For application to dogs weighing 30 to 55 lbs (6 grams medallion).

6. Change "For application to dogs weighing over 55 lbs. (8 gram medallion)" to "For application to dogs weighing 56 lbs. or greater (8 grams medallion)"

A copy of the review is enclosed for your records.

A stamped label is enclosed for your records.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

Sincerely yours,

Richard Gebken

Lede A De.

Product Manager (10)


Insecticide Branch

Registration Division (7505P)

Enclosures



Pest Shield
K9 Pest Shield
Pest Medallion
K9 Pest Medallion



- Controls fleas for up to four months
- Controls Brown Dog ticks for up to four months
- Controls Lone Star ticks for up to three months
- · Aids in control of American Dog ticks for up to four months
- For application to dogs weighing 14 to 29 pounds (4 gram medallion label)
- For application to dogs weighing over 29 up to 55 pounds (6 gram medallion label)
- For application to dogs weighing over 55 pounds (8 gram medallion label)

Keep Out of Reach of Children CAUTION

See side panels for additional precautionary statements.

ACTIVE INGREDIENTS:

Zetacypermethrin, S-enantiomer*	
S-Cyano (3-phenoxyphenyl) methyl (±) cis/trans	
3-(2,2-dichloroethenyl)-2,2 dimethylcyclopropane-carboxylate*)	10%
*Cis/trans isomer ratio: max. 55% (±) cis and min. 45% (±) trans	
Piperonyl Butoxide	
(butylcarbityl) (6-propylpiperonyl) ether and related compounds	20%
OTHER INGREDIENTS	70%
TOTAL	00%

NET WT. 4 GRAMS, 6 GRAMS or 8 GRAMS

CONTENTS: ONE or TWO MEDALLION(S)

(Front Panel)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

May be harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

NOTICE OF WARRANTY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, Y-TEX CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED

concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of collar medallion only.

ENVIRONMENTAL HAZARDS

This pesticide is **extremely** toxic to fish and aquatic organisms, including fish and invertebrates. Do not contaminate water by disposal of used collar medallion. Use this product only as specified on this label.

EPA EST. NO. 39039-WY-01 EPA REG. NO. 39039-14

Y-Tex®

YT-1601 Dog Tag

The YT-1601 Dog Tag is a collar medallion that contains a powerful synergized pyrethroid insecticide that kills adult fleas and all blood-feeding stages of ticks, yet exhibits very low toxicity to animals and humans.

READ ENTIRE LABEL BEFORE EACH USE.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Alternate wording used for 4 gram medallion:

Do not use on puppies less than 6 months of age. For dogs weighing 14 - 29 pounds, use one 4 gram medallion. This 4 gram product may only be used on dogs weighing between 14 and 29 pounds. May not be used on dogs weighing less than 14 pounds or greater than 29 pounds. This product takes a few days to show maximum efficacy.


Alternate wording used for 6 gram medallion:

Do not use on puppies less than 6 months of age. For dogs weighing greater than 29 - 55 pounds, use one 6 gram medallion. This 6 gram product may only be used on dogs weighing greater than 29 to 55 pounds. May not be used on dogs weighing less than 29 pounds or greater than 55 pounds. This product takes a few days to show maximum efficacy.

Alternate wording used for 8 gram medallion:

Do not use on puppies less than 6 months of age. For dogs weighing greater than 55 pounds use one 8 gram medallion. This 8 gram product may only be used on dogs weighing greater than 55 pounds. May not be used on dogs weighing 55 pounds or less. This product takes a few days to show maximum efficacy.


Remove medallion from package and attach to "D-ring" on existing collar as illustrated in Steps 1 through 3.



STEP 1 Open clasp and slide both halves around "D" ring on collar.



STEP 2 Close clasp and press together until it clicks into place.



STEP 3 When properly closed both halves should line up over each other.

The completed medallion must swing freely from the "D-ring" on the collar. Consult a veterinarian before using this product on debilitated, aged or medicated animals. If used on pregnant or nursing dogs, do not replace medallion until puppies are at least 6 weeks old.

Sensitivity may occur after using ANY pesticide product for pets. Any pesticidal collar or collar attachment may irritate some animals. If irritation continues, remove the product from the animal. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. As the YT-1601 Dog Tag is depleted of insecticide, ticks and fleas may be again noticed on your pet, indicating it is time to replace the attachment.

DO NOT USE ON CATS. The safety of this product has not been determined on cats.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in a cool place in original container, away from direct sunlight. **PESTICIDE DISPOSAL:** Wrap used product in a plastic bag or several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse bag. Discard bag in trash, or offer for recycling, if available.

Y-TEX CORPORATION • 1825 BIG HORN AVENUE • CODY, WYOMING 82414

(OPTIONAL ADDITIONAL WORDING)

For control of fleas and ticks, it is necessary to treat not only the pet but also its environment. Treat your home, both indoors and outdoors, with a residual insecticide and/or Insect Growth Regulator (IGR) approved and labeled for such use, to prevent re-infestation of the home and yard.

(Back Panel)

(First Aid block may be optional after discussion with EPA)

treatment information.

	FIRST AID ontains zetacypermethrin, a pyrethroid insecticide, butoxide, technical, a mixed-function oxidase
If swallowed	Call a poison control center or doctor immediately for treatment advice.
	 Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
If on skin	Rinse skin immediately with plenty of water for 15-20 minutes.
	 Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
control center	ct container or label with you when calling a poison or doctor, or going for treatment. You may also -TEL at 1-800-255-3924 for emergency medical

(Back Panel)

02311.doc