39039-17







UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

6/17/2009

Joe Kellerby Y-Tex Corporation PO Box 1450 1825 Big Horn Ave. Cody, WY 82414

re:

Y-TEX XP 820 Insecticide Cattle Ear Tag, EPA Reg. # 39039-17 label amendment submitted 6/15/2009 (D# 415342) accepted

Dear Mr. Kellerby:

The revised labeling reference to above, submitted in connection with the registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is ACCEPTABLE. This label amendment adds text describing the physical characteristics of the tag.

Submit two (2) copies of your final printed labeling incorporating the above changes prior to releasing your product for shipment. If the above provisions are not complied with the registration will be subject to cancellation in accordance with FIFRA Section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A copy of the label stamped "accepted" is enclosed for your records.

Sincerely yours,

Thomas C. Harris

Biologist

Insecticide Rodenticide Branch

Registration Division (7505C)

Harris.Thomas@epa.gov

(703) 308-9423

enclosure

039039-00017.20090612.label.XP 820 100 Tag Box (2).pdf

ACCEPTED

JUN 1 7 2009 Under the Federal Insecticide, Fungicide. and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 39039-17





MADE IN

Keep Out of Reach of Children WARNING

See side panels for additional precautionary statements

ACTIVE INGREDIENTS:

By Weight	
Abamectin	
(Avermectin B _{1a} and Avermectin B _{1b})	8%
Piperonyl Butoxide, Technical	
Min. 80% (butylcarbityl) (6-propylpiperonyl) e	ther
and max. 20% related compounds	20%
INERT INGREDIENTS	72%
TOTAL	100%

For use on Beef Cattle and Non-Lactating Dairy Cattle to Control Horn Flies, Gulf Coast Ticks, Spinose Ear Ticks and to Aid in Control of American Dog Ticks, Cattle Fever Ticks (Boophilus species), Lone Star Ticks, and to Reduce Face Flies.

CONTENTS: 5 POUCHES OF 20 TAGS EACH NET WT. 9 GRAMS PER TAG





PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be fatal if swallowed. Harmful if absorbed through the skin, or if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing fumes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Personal Protective Equipment: Users must wear shirt, pants, shoes and socks, and chemical resistant gloves made out of any waterproof material.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not contaminate water by use or by disposal of used tags.

NOTICE OF WARRANTY

To the extent consistent with applicable law, Y-TEX CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHER-WISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of tags only.

EPA EST. NO. 39039-WY-01

EPA REG. NO. 39039-17

USA and International Patents Pending





FIRST AID This product contains abamectin, a macrocyclic lactone, and piperonyl butoxide, a mixed-function oxidase inhibitor.		
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
If inhaled	 Move person to fresh air. If a person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. Call a poison control center or doctor for further treatment advice. 	
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	
HOT LINE NUMBER		

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.

Y SECTICIDE CATTLE EAR TAGS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Reformulation or repackaging of this product is prohibited. This labeling must be in the possession of the user at the time of pesticide application,


Apply tags as directed below for Horn Flies and ear ticks:

- · Horn Flies: 1 tag/animal for up to 3 months control
 - 2 tags/animal for up to 5 months control (1 tag on each ear)
 - For breeds with large ears, apply to back of ear for optimum control of horn flies.
- Gulf Coast Ticks: 2 tags/animal for up to 4 months control (1 tag on each ear)
- Spinose Ear Ticks: 2 tags/animal (1 tag on the front of each ear)

Apply tags as directed below for the listed pests:

- American Dog Ticks: 2 tags/animal (1 tag per ear) to aid in control for up to 3 months
- Cattle Fever Ticks (Boophilus species): 2 tags/animal (1 tag per ear) to aid in control for 2 to 3 months
- Lone Star Ticks: 2 tags/animal (1 tag per ear) to aid in control for 2 months
- Face Flies (Musca autumnalis):
- 2 tags/animal (1 tag on the front of each ear) to reduce Face Flies

Apply as shown with a Y-TEX 2-piece tag applicator (UltraTagger® or UltraTagger® plus). Apply when flies become a problem in the spring. Reapply as necessary up to two treatments per year. All animals in the herd should be tagged to avoid dilution of the treatment. To minimize development of insecticide resistance in horn flies, remove used tags at the end of the season and follow the recommended tag rotation program. Remove tags before slaughter. Do not tag lactating dairy cows.



Long taper and rounded

STEP 3

Position applicator over ear and squeeze the handles together.



The ideal position for male stud is between the second and third radial cartilage as shown.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE:

Store in cool, dark place away from sunlight in original container.

Opened bags containing ear tags should be resealed for storage.

PESTICIDE DISPOSAL:

Offer for recycling (if available). Otherwise, securely wrap used tags in a plastic bag or several layers of newspaper and discard in trash.

CONTAINER DISPOSAL:

Nonrefillable container (box and bag). Do not reuse or refill the box or bag. Offer box and bag for recycling (if available) or discard in trash.

edges for durability

Guaranteed against loss

pointing away

from pin.

- Snap-Lok[™] collar for guaranteed retention* (US Pat. No. 4,581,834).
- No withdrawal time required.

due to tag or button failure*.

GUARANTEE

"This guarantee is a limited guarantee, limited to the replacement of tags only, if the tags failed after being properly applied, to remain in the animal's ear for a five (5) month period due to tag breakage or separation from button.

Ribbed design for season-long durability

Large surface area for insecticide effectiveness

Snap-Lok™ collar for guaranteed retention* (U.S. Patent No. 4,581,834)

YTP-254-109

Y-TEX Corporation, 1825 Big Horn Avenue, Cody, Wyoming 82414

