



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

December 14, 2017

Michael Fletcher, Ph.D.  
Vice President, Specialty Products  
Y-Text Corp.  
1825 Big Horn Avenue  
Cody, WY 82414

Subject: PRIA Label Amendment –submittal of efficacy data to add face flies & horn flies onto label  
Product Name: YT-1625 Insecticide Cattle Ear Tag  
EPA Registration Number: 39039-27  
Application Date: 8-28-2017  
Decision Number: 532786

Dear Dr. Fletcher:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2  
EPA Reg. No. 39039-27  
Decision No. 532786

with FIFRA section 6. If you have any questions, please contact Autumn Metzger at 703-919-7453, or [Metzger.autumn@epa.gov](mailto:Metzger.autumn@epa.gov).


Sincerely,

A handwritten signature in black ink, appearing to read "Elizabeth Fertich". The signature is written in a cursive style with a large, looped initial "E".

Elizabeth Fertich  
Product Manager 4  
Invertebrate & Vertebrate Branch 1  
Registration Division (7505P)  
Office of Pesticide Programs

Enclosure

Information enclosed in brackets [ ] and parenthesis ( ) denotes optional language



**Y-TEX®**  
**YT-1625 Insecticide Cattle Ear Tag**

**Alternate Brand Names:**

- ZAP Fly Tag
- ZAP Insecticide Cattle Ear Tag
- ZAP A Insecticide Cattle Ear Tag
- DuoZAP Insecticide Cattle Ear Tag
- DuraZAP Insecticide Cattle Ear Tag
- TriZAP Insecticide Cattle Ear Tag
- TRI-ZAP Insecticide Cattle Ear Tag
- Tri ZAP Insecticide Cattle Ear Tag
- TriCon Insecticide Cattle Ear Tag
- TriActive Insecticide Cattle Ear Tag
- MAX-CON Insecticide Cattle Ear Tag
- MAX-CON II Insecticide Cattle Ear Tag
- ZetaMax Insecticide Cattle Ear Tag
- ZetaMec Insecticide Cattle Ear Tag
- Zetathon Insecticide Cattle Ear Tag
- DuoForce Insecticide Cattle Ear Tag
- DuraForce Insecticide Cattle Ear Tag

**Insecticide Cattle Ear Tag for use on Beef and Dairy Cattle (including Lactating) to [Control] [Prevent Feeding and Irritation by] Horn Flies, Face Flies, Lice and Spinose Ear Ticks**

- [Selected optional label claims bulleted here from last page]
- 
- 

Keep Out of Reach of Children

**WARNING**

See side panels for additional precautionary statements

**ACTIVE INGREDIENTS:**

<b>Zetacypermethrin (F2700)</b>	3.17%
S-Cyano (3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl)-2,2 dimethylcyclopropane carboxylate	
[Cis/trans isomer ratio: Max 75% cis and Min. 25% trans]	
<b>Abamectin</b>	
(Avermectin B <sub>1a</sub> and Avermectin B <sub>1b</sub> )	6.00%
<b>Piperonyl Butoxide</b>	
(butylcarbityl) (6-propylpiperonyl) ether and related compounds	20.00%
<b>OTHER INGREDIENTS</b>	<u>70.83%</u>
<b>TOTAL</b>	100.00%

NET WT. 0.34 oz. (9.5 grams) PER TAG

CONTENTS: \_\_\_\_\_ TAGS  
(qty. = 20 or 100)

**FIRST AID**

This product contains abamectin, a macrocyclic lactone; zetacypermethrin, a pyrethroid insecticide; and piperonyl butoxide, a mixed-function oxidase inhibitor.

**If swallowed**

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information. Do not give anything to an unconscious person.

**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS****WARNING**

May be fatal if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear: Long-sleeved shirt and long pants, socks, shoes, and rubber or non-permeable protective gloves when applying tags.

**Personal Protective Equipment:**

Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Shoes plus socks
- Chemical resistant gloves made out of barrier laminate, polyethylene, butyl rubber  $\geq$  14 mils, nitrile rubber  $\geq$  14 mils, neoprene rubber  $\geq$  14 mils, natural rubber  $\geq$  14 mils, polyvinyl chloride  $\geq$  14 mils, or viton  $\geq$  14 mils.

**User Safety Recommendations:**

- User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- User should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

**ENVIRONMENTAL HAZARDS**

This pesticide is **extremely** toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean water mark. Do not contaminate water when disposing of equipment wash waters, rinsate, or by disposal of used tags. Use this product only as specified on this label.

## DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application.

Use [for control of] [to prevent feeding and irritation by] Horn Flies, Face Flies (mechanical vector of *Moraxella bovis*, the bacterium which causes "Pink Eye" in cattle), Lice and Spinose Ear Ticks in Beef and Dairy Cattle (including lactating) and Calves.

- For **optimum** control of all pests listed, use 2 tags per animal - 1 tag per ear.  
(Tag all animals in the herd, including calves, and replace as necessary)
- For **adequate** control of Horn Flies and Face Flies, use 1 tag per animal.  
(Tag all mature animals in the herd and replace as necessary)

YT-1625 [controls] [prevents feeding and irritation by] Horn Flies for up to [4 months] [17 weeks] with 2 tags per animal and up to [2 months] [10 weeks] with 1 tag per animal. YT-1625 [controls] [prevents feeding and irritation by] Lice and Spinose Ear Ticks for up to [3 months] [12 weeks] with 2 tags per animal. YT-1625 [controls] [prevents feeding and irritation by] Face Flies for up to [2 months] [9 weeks] with 1 or 2 tags per animal. No withdrawal period for meat or milk. To minimize development of insecticide resistance, remove used tags at end of season and follow the Y-TEX recommended tag rotation program. Remove tags before slaughter.

Apply as shown with the Y-TEX UltraTagger plus.



### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool, dark place in original container, away from direct sunlight. Opened bags containing ear tags should be resealed for storage.

**PESTICIDE DISPOSAL:** Remove tags before slaughter. Securely wrap used tags in a plastic bag or several layers of newspaper and discard in trash.

**CONTAINER HANDLING:** Non-refillable container. Do not reuse bag. Discard bag in trash, or offer for recycling if available.

December 7, 2017

Y-TEX Master Label- YT-1625 Insecticide Cattle Ear Tag

Version: 1217

EPA Reg. No. 39039-27

Page 4 of 5

Information enclosed in brackets [ ] and parenthesis ( ) denotes optional language

**GUARANTEE**

This guarantee is a limited guarantee, limited to the replacement of tags only, if the tags failed after being properly applied, to remain in the animal's ear for a five (5) month period due to breakage or separation from button.

**NOTICE OF WARRANTY**

To the extent consistent with applicable law, Y-TEX CORPORATION MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label, and in any case, is limited to replacement of tags only.

EPA EST. NO. 39039-WY-01

EPA REG. NO. 39039-27

Y-TEX Corporation \* 1825 Big Horn Avenue \* Cody \* Wyoming \* 82414

---

(top panel of 20 tag carton)

**CONTAINS 20 EAR TAGS**

**MADE IN USA**

---

(top panel of 100 tag carton)

**RANCHPACK**

**CONTAINS 100 EAR TAGS**

**MADE IN USA**

---

### Optional/Alternative Marketing Claims

- 2 tags per head [controls] [prevents feeding and irritation by] Horn Flies for up to [17 weeks] [4 months]
- [1 or] 2 tags per head [controls] [prevents feeding and irritation by] Face Flies for up to [9 weeks] [2 months]
- 2 tags per head [controls] [prevents feeding and irritation by] Lice for up to [12 weeks] [3 months]
- 2 tags per head [controls] [prevents feeding and irritation by] Spinose Ear Ticks for up to [12 weeks] [3 months]
- 1 tag per head [controls] [prevents feeding and irritation by] Horn Flies for up to [10 weeks] [2 months]
- Synergized for maximum effectiveness against listed pests
- No withdrawal time required
- No withdrawal period (for meat or milk)
- Snap-Lok® collar for superior retention
- Ribbed design for season-long durability
- Long taper and rounded edges for durability
- Large surface area for insecticide effectiveness
- Zetacypermethrin Abamectin Piperonyl Butoxide
- For optimum control of Face Flies (mechanical vector of *Moraxella bovis*, the bacterium which causes “Pink Eye” in cattle) in calves apply 2 tags per animal, 1 per ear.
- Controls Lice and Spinose Ear Ticks (for up to 3 months) (apply 2 tags per animal, 1 per ear)
- Reduces blood loss (in cattle) (due to horn fly feeding)
- Use in rotation with Y-TEX Warrior or OPTimizer Insecticide Cattle Ear Tags
- Use in rotation with organophosphate insecticide cattle ear tags
- Ideal for rotation with organophosphate tags
- For use with the Y-TEX Ultra Tagger Plus