

19 APR 1985

KUL, Inc.
2331 Wittman Ave.
Ft. Wayne, IN 46804

BEST AVAILABLE COPY

Attention: Carol P. DiRenzo

Gentlemen:

Subject: AL-200
EPA Registration No. 39047-16
Your Application Dated March 4, 1985

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A) is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

[Signature]
 John H. Lee
 Product Manager (31)
 Disinfectants Branch
 Registration Division (TS-767C)

Enclosure

RD-DIS;JOB-51653;J.Lee;CBI-85/04;Kim;Kendrick;898-1270;4/22/85;Del.4/29/85

CONCURRENCES

| SYMBOL ▶ | SURNAME ▶ | DATE ▶ | | | | | | |
|----------|-----------|--------|--|--|--|--|--|--|
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

BEST AVAILABLE COPY

AL-200

ACTIVE INGREDIENT:

Potassium dimethyldithiocarbamate 20.0 %

INERT INGREDIENTS 80.0 %

This product contains 1.81 lb. of active ingredient per gallon and weighs 9.05 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN
DANGER

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, drink promptly a large quantity of milk, egg whites, starch solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician. Never induce vomiting or give anything by mouth to an unconscious person.

Note to physician: Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Manufactured by:

KMI, Inc.
2831 Nuttman Ave.
Fort Wayne, IN 46804

EPA Reg. No. 39047-16

EPA Est. No.

Net Contents:

ACCEPTED

With Comments

APR 19 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide registered under EPA Reg. No. 39047-16

DIRECTIONS FOR

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

AL-200 is used for recirculating cooling tower systems and industrial microbiological slime. Prior to the use of AL-200, industrial and/or commercial recirculating cooling towers should be cleaned to remove algal growth, microbiological slime, and other deposits. Initial slug addition of 5.7 to 8.6 fl. oz. of AL-200 per 1000 gal. of water to provide 30 to 45 ppm based on total weight of water in the system until control is evident. Make subsequent slug additions of AL-200 per 1000 gal. of water (AL-200) every 2 to 3 days. The frequency of addition depends upon the relative amount of microbiological problem. Slug additions should be made to the bleedoff and/or makeup water systems.

AL-200 is used for which maintain effective mist-eliminating components and cleaned to remove bacterial slime and other deposits. 17.2 fl. oz. of AL-200 recommended. Repeat initial dosage until control is evident. 10.0 to 17.2 fl. oz. of AL-200 per 1000 gallons of water should be employed every 1 to 5 days. The frequency of addition depends upon the relative amount of bleedoff and/or makeup water system. Slug additions may be made to the sump or the water system.

AL-200 is also used to inhibit the growth of bacteria on coatings, emulsion resins, caulking-sealants, adhesive fluids. For these applications, AL-200 is incorporated at concentrations of 0.03-0.2% based on total wet weight.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures. Do not stack more than 10 drums. Drums should be placed in overpack drums for disposal. Spills should be cleaned up in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. If they cannot be disposed of by incineration, or incineration is a violation of Federal Law. If these wastes cannot be disposed of by incineration, contact your State Pesticide or Environmental Control Agency or your EPA Regional Office for guidance.

CONTAINER DISPOSAL:

PLASTIC: Triple rinse (or equivalent). Then offer for recycling or reconditioning, by incineration, or, if allowed by state and local authorities, by other procedures approved by state and local authorities.

METAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, by incineration, or by other procedures approved by state and local authorities.