

74 31 3217 11 P/12

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (HT-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 39047-17	DATE OF ISSUANCE JUN 28 1985
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT 45-304	

NOTICE OF PESTICIDE: REGISTRATION
 RENEWAL
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

BEST AVAILABLE COPY


NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

[Faint, mostly illegible text, likely bleed-through from the reverse side of the page]


 (Signature)

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL _____ DATE _____

AL-300

ACCEPTED
with COMMENTS
in EPA Letter Direct

JUN 28 1995

ACTIVE INGREDIENTS:

Methylene bis(thiocyanate)
2-(Thiocyanomethylthio)benzothiazole

..... 10%
..... 10%
..... 80%

INERT INGREDIENTS

KEEP OUT OF REACH OF CHILDREN
DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes irreversible eye damage and causes skin damage. Harmful or fatal if swallowed or absorbed through the skin. This product is a potential skin sensitizer. Workmen handling this product or treated material should wear impervious gloves, goggles or face shield, and protective clothing. All protective clothing, work shoes or boots, and equipment must be left at the work site at the end of the day. Eating, drinking, or smoking during use of this product is prohibited.

FIRST AID: In case of skin contact, wash promptly and thoroughly with soap and water and finally with glycerin. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for 15 to 30 minutes. Get medical attention immediately. If product is swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame.

Manufactured by:
KML, Inc.
2831 Nuttman Ave.
Fort Wayne, IN 46804

EPA REG. NO.

EPA Est. No.

NET CONTENTS

DIRECTIONS

It is a violation of Federal law to use this product

COOLING TOWERS: AL-300

wood against soft or surface rot and internal or dry-rot
containing 0.5 to 0.7% by weight AL-300
wood surfaces. The amount applied should provide
per 1000 ft. of wood surface. Soft or surface rot
AL-300

to the
cold well. The dosage should provide 1.25 lb. of
1000 gal. of water, and the bleedoff should be stopped
ment should be repeated every four months.

COOLING WATER: AL-300

and fungi in industrial recirculating cooling water
should be cleaned thoroughly to remove old algae
System should then be drained, flushed, refilled with
3.7 fl. oz. of AL-300

quent additions of 0.2 to 1.2 fl. oz. per 1000 gal.
amount of bleedoff and severity of microbiological
DRILLING FLUIDS: To inhibit bacterial and fungal
ing of wells. AL-300

concentrations of 0.05 to 0.25% based on the total
PETROLEUM SECONDARY RECOVERY: AL-300

control sulfate-reducing bacteria, slime-forming
microbial floes, water disposal systems, and other
fl. oz. of AL-300

should be made continuously or intermittently
knockouts, before or after injection pumps and in
When system is noticeably fouled, add 1.2 to 4.0
per 1000 gal. of water continuously until desired
2.0 fl. oz. AL-300

needed to maintain control. Intermittent or Slug
maintain control, add 1.2 to 4.0 fl. oz. AL-300
water for 4 to 8 hr. per day and 1 to 4 times per
CRUDE AND REFINED OILS: AL-300

valve for the control of bacteria and fungi that can
during storage. It should be added to the oil as it
the storage tank at the rate of 0.5 to 5.0 fl. oz.
1000 gal. of oil. Addition should be made batchwise
tion side of the transfer pump.

STORAGE

Do not contaminate water, food, or feed by stor
STORAGE: Do not expose to extreme temperature
should be opened in well-ventilated areas. Leaking
drums for disposal. Spills should be absorbed in
PESTICIDE DISPOSAL: Pesticide wastes are
pesticide, spray mixture, or rinsate is a violation of
by use according to label instructions, contact you
or the Hazardous Waste representative at your
CONTAINER DISPOSAL: Triple rinse for equip
puncture and dispose of in a sanitary landfill,
authorities, by burning. If burned, stay out of sm