

**— PRECAUTIONARY STATEMENTS —  
APPLIES TO HUMANS & DOMESTIC ANIMALS**

**DANGER:** Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

**ENVIRONMENTAL HAZARD:** This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc. or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

Repackaged by:

**K.K. CHEMICAL CORPORATION  
CRANSTON, RHODE ISLAND 02905**


EPA REG. NO. 39056-2

EPA EST. NO. 39056-RI-01

NET CONTENTS 1 GALLON

**ACCEPTED**  
39056-2  
MAR 18 1981  
Under the Federal Insecticide,  
Fungicide and Rodenticide Act,  
as amended, this pesticide  
registered under  
EPA Reg. No.

# SUPER SHOCK



**ACTIVE INGREDIENT:**  
SODIUM HYPOCHLORITE ..... 12.5%  
**INERT INGREDIENTS** ..... 87.5%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

Use and First Aid instructions on side panel.

**— DIRECTIONS FOR USE —  
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT  
IN A MANNER INCONSISTENT WITH ITS LABELING

**DIRECTION FOR SHOCK TREATMENT OF SWIMMING  
POOL WATER FOR CONTROL OF ALGAE**

If algae growth develops resulting in greenish growth on the pool sides and/or bottom, a slimy feel to the pool sides, or cloudiness in the pool water, shock treatment of the pool water with Super Shock should be initiated. Adjust pool water pH to 7.2-7.6, add one (1) gallon of Super Shock in the evening for each 14,000 gallons of pool water. This dosage is equivalent to 10 ppm available chlorine by weight. After circulating the pool water for a minimum of four hours, at 5-10 ppm available chlorine, turn the pool water recirculation system off, brush pool sides and bottom thoroughly to loosen the dead algae, and vacuum the pool the following morning. Do not allow swimmers to use the pool until a chlorine residual of 1.0-3.0 ppm has been established in the pool water. Repeat shock treatment as necessary.

**FIRST AID:** If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

**NOTE:** This product degrades with age. If used later than ten (10) days after packaging, use a Test Kit to insure that the solution will produce the amount of available Chlorine desired.

**STORAGE AND DISPOSAL:** Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

34