

Sween

SUR-CIDE™

DISINFECTANT · CLEANER · FUNGICIDE · DEODORANT

ACTIVE INGREDIENTS: *n*-Alkyl (50% C₁₂, 40% C₁₄, 10% C₁₆)

Dimethyl benzyl ammonium chloride

INERT INGREDIENTS

04

0.04

Total 100%

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUSES EYE DAMAGE — CAUSES SEVERE SKIN IRRITATION,
ESPECIALLY TO BROKEN SKIN — HARMFUL IF SWALLOWED

Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Remove and wash contaminated clothing. Do not take internally.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, or a solution of 1 part to 4 parts of water. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Est. No. 30000MN01

0481

EPA Reg. No. 30000-2

RL 566

NET CONTENTS 1 GALLON

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR CLEANING: Lightly soiled areas - surfaces brushed with a solution containing 1 ounce of SUR-CIDE per gallon of water. Heavily soiled surfaces - mop or brush soiled surfaces with SUR-CIDE per gallon of water. Rinse soiled surfaces with fresh water.

GENERAL PURPOSE DISINFECTION: To disinfect non-porous surfaces in homes, schools, restaurants, or other public places, use a solution containing 1 ounce of SUR-CIDE per gallon of water. Apply to surfaces and maintain thoroughly wetted surfaces for ten minutes. All surfaces should be thoroughly rinsed with clean water after disinfection. Do not use on leather or other sensitive surfaces.

HOSPITAL DISINFECTION: To disinfect wash basins, toilet bowls, and other hospital fixtures, use a solution containing 2 ounces of SUR-CIDE per gallon of water. Apply to surfaces and maintain thoroughly wetted surfaces for ten minutes. All soiled surfaces must be pre-rinsed with clean water before disinfection. Do not use on leather or other sensitive surfaces.

DEODORIZATION: Prior to deodorization of pits, food storage areas, kennel areas and other areas, remove all garbage, refuse, food and pre-washed water where possible before deodorizing. Rinse thoroughly with a solution containing 2 ounces of SUR-CIDE per gallon of water.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed. Storage in plastic containers is prohibited. If plastic, do not reuse empty or partially full containers.

DISPOSAL: Pesticide or waste that cannot be disposed of in a landfill approved for pesticide disposal. Triple rinse (or equivalent) all containers before reuse. Do not reuse containers. Do not burn or incinerate. Do not pour into waterways. Do not use for disposal in a landfill unless approved for pesticide containers or bury in a landfill approved for pesticide containers or bury in a landfill approved for pesticide containers.

0481

SWEEN Corp.
Lake Crystal, MN

39699-7

en

SUR-CISE™

DISINFECTANT - DEODORANT

40% C₁₂ 40% C₁₄
50%
25.0%
Total 100.0%

SAFE FOR CHILDREN

FOR SEPTIC TANKS

DISINFECTANT

SEVERE DISINFECTANT -
HARDENING. Do not use
on plastic or rubber gloves
in contact with.

GENERAL TREATMENT

15 minutes. Call a physician.
year. Remove and wash contaminated
of milk, egg whites, gelatin solution or if
water. Avoid alcohol. Call a physician.

PHYSICIAN
the use of gastric lavage. Measure
and consultation may be needed.

0481

RL-568

1 GALLON

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR CLEANING: Lightly soiled areas - surfaces to be cleaned should be mopped or brushed with a solution containing 1 ounce of SUR-CISE per gallon of water. Rinse cleaned surface with fresh water.

Heavily soiled areas - mop or brush soiled surface with a solution containing 2-3 ounces of SUR-CISE per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION: To disinfect walls, floors and other hard non-porous surfaces in homes, schools, restaurants, restrooms and other public areas, mop or brush with a fresh solution containing 1 ounce of SUR-CISE per gallon of water as to maintain thoroughly wetted surface for ten minutes. All soiled surfaces must be pre-treated prior to disinfection (follow directions for cleaning). These surfaces which may later come in contact with food must be rinsed with clear water of drinking quality. Do not reuse used solution.

To disinfect hard non-porous surfaces in locker rooms, shower stalls, walkways around pools and other areas against pathogenic fungi, mop or brush with a fresh solution containing 2 ounces of SUR-CISE per 3 gallons of water so as to maintain thoroughly wetted surface for ten minutes. This solution will destroy *Trichophyton mentagrophytes*, a causative agent of athlete's foot. All soiled surfaces must be pre-treated prior to disinfection (follow directions for cleaning). Do not reuse used solution.

HOSPITAL DISINFECTION: To disinfect walls, floors, furniture and other hard non-porous surfaces in hospitals and nursing homes, mop or brush with a fresh solution containing 2 ounces of SUR-CISE per gallon of water so as to maintain thoroughly wetted surface for ten minutes. All soiled surfaces must be pre-treated prior to disinfection (follow directions for cleaning). These surfaces that are heavily soiled with blood, fecal material or pus should be thoroughly scrubbed with a solution containing 2 ounces of SUR-CISE per gallon of water before disinfection. Do not reuse used solution. This product has not been tested for effectiveness against *Mycobacterium tuberculosis* and must not be relied upon when tuberculous activity is intended by the user.

DEODORIZATION: Prior to deodorization of bathroom areas, garbage pits, diaper pails, food storage areas, kitchen areas and other areas where odorous odors may develop, remove all garbage, refuse, food and/or animals. Pre-treat surfaces using pre-treated water where possible before deodorization. To deodorize, mop or brush surfaces thoroughly with a solution containing 2 ounces of SUR-CISE per gallon of water.

STORAGE AND DISPOSAL

STORAGE: Do not store in water, food or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse empty container.

DISPOSAL: Pesticide or waste that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) all containers and, for metal containers, offer for recycling or reconditioning (for plastic containers dispose in an incinerator, or dispose in landfill approved for pesticide containers or bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures.

0481

SWEEN Corporation
aka Crystal, MN 5605c

RL 5681