

MULVEY CHLORINATING SOLUTION

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE _____ 9%
INERT INGREDIENTS _____ 91%
KEEP OUT OF REACH OF CHILDREN
DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

DIRECTIONS FOR USE - GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start up, superchlorinate with one (1) pint (16 flu. ozs.) of sodium hypochlorite solution for each 500 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

FOR POOL MAINTENANCE:

- A) Adjust pool water pH to 7.6-7.2 range and maintain.
B) Add manually or by a feeder device, sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.8 to 1.0 ppm. One half pint (8 flu. ozs.) of sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.8 to 1.0 ppm available chlorine will depend on temperature and number of swimmers. Use test kit to make certain that pH and chlorine residual are in the proper range.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved land fill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning or equipment.

MULVEY SUPPLY CO.

5925 Rodman Street, Hollywood, Florida 33023

EPA REG. NO. 39115-1

EPA EST. NO. 39115-FL-1

DATE PACKAGED

NOT FOR USE AFTER

39115-1
APR 24 1979
P. J.

BEST DOCUMENT AVAILABLE