

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS  
(and Domestic Animals)**

**DANGER**

**CAUSES EYE DAMAGE**

**CAUSES SEVERE SKIN IRRITATION  
ESPECIALLY TO BROKEN SKIN**

**HARMFUL IF SWALLOWED**

Do not get in eyes, on skin or on clothing.  
Wear goggles or faceshield and rubber gloves when  
handling this product.  
Remove and wash contaminated clothing.  
Do not take internally.

**FOR CLEANING**

**Lightly soiled areas** — surfaces to be cleaned  
should be scrubbed or brushed with a solution con-  
taining 1 ounce of Formula 3500 per gallon of  
water. Rinse cleaned area with fresh water.

**Heavily soiled areas** — mop or brush soiled surface  
with a solution containing 2-3 ounces of Formula  
3500 per gallon of water. Rinse cleaned surface  
with fresh water.

**S&S CHEMICAL CORP.**  
**CHICAGO, IL 60605**

EPA Est. NO. 39163-IL-01  
EPA Reg. NO. 39163-2

ACCEPTED  
JUN 28 1982  
EPA Reg. No. 39163-2

**DIRECTIONS FOR USE**

**GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a  
manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

**STORAGE:** Do not contaminate water, food, or feed  
by storage or disposal. Open dumping is prohibited.  
If plastic, do not reuse empty container.

**DISPOSAL:** Pesticide or fumigant that cannot be used  
or chemically reprocessed should be disposed of in  
a landfill approved for pesticides or buried in a safe  
place away from water supplies. Triple rinse (or  
equivalent) all containers and, for metal containers,  
offer for recycling or reconditioning (for plastic con-  
tainers, dispose in an incinerator) or dispose in  
landfill approved for pesticide containers or bury in  
a safe place. Consult federal, state or local disposal  
authorities for approved alternative procedures.

**NET CONTENTS** 1 Gallon  
8.3 lbs. per gallon

**FORMULA 3500**

DISINFECTANT — CLEANER FUNGICIDE — DEODORANT

**ACTIVE INGREDIENT**

n-Alkyl(10% C<sub>12</sub>, 40% C<sub>14</sub>, 10% C<sub>16</sub>)dimethylbenzyl ammonium chloride 5.0%

**INERT INGREDIENTS**

95.0%  
TOTAL 100.0%

BEST DOCUMENT AVAILABLE

KEEP OUT OF REACH OF CHILDREN

**DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

**IF IN EYES:** Flush with plenty of water for at least 15 minutes. Call a physician.

**IF ON SKIN:** Wash thoroughly with soap and water. Remove and wash contaminated clothing  
before reuse.

**IF SWALLOWED:** Drink promptly a large quantity of milk, egg whites, gelatin solution or if these  
are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against  
circulatory shock, respiratory depression and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

#### GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard nonporous surfaces in homes, schools, restaurants, restrooms and other public areas, mop or brush with a fresh solution containing 1 ounce of Formula 3500 per gallon of water so as to maintain thoroughly wetted surface for ten minutes. All soiled surfaces must be pre-cleaned prior to disinfection. (Follow directions for cleaning.) Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality. Do not reuse used solution.

To disinfect hard nonporous surfaces in Locker Rooms, shower stalls, walkways around pools and other areas against pathogenic fungi, mop or brush with a fresh solution containing 2 ounces per 3 gallons of water so as to maintain thoroughly wetted surface for ten minutes. This solution will destroy *Trichophyton Interdigitale*, a causative of Athlete's Foot. All soiled surfaces must be pre-cleaned prior to disinfection. (Follow directions for cleaning.) Do not reuse used solutions.

#### HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard nonporous surfaces in hospitals and nursing homes, mop or brush with a fresh solution containing 2 ounces of Formula 3500 per gallon of water so as to maintain thoroughly wetted surface for ten minutes. All soiled surfaces must be pre-cleaned prior to disinfection. (Follow directions for cleaning.) Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with solution containing 2

ounces of Formula 3500 per gallon of water and then rinsed with a fresh solution containing 2 ounces of Formula 3500 per gallon of water before disinfection. Do not reuse used solution. This product has not been tested for effectiveness against *Mycobacterium Tuberculosis* and must not be used again when Tuberculocidal activity is intended by the user.

#### DEODORIZATION

Prior to deodorization of bathroom areas, garbage pails, diaper pails, food storage areas, kennel areas and other obnoxious odors that may develop, remove all garbage, refuse, food and/or animal. Pre-clean surfaces using pressured water where possible before deodorization. To deodorize, mop or brush surfaces thoroughly with solution containing 2 ounces of Formula 3500 per gallon of water.

#### GENERAL INFORMATION

Formula 3500 is an effective anti-bacterial cleaner designed for use in household, industrial and institutional cleaning when used as directed.

Formula 3500 will disinfect hard and nonporous surfaces such as floors, walls, countertops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, diaper pails, food storage areas, animal quarters and other areas where obnoxious odors may develop. This product may be used to control pathogenic fungi and is a general purpose anti-bacterial detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms and other places where effective cleaning and antimicrobial activity is desired.

Shull