EPA

COMPANY NUMBER 39190-

PRODUCT SERIAL NO. 1

LABEL APPROVAL DATE 5-30-78

READ ENTIRE LABEL BEFORE USING

DANGER ☠ POISON

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION POISONING. Consult your physician about obtaining an adequate supply of 1/100 grain (0.6 mg.) atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If swallowed, call a physician immediately. Induce vomiting by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of warm water). Repeat until vomit fluid is clear.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the Methyl Parathion, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Take or administer two 1/100 grain atropine tablets immediately. Get medical attention at once. NEVER ADMINISTER MORPHINE UNLESS WARNING SYMPTOMS APPEAR (See WARNING SYMPTOMS below). Have patient lie down and keep quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non reactive pin point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until the time for cholinesterase regeneration has been allowed as determined by blood test.

DANGER

POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING.

Do not swallow or get in eyes, on skin, or on clothing. Do not breathe dust or vapors. Wear clean natural rubber gloves, clean, waterproof protective clothing, and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Methyl Parathion protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water, wash clothing before re use. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

WARRANTY AND LIMITATION OF DAMAGES: Seedkem South Inc. warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale subject to the inherent risks referred to therein. Seedkem South Inc. makes no other expressed or implied warranty including any other expressed or implied warranty of **FITNESS** or of **MERCHANTABILITY** and no agent of Seedkem South Inc. is authorized to do so except in writing with a specific refrence to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or value, etc.

ACCEPTED

MAY 30 1978

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide registered under EPA Reg. No.

RESTRICTED USE P

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED A
UNDER THEIR DIRECT SUPERVISION AND ONLY FOR
THE CERTIFIED APPLICATOR'S CERTIFICATION

TOP DO

BRAND

POISONOUS IF SWALLOWED

POISONOUS BY SKIN CONTACT

7.5 Lb. METHYL P

EMULSIFIABLE INSECTICIDE

DANGER ☠ POISON KEEP OUT OF
SEE ANTIDOTE AN

1 gallon of 1 DOG BRAND 7.5 LB. METHYL PARATHION contain

ACTIVE INGREDIENTS (BY WEIGHT)

O, O dimethyl O p nitrophenyl thiophosphate
Aromatic Petroleum Solvent
INERT INGREDIENTS (BY WEIGHT
TOTAL
Methyl Parathion

EPA REG. NO. 39190 1

MANUFACTURED BY
SEEDKEM SOUTH,
MEMPHIS, TENNESSE