

Net Weight 50 Pounds

PREMIUM
SWINE - 65 (ROL) PREMIX
Contains Rabon[®] Oral Larvicide

To prevent the development of house flies in the manure of treated Swine.

ACTIVE INGREDIENT	BY WEIGHT
2-Chloro-1-(2, 4, 5-trichlorophenyl) vinyl dimethyl phosphate [®] . . .	0.155%
INERT INGREDIENTS ^{**}	99.845%
TOTAL	100.000%

[®]Rabon Insecticide. Contains 0.7 grams Rabon per pound.
^{**}Refers only to ingredients which are not larvicidal.
Rabon is a registered trademark of Shell Oil Company.

GUARANTEED ANALYSIS

Calcium (Ca)	Min. 18.00%	Max. 21.00%
Phosphorus (P)	Min. 8.20%	
Salt (NaCl)	Min. 11.80%	Max. 14.00%

FEED INGREDIENTS

Dicalcium Phosphate, Calcium Carbonate, Salt, Fish Meal, Potassium Chloride, Magnesium Oxide, Vitamin A Acetate in Gelatin, Vitamin D3 Supplement, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulfite (Source of Vitamin K), Riboflavin Supplement, d-Calcium Pantothenate, Niacin, Vitamin B12 Supplement, Choline Chloride, Zinc Oxide, Ferrous Sulfate, Ethylenediamine Dihydriodide, Cobalt Carbonate, and Sodium Selenite.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place.

PESTICIDE DISPOSAL: Waste resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

MANUFACTURED BY:
CARL S. AKEY, INC.
LEWISBURG, OHIO 45338

ACCEPTED
BY THE
EPA

JUN EPA Reg. No. 39258-

EPA Est. No. 39258-03-1

39258-8

PREMIUM
SWINE - 65 (ROL) PREMIX

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Start feeding RABON larvicidal feeds early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

When fed, this product passes through the digestive system into the animal's manure where it kills fly larvae on contact shortly after fly eggs hatch.

It prevents the development of house flies in treated swine, but it is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around barns to control adult house flies which can breed not only in manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, this product should be used in conjunction with other good management and sanitation practices.

This product will mix uniformly in feeds when standard mixing procedures are followed. Thus, usual problems that are common to all feed preparation and which cause stratification, such as excessive free-fall or excessive handling are to be avoided. It is recommended that appropriate preblending techniques be employed to assure adequate distribution throughout the feed mix.

Optimum performance can be assured only if this product is dispersed uniformly with the feedstuff at the recommended level. Common feed mixing equipment (i.e., vertical mixer, horizontal blenders,) may be used to prepare formulated feeds.

Feeds prepared with this product should not be pelleted, nor be mixed with feeds containing predominantly pellets. Further, this product should not be mixed in liquid feed supplements.

MIXING AND FEEDING DIRECTIONS

SWINE (40 lbs. to market weight): Mix 65 lbs. of this premix with 1935 lbs. of ground corn and soybean meal as in the chart below. The resulting larvicidal feed contains 22.7 mg. of Rabon per pound. Feed as the sole ration. This ration may be fed up to slaughter. All swine should be treated for best results.

Approx. Protein Wt. of Hogs	16%	15%	14%	13%	12%
	40-80	80-120	120-160	160-200	200-Mkt.
Corn	1635	1585	1635	1685	1735
SBM (44%)	400	350	300	250	200
Swine 65 (ROL) Premix	65	65	65	65	65
Total Lbs.	2000	2000	2000	2000	2000

<p>U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE REGISTRATION REGISTRATION DIVISION WASHINGTON, D.C. 20460</p> <p>NOTICE OF PESTICIDE:</p> <p><i>Under the Federal Insecticide, Fungicide, and Fertilizer Act</i></p>	<p>EPA REGISTRATION NO. _____</p> <p>DATE: JUN 1 1984</p>
<p>NAME AND ADDRESS OF REGISTRANT (include ZIP):</p> <p>F _____</p> <p>L _____</p>	<p>TERM OF REGISTRATION _____</p> <p>NAME OF PESTICIDE PRODUCT _____</p>
<p>NOTE: Changes in labeling, formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>	
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Fertilizer Act.</p>	
<p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p>	
<p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, in his discretion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of a name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right of exclusive use of the name or to its use if it has been covered by others.</p>	
<p><input type="checkbox"/> ATTACHMENT (SEE LABEL)</p>	
<p>SIGNATURE OF APPLICANT (PRINT NAME) _____</p>	<p>DATE _____</p>

JIP 5/29/84

160/117639
18/1