



Net Weight 50 Pounds

PREMIUM
SOW PREMIX_R- S (ROL)
Contains Rabon^R Oral Larvicide

To prevent the development of house flies in the manure of treated Swine.

ACTIVE INGREDIENT	BY WEIGHT
2-Chloro-1-(2, 4, 5-trichlorophenyl) vinyl dimethyl phosphate*	4.03%
INERT INGREDIENTS**	95.97%
TOTAL	100.00%

*Rabon Insecticide. Contains 18.3 grams Rabon per pound.
**Refers only to ingredients which are not larvicidal.
Rabon is a registered trademark of Shell Oil Company.

GUARANTEED ANALYSIS

Vitamin A 2,000,000 USP Units/lb.; Vitamin D3 480,000 USP Units/lb.;
Vitamin E 4,000 USP Units/lb.; Riboflavin 1,200 Mgs./lb.; d-Panthenic
Acid 4,000 Mgs./lb.; Niacin 8,000 Mgs./lb.; Vitamin B12 6 Mgs./lb.; Vitamin
K 1,000 Mgs./lb.; Choline Chloride 140,000 Mgs./lb.; Folic Acid 120
Mgs./lb.; d-Biotin 20 Mgs./lb.; Zinc (Zn) 5.00%; Iron (Fe) 5.00%; Manganese
(Mn) 2.50%; Copper (Cu) 0.40%; Iodine (I) 0.05%; Cobalt (Co) 0.02%;
Selenium (Se) 0.004%.

FEED INGREDIENTS

Vitamin A Acetate in Gelatin, Vitamin D3 Supplement, Vitamin E Supplement,
Riboflavin Supplement, d-Calcium Pantothenate, Niacin Supplement, Vitamin
B12 Supplement, Menadione Dimethylpyrimidinol Bisulfate (Source of Vitamin
K), Choline Chloride, Folic Acid, d-Biotin, Zinc Oxide, Ferrous Sulfate,
Manganous Oxide, Copper Oxide, Ethylenediamine Dihydriodide, Cobalt
Carbonate, Sodium Selenite, Calcium Carbonate and Rice Hulls.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing
dust. Wash thoroughly with soap and water after handling and before eating
or smoking. If in eyes, wash with plenty of water. If irritation
persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do
not contaminate water by cleaning equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place.

PESTICIDE DISPOSAL: Waste resulting from the use of this product must be
disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then
dispose of empty bag in a sanitary landfill or by incineration or, if

allowed by state and local authorities, by burning. If burned, stay out of

smoke.

Agents
with
in

MANUFACTURED BY:

EARL S. AKEY, INC.
LEWISBURG, OHIO 45338

JUN 1 1974

EPA Reg. No. 39258-

EPA Est. No. 39258-OH-1

39258-10

PREMIUM
SOW PREMIX - S (ROL)

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Start feeding RABON larvicidal feeds early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

When fed, this product passes through the digestive system into the animal's manure where it kills fly larvae on contact shortly after fly eggs hatch.

It prevents the development of house flies in treated swine, but it is not effective against existing adult flies.

In some cases, supplemental fly control measures may be needed in and around barns to control adult house flies which can breed not only in manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, this product should be used in conjunction with other good management and sanitation practices.

This product will mix uniformly in feeds when standard mixing procedures are followed. Thus, usual problems that are common to all feed preparation and which cause stratification, such as excessive free-fall or excessive handling are to be avoided. It is recommended that appropriate preblending techniques be employed to assure adequate distribution throughout the feed mix.

Optimum performance can be assured only if this product is dispersed uniformly with the feedstuff at the recommended level. Common feed mixing equipment (i.e., vertical mixer, horizontal blenders,) may be used to prepare formulated feeds.

Feeds prepared with this product should not be pelleted, nor be mixed with feeds containing predominantly pellets. Further, this product should not be mixed in liquid feed supplements.

MIXING AND FEEDING DIRECTIONS

SOWS: This product contains Rabon Oral Larvicide and the mineral Selenium. Mix 5 lbs. of this premix per ton of complete feed. The resulting feed will then contain 45.5 mg. of Rabon per pound and 90.8 mg. of Selenium per ton. (Selenium equivalent to 0.1 ppm.) Feed free choice to sows.

CAUTION: Follow Label Directions. The addition to feed of higher levels of this premix containing Selenium is not permitted. Feed to swine only.

USE AS THE SOLE SOURCE OF ADDED SELENIUM

201 5/27/81

<p>U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE REGISTRATION WASHINGTON, D.C. 20460</p> <p>NOTICE OF PESTICIDE:</p> <p><i>Unlabeled Use of ...</i></p>	<p>EPA REGISTRATION NO.</p> <p>TERM OF ISSUANCE</p>	<p>DATE OF ISSUANCE</p> <p>JUN 1981</p>
<p>NAME AND ADDRESS OF REGISTRANT (Include ZIP Code)</p>		
<p style="text-align: right;">160/117642 18/1</p>		
<p>NOTE: Changes in labeling, formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Re-registered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p>		
<p>A copy of the labeling accepted in connection with this Registration/Re-registration is returned herewith.</p>		
<p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<p><input type="checkbox"/> ATTACHMENT ...</p>		
<p>SIGNATURE OF APPLICANT</p>	<p>DATE</p>	