SHIELD LIQUID JPA

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CONSULT AGRICULTURAL EXPERIMENTAL STATION OR EXTENSION SERVICE POMOLOGY SPECIALISTS FOR CURRENT RECOMMENDED DPAUSE-SOLUTION CONCENTRATIONS FOR LOCAL APPLE VARIETIES, Pomologists' Recommendations.

a. Use 1000 ppm solutions for Cortland.
McIntosh, Fome Beauty, Turley.
Stayman and Winesap varieties.
Use 2000 ppm solutions for Red De-

c. Pomologists do not ?@commend using DPA on Golden Delicious and Beldwin varieties.

• the Treat only the fruit as received from slield. Apply to fruit within 7 days after harvesting, prior to placing in storage.

Cifect for acalds 2

In years of severe scald development, the Inhibitor may not give sufficient control, or other factors may reduce its effectiveness. After several months of storage, samples of fruit should be removed periodically (every 2 or 3 weeks) and held at room temperature for determination of any scald development. Lots showing a scald potential can often be marketed immediately without difficulty.

DIRECTIONS

USE-SOLUTIONS

Add 1 gal. Shield Liquid DPA.

to 148 gal. water = 1000

Add 1 gal. Shield Liquid DPA.

to 74 gal, water = 2000

Recirculate both fresh solutions and used solutions thoroughly, before treating any apples.

Use recirculating drenchers only to treat fruit.

Treat fruit for not over 30 seconds.

Replace with fresh solution after treating 30 bins (or 750 bushels) with each 100 gallons of use-solution.

Drain thoroughly 5 flowing treatment. Do not rinse 1000 fter treatment.

Diphenylamine is recommended for reducing scald damage to apples while in storage.

SHIELD LIQUID DPA is a special liquid form of diphenylamine which mixes easily with water to form ready-to-use solutions.

EPA Reg. No. 39275-2 EPA Est. No. 39275-WA-1

ACTIVE INGREDIENTS: 15.0% INERT INGREDIENTS: 85.0%

PRECAUTIONARY STATEMENTS

ACCEPTED

APR-5 1982
Under the Federal Insorticita,
Fungisada, and Rodenticida, Act
as amended, for the positicida
registered under
registered under

KEEP OUT OF REACH OF CHILDREN CAUTION

Hazards to Humans and Domestic Animals

CAUTION: Harmful if smallowed. Avoid contact with skin or eyes. In case of contact, wash skin or eyes with plenty of water. Get medical attention if irritation persists. Remove and east contaminated clothing before reuse.

Environmental Wazards
This product is toxic to fish. Do not apply directly to any body of mater. Do not contaminate water by cleaning of equipment or disposal of

Physical or Chemical Hazards
Ilammable. Keep away from heat and open flame.

NOTICE TO BUYER

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond control of the manufacturer, no guarantee, express or implied, is made as to the effects of such use or the results to be obtained if not used in accordance with printed directions and established safe practice. Buyer is cautioned to consult with local pomology specialists for information on established safe practice in relation to this product. Buyer must assume all risks of improper storage and application of this product, or its improper use in combination with other materials. These risks include but are not limited to damage to the fruit, or vegetables to which applied, or to its appearance, and personal injury. Buyer accepts the product on these conditions. Anyone not accepting these conditions must return the product in its unopened container within 5 days following date of receipt of the product, and after such return seller will promptly return the purchase price.

Form 78.

PRODUCT OF U.S.A.

STORAGE AND DISPOSAL

Do not contaminate mater, food or feed by storage or disposal.

Avoid storing tele: 40°F.

Pesticide Disposal: Pesticide, spray mixture or rinse vater that cannot be used according to label instructions must be disposed of according to applicable federal, state, or local procedures.

Container Disposal: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfil or by incinerating if allowed by state and local authorities.

IMPORTANT INFORMATION
USER IS CAUTIONED THAT EVEN UNDER IDEA
CONDITIONS THE USE OF SHIELD ENUID DE
MAY NOT TOTALLY PREVENT SCALD AND MAY
CAUSE INJURY TO SOME OF THE FRUIT.
Clean tank well before recharging with tresh use
solution.

Use-solutions must have continuous recirculation prevent stratification.

Remove any soil soums that accumulate on top of use solution

TO AVOID OR REDUCE FRUIT INJURY, remove exces LIQUID DPA remaining on apples. Drain thoroughly to lowing treatment. Tilt bins to prevent collection of Desolution in bottom of bins. Do not use bins with liner which interfere with drainage. Bins which do not allow sufficient drainage of use-solution may result in some truit burning. ALSO TO AVOID INJURY, prevent or charsoil's or foam from remaining on fruit following treatment.

The established tolerance of DPA on apples is limited 10 ppm by the FDA. User is cautioned that residues excess of 10 ppm may result in FDA classifying the fr as adulterated.

Do not use treated apples for pomace for livestock fee as illegal residues may occur in meat or milk.

Fruit must have shipping containers marked "Treatwith Diphenylamine to retard spoilage."

Do not apply to fruit treated with Diphenylamine prior har lest. Do not wrap treated apples with Dipheny min-treated paper.

Do not combine this product with any other mater unless it has been established that the combination of the to use by USDA pomologists.

NET CORD ATUS 5 U.S. GALLONS (18.92 liters

SHIELD BRITE CORPORATION

waste.

P.O. Box 519 Kirkland


13 U.S.A. • (206) 827-8717

ν,

S W

5/82

 $\overline{\varphi}$



FLAMMABLE LIQUID, n.o.s.

FLASH POINT OVER 73° F