


Sew Strip



25 Lbs. Net Weight (11.340 kg.)

PROVICO
FEEDS & CONCENTRATES
ROL 7.76 PREMIX

For Dairy and Beef Cattle

To prevent the development of Horn Flies, Face Flies, House Flies and Stable Flies in the manure of treated cattle.

ACTIVE INGREDIENTS	BY WEIGHT
2-Chloro-1-(2,4,5-trichloro-phenyl) vinyl dimethylphosphate *	7.76%
INERT INGREDIENTS **	92.24%
Total	100.00%

- * Each pound contains 35.2 grams Rabon.
- ** Refers only to ingredients which are not larvicidal.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

Harmful if swallowed. Avoid contact with skin. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists; see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide that cannot be used should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Dispose of container in a incinerator or landfill approved for pesticide containers, or bury in a safe place. Consult federal, state or local disposal authorities for approved alternative methods such as limited open burning.

**DIRECTIONS FOR USE
(See Reverse Side)**

EPA Reg. No. 577-21 EPA Est. No. 2946-011-01

Manufactured By
PROVICO FEEDS & CONCENTRATES
BUTKINS OHIO 45306

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Provico ROL Premix will mix uniformly in cattle feed when standard mixing procedures and pre-blending techniques are followed. The premix should be pre-blended with ground grain, protein supplements, mineral mixes, etc. before being added to roughages such as chopped hay or silage. Common feed mixing equipment (i.e. vertical mixers, horizontal blenders, mixer/feeder truck) may be used to prepare formulated feeds.

Feeds prepared with Provico ROL 7.76 Premix should not be pelleted or mixed with feeds containing predominantly pellets. Provico ROL 7.76 Premix should not be mixed in liquid feed supplements.

In a Complete Ration - no other roughage fed. Provico ROL 7.76 Premix can be used to prepare complete rations which contain 26.4 mgs. of Oral Larvicide per pound of complete ration by mixing 1.5 pounds of Provico ROL 7.76 Premix per ton of complete ration (grain and roughage).

Full feed the larvicidal complete ration to feeder cattle weighing from 400 to 1400 pounds or to dairy cattle at a rate to sustain milk production, but not less than 2.6 pounds per 100 pounds body weight daily.

In a Concentrate Feed - roughage fed separately. Provico ROL 7.76 Premix can be used to prepare concentrate feeds that will provide 792 mgs. of Oral Larvicide per animal per day based on daily consumption of the concentrate. To prepare a larvicidal concentrate, use the following table to determine the proper mixing rate.

Lbs. of Concentrate Consumed Per Animal Per Day	Oral Larvicide in the Concentrate mgs/lb.	%	Lbs. of Provico ROL 7.76 Premix Per Ton of Concentrate
5	1584	0.35	90.6
10	792	0.18	45.0
15	528	0.12	30.0
20	396	0.087	22.5
50	159	0.035	9.0
100	79	0.018	4.5
150	53	0.012	3.0
200	39	0.0087	2.25
250	32	0.0069	1.8
300	26	0.0054	1.5

Use the appropriate mixing rate concentrate to cattle weight between 400 and 1400 pounds. For example, if a 1000 lb. cow consumes 20 lbs. of concentrate per day, the proper mixing rate is 22.5 lbs. of Provico ROL 7.76 Premix per ton of concentrate.

For example, if a 1000 lb. cow consumes 20 lbs. of concentrate per day, the proper mixing rate is 22.5 lbs. of Provico ROL 7.76 Premix per ton of concentrate.

For example, if a 1000 lb. cow consumes 20 lbs. of concentrate per day, the proper mixing rate is 22.5 lbs. of Provico ROL 7.76 Premix per ton of concentrate.

For example, if a 1000 lb. cow consumes 20 lbs. of concentrate per day, the proper mixing rate is 22.5 lbs. of Provico ROL 7.76 Premix per ton of concentrate.