

Sumithion® 8E

FOR USE ONLY BY OR UNDER THE SUPERVISION OF STATE OR FEDERAL OFFICIALS RESPONSIBLE FOR INSECT CONTROL PROGRAMS ON FOREST AREAS.

COMPONENTS

ACTIVE INGREDIENT:

O,O-Dimethyl O-(4-nitro-m-tolyl) phosphorothioate 81% (w/w)

INERT INGREDIENT: 19% (w/w)

E.P.A. Registration No. 39398-3

E.P.A. EST. NO. 476-NJ-1

STORAGE AND DISPOSAL

- PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
- PESTICIDE DISPOSAL:** Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
- CONTAINER DISPOSAL:** (a) Reseal container and offer for reconditioning, or (b) Triple rinse (or equivalent) and: Offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.
- GENERAL:** Consult federal, state or local disposal authorities for approved alternative procedures.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For diluted uses only in forest areas. The application should be made by aircraft under the supervision of qualified personnel responsible for insect control programs and after a careful insect population forecast is made on the infested forest area.

This product may be used only after consultation with regional forestry and other responsible pest control officials.

IN THE NORTHEASTERN UNITED STATES

Tree	Insect	Dosage	Application
Spruce	Eastern Spruce	2 oz. a.i. per acre	Dilute 10.4 Gallons of Sumithion 8E with water to make 100 Gallons. Apply 0.15 Gallon of finished spray per acre.
Fir (Abies)	Budworm	3 oz. a.i. per acre	Dilute 15.6 Gallons of Sumithion 8E with water to make 100 Gallons. Apply 0.15 Gallon of finished spray per acre.

Application	Larva Stage	One Application	Two Applications
1	3rd - 4th	None	2 ozs. a.i. per acre
2	4th - 5th	3 ozs. a.i. per acre.	2 ozs. a.i. per acre

WARNING

**KEEP OUT OF REACH OF CHILDREN
MAY BE FATAL IF SWALLOWED**

Do not get in eyes, on skin or on clothing.
Do not breathe vapor or mist.
Do not store near feed or food products.
Keep container closed.
Decontaminate, destroy and do not re-use empty containers.
Keep away from heat, sparks and open flame.

Thoroughly wash skin or clothing with soap and water if they become contaminated. Avoid contact with eyes. If splashed in eyes, immediately flush eyes with plenty of water. Sumithion may be hazardous by inhalation or skin contact. In all cases of suspected poisoning, a physician should be called at once.

NOTE TO PHYSICIAN: Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds.

Do not apply when weather conditions favor drift from areas treated.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

®Registered Trademark of Sumitomo Chemical America, Inc.


Net Contents: _____ Lot No. _____



Made for:

SUMITOMO CHEMICAL AMERICA, Inc.

345 PARK AVENUE
NEW YORK, N. Y. 10022



39398-3

4-26-79

1021