

Sumithion® 40WDP

FOR USE ONLY BY OR UNDER THE SUPERVISION OF STATE OR FEDERAL
OFFICIALS RESPONSIBLE FOR MALARIA CONTROL

29346-7

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Irritant to eyes and skin. Harmful if swallowed. Do not get in eyes. Avoid contact with skin. Wear protective gloves, clean protective clothing and equipment thoroughly when handling the material. Remove and wash contaminated clothing before reuse. Wash hands and face thoroughly after handling and before eating, drinking or smoking. Do not permit children or pets near treated surfaces until fully dry. Do not allow children or animal water supplies. Do not store in transport with food or animal feed. Do not contaminate water by cleaning equipment or disposal of containers.

STORAGE AND DISPOSAL

- 1. PROHIBITIONS:** Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
- 2. PESTICIDE DISPOSAL:** Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a deep place away from water supplies.
- 3. CONTAINER DISPOSAL:** Dispose of in an incinerator or in a landfill approved for pesticide containers or bury in a safe place.
- 4. GENERAL:** Consult Federal, State or local disposal authorities for approved alternative procedures such as limited open burning.

ACTIVE INGREDIENTS:

O,O-Dimethyl O-(4-nitro-m-tolyl) phosphorothioate

10% (w/w)

INERT INGREDIENTS:

10% (w/w)

WARNING

KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT

If in eyes, wash thoroughly with water for 15 minutes. Get medical attention.

If contact with skin, wash thoroughly with soap and water. Get medical attention if irritation persists.

Note to Physician: Sumithion is an organophosphorus compound that inhibits cholinesterase. Atropine is an antidote. PAM is also antidotal and may be administered in conjunction with atropine.

DIRECTIONS FOR USE

It is a violation of Federal law to use this pesticide in a manner inconsistent with its labeling.

For control of adult Anopheles mosquitoes in private residences only. Not for use in food handling areas or in food handling areas of private residences.

Apply as a residual spray to walls, surfaces that do not exceed 2 grams (0.07 oz) active ingredients per 100 sq ft (9.3 sq ft) of surface. Cover floor area, furniture and other objects prior to spraying. After spraying is complete, remove containers and dispose of in an incinerator or landfill approved for pesticides or bury in a safe place. Do not allow occupants of residence to return until treated surfaces have dried.

Recommended dosage: Mix one kilogram of Sumithion 40WDP with 100 liters (26.4 gal) of water and spray for 100 sq ft (11.3 sq ft) of wall surface or 200 sq ft (21.5 sq ft) of wall surface. Apply water before use. Do not apply more often than once every 30 days.

NOTICE - READ CAREFULLY

CONDITIONS OF SALE:

Sumitomo warrants (and often sells) this product to the user on the basis of the user's declaration to have accepted the product without warranty. The warranty which may only be varied by written agreement of a duly authorized representative of Sumitomo.

WARRANTY LIMITATION:

Sumitomo warrants that this product is free of defects in workmanship and materials. The directions for use on the label of the product are hereby incorporated into the warranty. Sumitomo makes no other express or implied warranty. THE WARRANTY OF MERCHANTABILITY is hereby disclaimed. The warranty extends only to the product as sold and does not extend beyond the delivery date on the label of the product.

INHERENT RISKS:

The directions for use of this product have been determined on the basis of laboratory testing. However, it is impossible to eliminate all risks associated with use. Buyer assumes all risks associated with use of this product. Buyer agrees to follow instructions on the label of the product and to use the product only under the conditions specified.

LIMITATION OF LIABILITY:

In no case shall Sumitomo be liable for damages, including consequential damages, resulting from the use of this product, whether or not such damages are foreseeable. The limitation of liability in this paragraph shall not be subject to change by any subsequent action of the parties.

EPA Registration No. 39,398-9
EPA EST. NO. 476 FLE

Made in

SUMITOMO CHEMICAL AMERICA, Inc.

345 PARK AVENUE
NEW YORK, N.Y. 10154

Sumitomo Chemical America, Inc.
New York, N.Y. 10154

P4116
29346-7