

(center panel)

SUMITHION 8E  
INSECTIDE FOR ORNAMENTALS  
FOR USE ONLY BY CERTIFIED APPLICATORS

ACTIVE INGREDIENTS:

O,O-dimethyl O-(4-nitro-m-tolyl)phosphorothioate.....76.80

INERT INGREDIENTS:.....23.20

100.00%

Contains 8 pounds SUMITHION per gallon

"18 point type" KEEP OUT OF REACH OF CHILDREN

"24 point type" WARNING

STATEMENT OF PRACTICAL TREATMENT

FOR PESTICIDE EMERGENCY

CALL A PHYSICIAN IMMEDIATELY: If a known exposure occurs or is suspected, immediately initiate the recommended procedures below. Simultaneously contact a Poison Control Center, a physician or the nearest hospital. Describe the situation and follow advice given.

Note: Be sure to advise the physician that the compound is a cholinesterase inhibitor and follow the physician's advice.

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

FOR EYE CONTACT: Hold eyelids apart and flush with large amounts of water for at least 15 minutes. Get medical attention.

FOR SKIN CONTACT: Flush with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if irritation occurs. Wash clothing before re-use.

IF INHALED: Remove to fresh air. Seek medical attention if respiratory irritation occurs.

NOTE TO PHYSICIAN: Exposure may cause cholinesterase inhibition. Atropine by injection is antidotal. 2-PAM is also antidotal when administered early and in conjunction with atropine.

See Side Panel for Additional Precautionary Statements

EPA Reg. No. 39398-13

EPA Est. No.

Made for:

Sumitomo Chemical America, Inc., 345 Park Ave., New York, NY 10154

Not Reviewed. Registrant claims to be in accordance with  
Reregistration of Pesticide Product Guidance for Phase 2  
Reg. No. Page 2.12, A.1 to Last Change in Status.

(left side panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be fatal if swallowed. Harmful if inhaled or absorbed through the skin or on clothing. Thoroughly wash skin or clothing if contaminated.

Reentry into treated areas is prohibited for 24 hours after the end of application, unless the protective clothing specified on this label is worn. When mixing, loading, spraying or cleaning equipment or during early reentry into treated areas, wear chemical-resistant gloves, protective suits or coveralls that cover the arms, legs and torso and chemical-resistant shoes, boots or shoe covers. Chemical-resistant gloves must be washed with soap and water before removing. All clothing worn during the use of fenitrothion (Sumithion) must be laundered separately from household articles. Clothing and protective gear drenched or heavily contaminated with fenitrothion must be destroyed according to state and local regulations. Drenched or heavily contaminated clothing cannot be properly decontaminated.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to wildlife and extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighbouring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL/CHEMICAL HAZARDS

Do not use, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

"18 point type"

STORAGE AND DISPOSAL

- 1) STORAGE: Containers should be stored in a cool, dry, well ventilated area. Do not expose to prolonged heat. Contact with flame or high temperatures will cause an explosion. This product will support combustion. Keep container closed when not in use.
- 2) PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
- 3) PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- 4) CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling, reconditioning or puncture and dispose of in a sanitary landfill or by other approved state and local procedures.
- 5) Consult Federal, state or local disposal authorities for approved alternative procedures.

(right side panel)

**DIRECTIONS FOR USE, CONTINUED**  
**For Ground Application Only**

To control certain insects on ornamentals, apply Sumithion 8E at the rate of 1/2 - 1 pint per 100 gallons of water with an appropriate sprayer. The finished spray should be applied to the point of runoff, thoroughly wetting all parts of the affected plants. Use outdoors, in nurseries or greenhouses as a broadcast or spot application. Repeat applications may be necessary to maintain insect control. Do not repeat more than once a week.

See list of INSECTS CONTROLLED BY SUMITHION 8E and list of ORNAMENTAL PLANTS RECOMMENDED FOR INSECT CONTROL BY SUMITHION 8E.

**NOTICE - READ CAREFULLY**

**Conditions of Sale:**

Sumitomo (and seller) offer(s) this product for sale subject to, and buyer and all users are deemed to have accepted, the following conditions of sale and warranty which may only be varied by written agreement of a duly authorized representative of Sumitomo.

**Warranty Limitation:**

Sumitomo warrants that this product conforms to the chemical description in the directions for use of the label subject to the inherent risks referred to below. Sumitomo makes no other express warranties. THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY and there are no warranties which extend beyond the description on the label hereof.

**Inherent Risks:**

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with use. Buyer assumes all risks associated with use or application of this product contrary to label instructions or resulting from extraordinary weather conditions.

**Limitations of Liability:**

In no case shall Sumitomo be liable for special, indirect or consequential damages resulting from the use or handling of this product and no claim of any kind shall be greater in amount than the purchase price of the product in respect of which such damages are claimed.

**Net Contents:**

**Lot No.**

o

Registered Trademark of Sumitomo Chemical America, Inc.

