PRECAUTIONARY

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Causes eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wear a face shield and rubber gloves when handling. Use in a well ventilated area. When used in confined areas or applied by spraying, wear protective clothing and a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR 11. May be fatal if swallowed or inhaled. Do not breathe vapors or spray mist.

PRACTICAL TREATMENT

In case of skin contact, remove contaminated clothing and immediately wash skin with soap and water. Get medical attention. Wash contaminated clothing before reuse. If swallowed, promptly drink a large quantity of milk or water. Avoid alcohol Get medical attention. If in eyes, immediately flush with plenty of water. Get medical attention. If inhaled, remove to fresh air. Use artificial respiration if breathing has storped. Get medical attention.

ENVIRONMENTAL HAZARDS This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved iendiii.

CHEMICAL AND PHYSICAL HAZARDS

Do not use or store near heat or open

39492 - 3

PAINTS & COATINGS . WORLD-WIDE

FORMULA 129/63 INYL BLACK ANTI-FOULING PAINT MIL-P-16189B MD-3073

JUL 26. 1982

Under the Federal Insecticide, Pungicide, and Rodenticide Act, on canexised, for the posticide registered under 39493 - 3

KEEP OUT OF REACH OF CHILDREN

(18.925 LITERS)

E.P.A. REG. NO. 39492-3 EPA EST. NO.

ANTI-FOULING INGREDIENT

ACTIVE INGREDIENTS

Cuprous Oxide 👯 🖰

INERT INGREDIENTS".

100.00%

*Equivalent to 50.491 Metallic Copper.

AINTS & COATINGS . WORLD-WIDE

FORMULA 129/63 BLACK ANTI-FOULING PAINT MIL-P-16189B

NL 26 1982

the Federal Insecticide. cide, and Rodenticide Act. ended, for the pesticide

ned under 39493 - 3

KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 39492-3 EPA EST. NO. itt. Fare (E)

ANTI-FOULING INGREDIENTS

ACTIVE INGREDIENTS

. 16 -- 21

Cuprous Oxide 56.84%* INERT INGREDIENTS ... 43.16%

100.00%

*Equivalent to 50.49% Metallic Copper

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DENCE JUNE AND -FOULING FING -- for apolication to underwater areas of steel, aluminum, fiberglass or wood vessels subject to fouling by barnacles, ulgae, tube works and other fouling organisms. Surface to be coated should be clean of grease, oll, dirt and moisture. Do not apply directly to metal surfaces. A suitable barrier coat should be applied to steel and aluminum surfaces; a primer is recommended for fiberglass and wood surfaces. Apply by spray, brush or roller. For spray, airless spray is strongly recommended. When spraying, applicators must use appropriate NIOSH approved respirators. Protective clothing, rubber gioves and goggles should be worn applicators. Contaminated ciothing should be laundered before reuse. Clean up with # | Solvent, MD-4931. Launching may be accomplished as soon as coating is dry. or later if desired.

STORAGE AND DISPOSAL L not contaminate water, food or feed by storage or disposal.

Pesticide Disposal — Pesticide. paint or rinsate that cannot be used according to latel directions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

Container Disposal --- Triple riase (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

FOR USE IN COMMERCIAL SHIPYARDS ONLY

DEVOE MARINE COATINGS CO.

Division of GROW GROUP INC.

Louisville, Ky. 40207

MADE IN U.S.A.