

A stamped copy of the label is enclosed for your records. The submitted data were assigned the following accession numbers:

<u>Study</u>	<u>Accession</u>
Acute Oral: Rat	250572
Acute Dermal: Rabbit	250576
Primary Eye Irritation: Rabbit	250577
Primary Dermal Irritation: Rabbit	250579

Richard F. Mountfort, Jr.
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TP-767)

Enclosures

VERTAC

ACCEPTED

AUG 26 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product has been found to comply with the requirements of the Act and is hereby registered under Act No. 110.

VERSAR^{*}

DSMA-LQ

**DSMA LIQUID HERBICIDE
PLUS SURFACTANT**

EPA Reg. No. 39511-95

EPA Est. No. 39511-MS-1

ACTIVE INGREDIENTS Disodium Methanearsonate

21.8%

INERT INGREDIENTS

78.2%

Total

100.0%

Total Arsenic (as elemental) all in water soluble form

8.9%

(Product contains 3.6 pounds Disodium Methanearsonate Hexahydrate per gallon)

KEEP OUT OF REACH OF CHILDREN

CAUTION

If Swallowed: Do not induce vomiting. Give 1-2 glasses of water. Call your doctor or the nearest hospital.

If On Skin: Wash with plenty of water. Remove contaminated clothing. Call your doctor or the nearest hospital.

If In Eyes: Flush eyes with plenty of water for at least 15 minutes. Call your doctor or the nearest hospital.

Read entire label before using this product.

DIRECTIONS FOR USE

STORAGE AND DISPOSAL

STORAGE

PESTICIDE DISPOSAL

CONTAINER DISPOSAL

COTTON

VERSAR DSMA-LQ is useful for selective post-emergent control of weeds and grasses such as crabgrass, goosegrass, and barnyardgrass in cotton fields.

Apply 1.0 to 1.5 pints of VERSAR DSMA-LQ per acre and mix thoroughly with water. Apply spray solution at 40 to 60 gpm per acre. Best control is most effective at temperatures above 70°F. For best results, apply in the morning. Equipment should be calibrated to deliver 1.0 to 1.5 pints of spray solution per acre. Do not spray if wind is blowing from the direction of the cotton rows. Do not apply if wind is blowing from the direction of the cotton rows. Do not apply if wind is blowing from the direction of the cotton rows.

NON-CROP USE

LAWN AND ORNAMENTAL TURF

GENERAL INFORMATION

VERSAR DSMA-LQ is useful for selective post-emergent weed control, particularly for grassy weeds. It is a combination of herbicide and surfactant. IT IS UNNECESSARY TO ADD ANY OTHER SURFACTANT TO THE SPRAY SOLUTION. Best results are obtained on young, actively growing weeds at temperatures above 70°F.

MIXING INSTRUCTIONS: VERSAR DSMA-LQ must be thoroughly mixed in the spray equipment reservoir with water and add the required amount of herbicide with agitation. Finish filling the reservoir with water and apply. After use, clean equipment thoroughly by flushing with water. Do not store spray solution in tank for prolonged periods.

NOTICE

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS
AND
DOMESTIC ANIMALS

ENVIRONMENTAL HAZARDS

For chemical spill, leak, fire or exposure
call toll free

1-800-424-9300

AGRICULTURAL CHEMICAL



VERTAC CHEMICAL CORPORATION