PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS


3 DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAI. AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to labe' directions. Mixing this product with gross fifth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes distributed by:

GISTIBUTED DY. LAIRD'S HARDWARE, INC. 6452 PEMBROKE ROAD MIRAMAR, FLORIDA 33023

Phane: \$17 EPA REG. NO: 39694-1 NET CONTENTS:	A C C E P T E D EPA EST. NO. 39694-FL-1-01 21/2 GALLONS (29694-1
DATE PACKAGED:	JANU 3 1901
NOT FOR USE AFTER	Under the Folgent Insecticide, Fungicide, and Rodenticide Act, as arounded, for the pesucide togistered under EFA Reg. No.



CHLORINATING SOLUTION

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical altention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegation other acids. Do not induce vomiting. Get prompt medical attention

31

DIREC GENERAL It is a violation of federa

Inconsistent with its laber DIRECTIONS FOR S'

For a new pool or for spripint (16 flu, ozs.) of sodigalions of water. This do chlorine by weight.

FOR POOL MAINTENAN(A) Adjust pool water pH

B) Add manually or by solution at a rate to n 0.6 to 1.0 ppm. One ha solution for each 600 available chlorine b maintain 0.6 to 1.0 i temperature and of n certain the pH and cr

NOTE: This product degr increase dosage as nec available chlorine.

. 9%

STORAGE AND DISPOS direct sunlight. In case c water. Rinse empty con return to manufacturer o burying in an approved 1 used, should be dituted sever. Do not contamin cleaning of equipment

TEMENTS

MESTIC ANIMALS we irritation or chemical pe May be fatal if swalet in eyes, on skin or on ind rubber gloves when viandling. Vacate poorly o not return until odors

te is toxic to fish, keep led effluent cannot be public waters unless a re, contact the regional gency.

S: STRCNG OXIDIZING habe' directions. Mixing res, urine, eac., or with hemicals will release and mucous membranes

NC. Ramar, florida 33023

CEPTED IST. NO. 39694-F-1-01 ILLONS 34694-1 JANO 9 1981 the Felenel Insecticide. And and Rodenticide Act ended. for the pseudide red under by. No. LAIRD'S SODIUM HYPOCHLORITE SOLUTION

CHLORINATING SOLUTION

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE. . INERT INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegator other acids. Do not induce vomiting. Get prompt medical attention

31

9% 91%

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of fewaral law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR SWIMMING POOL CHLORIHATION For a new pool or for spring start-up, superchlorinate with one (1) pint (16 flu ozs) of sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

FOR POOL MAINTENANCE:

A) Adjust pool water pH to 7.6 - 7.2 range and maintain
B) Add manually or by a feeder device, sodium hypochlorite
add manually a rate to maintain an available chlorine residual of

solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half pint (8 flu, ozs.) of sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend on temperature and of number swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved land till. Product or rinsate that car not be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or faed by storage, disposal or cleaning of equipment.

32

; ;

1