

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS	
DANGER: Corrosive may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.	
ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance contact the regional office of the Environmental Protection Agency.	
PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergent, or other chemicals may release hazardously irritating fumes. Eyes and mucous membranes	
manufactured by SWIMMING POOL OWNERS ASSOC. 6221 Pembroke Road Hollywood, FL 33023	
EPA REG. NO. 39736-2 EPA EST. NO. NET CONTENTS	

ACCENT

JUN 27 1978

SODIUM HYPOCHLORITE SOLUTION

"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 9.2%
INERT INGREDIENTS 90.8%

KEEP OUT OF REACH OF CHILDREN **DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, of gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

DIRECTIONS FOR USE GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start up, superchlorinate with one part (1/16 oz.) of this sodium hypochlorite solution for each 7500 gallons of water. If 1.1 ppm chlorine equivalent to 5 ppm available chlorine by weight.

For Pool Maintenance

- A. Adjust pH of water pH to 7.6 - 7.8 range at 70° F. Add one part (1/16 oz.) of this sodium hypochlorite solution for each 7500 gallons of water with 1.0 ppm available chlorine by weight. Frequency of addition will depend upon temperature and chlorine loss. Monthly use test kit to insure certain the pH and chlorine residuals in the proper range.
- B. Add manually or by a feeder device this sodium hypochlorite solution to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half part (1/32 oz.) of this sodium hypochlorite solution for each 7500 gallons of water with 1.0 ppm available chlorine by weight. Frequency of addition will depend upon temperature and chlorine loss. Monthly use test kit to insure certain the pH and chlorine residuals in the proper range.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS

Dilute this sodium hypochlorite solution in the ratio of one part (1/16 oz.) hypochlorite solution to 9 parts softened water. Mix sodium hypochlorite solution thoroughly and begin feeding solution with a hypochlorinator dosing pump. Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system as determined by a DPD chlorine test kit. Backwash car softening must be conducted at a frequency of once per month as directed by the National Treatment Primary Drinking Water Regulation. Chlorine with 0.2 to 0.4 DPD ppm are recommended.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT
Clean equipment in the normal manner. Just before using, soak surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after treatment with sodium hypochlorite solution. Do not soak overnight. Add one part (1/16 oz.) of this sodium hypochlorite solution per 3 gallons of water will provide approximately 200 ppm available chlorine by weight.

NOTE: This product is in color with a pale blue chlorine test kit. Color change is necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store away from direct sunlight. In case of spill flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash can, horizon burying in an approved landfill. Product containers that cannot be used should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.