

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER: Corrosive. May cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

Ace Hi Pool Service & Supply, Inc.
810 West Bay Drive
Largo, FL 33540

EPA REG NO 39767-1

EPA EST NO 39767 FL 1

NET CONTENTS 1 GALLON

ACCEPTED
3/25/86
37767-1
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND MITICIDE ACT
FOR ECONOMIC PEST MANAGEMENT
EPA UNDER NO.



**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."**

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 9.2%
INERT INGREDIENTS 90.8%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool, add 1.5 lbs. of available chlorine per 10,000 gallons of water. For an existing pool, add 1 lb. of available chlorine per 10,000 gallons of water. This dosage is for a 1 ppm residual chlorine level. Adjust dosage for water temperature and bather load.

A. Adjust pool water pH to 7.2-7.6. pH is important because chlorine is most effective at a pH of 7.2-7.6. If the pH is too high, chlorine will be less effective. If the pH is too low, chlorine will be more effective but will also be more corrosive to pool equipment. Adjust pH by adding muriatic acid (pH down) or soda ash (pH up) to the pool water. Always add acid or soda ash to the pool water before adding chlorine.

**DIRECTIONS FOR DISINFECTION OF POTABLE WATER
FOR HOME WELL WATER SYSTEMS**

For a well with a flow rate of 10 gpm or less, add 1/2 lb. of available chlorine per 100 gallons of water. For a well with a flow rate of 10-20 gpm, add 1 lb. of available chlorine per 100 gallons of water. For a well with a flow rate of 20-30 gpm, add 1 1/2 lbs. of available chlorine per 100 gallons of water. For a well with a flow rate of 30-40 gpm, add 2 lbs. of available chlorine per 100 gallons of water. For a well with a flow rate of 40-50 gpm, add 2 1/2 lbs. of available chlorine per 100 gallons of water. For a well with a flow rate of 50-60 gpm, add 3 lbs. of available chlorine per 100 gallons of water. For a well with a flow rate of 60-70 gpm, add 3 1/2 lbs. of available chlorine per 100 gallons of water. For a well with a flow rate of 70-80 gpm, add 4 lbs. of available chlorine per 100 gallons of water. For a well with a flow rate of 80-90 gpm, add 4 1/2 lbs. of available chlorine per 100 gallons of water. For a well with a flow rate of 90-100 gpm, add 5 lbs. of available chlorine per 100 gallons of water.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT
Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact with all surfaces for a minimum of 15 minutes. Do not rinse with water after treatment with sodium hypochlorite solution. Do not soak overnight. Addition of one fluid ounce of this sodium hypochlorite solution per 4 gallons of water will provide approximately 200 ppm available chlorine by weight.

NOTE: This product is a strong oxidizer. Use a flame test kit and measure dosage as necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinseate that cannot be used should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.