


**ACCEPTED**  
 APR 09 1975  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under  
 EPA Reg. No. 416-50

**NEW** **SUPER** **QUINNS** **SUPER**  
**DE-ROACHER**  
  
**DOUBLE-ACTION KILLER**

**ACTIVE INGREDIENTS**

- 0.500% O, O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate\* (\*Diazinon® trademark of CIBA-GEIGY Corp.)  
 0.000% Pyrethrins  
 0.225% Technical Piperonyl Butoxide\* (\*Equivalent to 0.18% of (butyl carbityl) (6-propylpiperonyl) ether and 0.045% of related compounds)  
 99.064% Petroleum Distillate

**INERT INGREDIENTS**

- 0.121% Inert ingredients  
 100.000% Total

**CAUTION:** KEEP OUT OF REACH OF CHILDREN.  
 SEE BACK PANEL FOR ADDITIONAL CAUTIONS.

**NET CONTENTS**  
**ONE PINT**

**DIRECTIONS:**

**ROACHES, WATER BUGS, SILVER FISH AND SPIDERS:** Treat infested cracks and other hiding places with a coarse spray or brush. Make spot applications on exposed surfaces where these insects will crawl over it when they come out of hiding. Thoroughly treat base boards, areas behind shelving, bookcases, and storage areas. Repeat as necessary.

**ANTS:** Spray thoroughly ant trails and areas around door sills and window frames where the pests may enter. Also treat opening around water pipes, heat ducts, electric outlets, and baseboards. Repeat application as often as necessary.

**CAUTION:** Contact with skin can cause toxic symptoms. Avoid inhalation or skin contact. Avoid contamination of feed and foodstuffs.

Harmful if swallowed. Keep out of reach of children. Do not spray into or near fire or open flame. Do not smoke while spraying. Wash thoroughly after using. Remove pets, birds and fish bowls before applying.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not allow children in treated areas until surfaces are dry.

EPA REG. NO. 416-50 EPA EST. 416-M-1

**MANUFACTURED BY**  
**QUINN DRUG & CHEMICAL CO.**  
 GREENWOOD, MISS. 38930

REVISED JUNE 1974

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER:** Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish, keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

distributed by

**TRIPLE T. ENTERPRISES**


10335 IRONWOOD RD.  
PALM BEACH GARDENS, FLORIDA 33410

EPA REG. NO. 39839-2 EPA EST. NO.

NET CONTENTS: 2.5 GALLONS

DATE PACKAGED:

NOT FOR USE AFTER



**TAP  
TAP  
TERRIFIC!**

**CHLORINATING  
SOLUTION**

ACTIVE INGREDIENT:  
SODIUM HYPOCHLORITE ..... 9%

INERT INGREDIENTS: ..... 91%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**FIRST AID:** If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

**DIRECTIONS FOR USE  
GENERAL CLASSIFICATION**

It is a violation of federal law to use this product inconsistent with its labeling.

**DIRECTIONS FOR SWIMMING POOL CHLORINATION:** For a new pool or for spring start up, superchlorinate (16 flu. ozs.) of Pool Guard sodium hypochlorite solution per 6000 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

**FOR POOL MAINTENANCE:**  
A) Adjust pool water pH to 7.6 - 7.2 range and maintain.  
B) Add manually or by a feeder device, Pool Guard sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half pint (8 flu. ozs.) of Pool Guard sodium hypochlorite solution for each 6000 gallons of water. Frequent testing to maintain 0.6 to 1.0 ppm available chlorine will determine the amount and number of swimmers. Use test kit to maintain and chlorine residual are in this proper range.

**NOTE:** This product degrades with age. Use a chlorine test kit to increase dosage, as necessary, to obtain the required chlorine residual.

**STORAGE AND DISPOSAL:** Store in a cool, dry place away from direct sunlight. In case of spill, flood area with water. Rinse empty container thoroughly with water. Do not reuse. Return to manufacturer or discard by placing in trash collection container. Product or rinseate that cannot be recycled should be diluted with water and disposed of in a sanitary sewer. Do not use for animal feed or feed by storage, disposal or cleaning.

BEST DOCUMENT AVAILABLE