

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes or clothing.

PRACTICAL TREATMENT (FIRST AID): If swallowed, promptly drink a large quantity of milk, egg white, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance, contact the regional office of the Environmental Protection Agency.

TYPICAL DOSAGES

POOL SIZE (In gallons)	INITIAL DOSE	MAINTENANCE DOSE
5,000	48-75 fl. oz.	12-24 fl. oz.
10,000	97-150 fl. oz.	24-48 fl. oz.
15,000	145-225 fl. oz.	36-72 fl. oz.
20,000	194-300 fl. oz.	48-96 fl. oz.
30,000	291-450 fl. oz.	72-144 fl. oz.
40,000	388-600 fl. oz.	96-192 fl. oz.

EPA EST 39910 F1 1

EPA REG 39910 7

Manufactured by TRIPLE E SYSTEMS ENGINEERING INC

P O Box 7011

Product #2007 Hollywood, Fla 33021

EEESE SYSTEMS™

POOL SHOCK

ACTIVE INGREDIENT 6.0 PERCENT

Poly (oxyethylene (dimethylamino) ethylene
(dimethylamino) ethylene dichloride).

INERT INGREDIENT 94.0 PERCENT
100.0 PERCENT

NET CONTENTS 1 QUART

THIS PRODUCT CONTAINS 5 LBS. OF ACTIVE INGREDIENT
AND WEIGHS 8.4 LBS. PER GALLON

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR PRECAUTIONARY

STATEMENTS-HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DIRECTIONS FOR USE GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER
INCONSISTENT WITH ITS LABELING.

- **POOL SHOCK** is used to control the growth of algae in swimming pools. For maximum effectiveness, pools containing heavy growth of algae should be cleaned prior to using **POOL SHOCK**.
- For pools having just visible algae growth add an initial dose of 97 to 150 fluid ounces of **POOL SHOCK** per 10,000 gallons of water and remove settled algae debris by cleaning.
- For treatment of a freshly cleaned and filled pool add initially 69 to 97 fluid ounces of **POOL SHOCK** per 10,000 gallons of water.
- To maintain pools free of visible algae growth subsequent additions of 24 to 48 fluid ounces of **POOL SHOCK** per 10,000 gallons of water should be made every 5 to 7 days after the initial treatment.

POOL SHOCK is compatible with those chemicals normally used to treat pools and effective at both acid and alkaline pH. **POOL SHOCK** can be used in pools treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix **POOL SHOCK** with concentrated dry or liquid chlorine products.

STORAGE AND DISPOSAL

Keep container closed when not in use. Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. Do not reuse empty container. Triple rinse (or equivalent) and dispose of container in an incinerator or in an approved landfill, or bury in a safe place. Residue that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Open dumping is prohibited.

