### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive, may cause severe skin irritation or chemica; burns to broken skin. Cause eye damage. May be fatal if swel-lowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until orlors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish; keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protecution Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OX-IDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as faces, urine atc. or with ammonia, acids, detergents or oother chemicals will release hazardous irritating to eyes lungs and mucous membranes.

DISTRIBUTED BY

ENVIROPACT 815 West 18th Street Hialeah, Florida 33010

EPA REG NO. 39945-1 EPA EST NO 39945-NET CONTENTS 5 GALLONS FL 02

 $\langle \zeta \rangle$ 

DATE PACKAGED, NOT FOR USE AFTER

# **ENVIRO** I

# CHLORINATING SOLUTION

ACTIVE INGREDIENTS.
SODIUM HYPOCHLORITE
INERT INGREDIENTS

9% 01%

REEP OUT OF REACH OF CHILDREN
DANGER

FIRST AID: If on skin, wash with plenty of soap and water, If in eyes, flush with water for 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or gelatin solution or, if these are not a vailable, drink large quantities of water. Do not give sinegar of other acids. Do not induce vomiting. Get prompt medical attention.

ACC ED 39945-/ FEBO 9 1981

Unter the Federal Insecticide, Fungicide, call Relimicide Act, as a mended, or the houselds tegisted and a

#### DIRECTIONS FOR USE

### **GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistant with its labeling

# DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool of for spring start-up, superchlorinate with one (1) pint (16 flu, ozs.) of Sanitizing Agent sodium hypochlorite solution for each 2500 gallors of water. This dosage is equivalent to 5 ppm available chlorine by weight.

## FOR POOL MAINTENANCE:

A) Adjust pool water pH to 7.6-7.2 range and maintain, B) Add manually or by a feeder device, Sanitizing Agunt sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half pint 18 flux ozs 1 of Sanitizing Agent sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend on temperature and number of swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

NOTE This product degrades with age. Use a chloring test kit and increase dosage, as necessary, to obtain the required level of available chloring.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quartities of water.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight, in case of spill, fixed area is the large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved land fill. Product or insiste that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do no contaminate food or feed by storage, disposal or cleaning or equipment.

21

3.35

. . .