

39959-1

8/31/2009

10f3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

AUG 31 2009

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Blaize Isan, Reg. Officer
Chemicals Incorporated
13560 Colombard Court
Fontana, CA 92337

Subject: Notification per PR Notice 98-10
A-106
EPA Registration Number: 39959-1
Application Date: August 10, 2009
Receipt Date: August 13, 2009

Dear Blaize Isan:

This acknowledges receipt of your notification, submitted under the provisions of PR Notice 98-10, FIFRA section 3(c) 9.

Proposed Notification:

Label change as per PR Notice 2007-4.

The notification is acceptable. A copy has been inserted in your file for future reference.

Should you have further questions concerning this letter, please contact Killian Swift by telephone at 703-308-6346 or by email at swift.killian@epa.gov. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

A handwritten signature in cursive script that reads "ShaRon Carlisle".

ShaRon Carlisle
(Acting) Product Manager 34
Regulatory Management Branch II
Antimicrobials Division (7510P)

ORIGINAL

NOTIFICATION
Date Reviewed: 8/21/09
Reviewed By: J. Swift



a subsidiary of Harpure Enterprises, Inc.

13560 Colombar Court, Fontana, CA 92337 • (951) 681-9697

EPA EST. NO. 39959-CA-1
EPA EST. NO. 61688-AL-1

EPA REG. NO. 39959-1

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

WARRANTY

Seis guarantee shall be limited to the terms of the label, and subject thereto. The buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

IN CASE OF EMERGENCY

Endangering life or property involving this product, call CHEMTREC (800) 424-9300

A-106

A MICROBIOCIDICIDE FOR USE IN CONTROLLING ALGAE, BACTERIA, AND FUNGI IN COMMERCIAL AND INDUSTRIAL RECIRCULATING WATER COOLING TOWERS AND FOR CONTROLLING BACTERIA IN INDUSTRIAL AIRWASHING SYSTEMS.

ACTIVE INGREDIENTS:

Poly[oxyethylene (dimethyliminio) ethylene-(dimethyliminio) ethylene dichloride]	15%
INERT INGREDIENT:	85%
TOTAL	100%

This product contains 1.29 lbs. of active ingredient per gallon and weighs 8.58 lbs. per gallon.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

If Swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- DO NOT induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If in Eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor immediately for treatment advice.

If on Skin or Clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have MSDS and, if available, the product container or label with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

A-106 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, system must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 4.0 to 10.0 fluid ounces of A-106 per 1000 gallons of water to provide a concentration of 32 to 80 parts per million of A-106, based on the total weight of water in the system, is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 1.0 to 10.0 fluid ounces of A-106 per 1000 gallons of water (8 to 80 parts per million of A-106) should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

A-106 is used to control bacteria in industrial airwashing systems that maintain effective mist eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 14.8 to 24.7 fluid ounces of A-106 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 10.1 to 24.7 fluid ounces of A-106 per 1000 gallons of water should be employed each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays of the airwash system.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:
PLASTIC: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

METAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Net Contents: _____ Lot No. _____

3043