

39959-2

09-09-2009

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

SEP 9 2009

Blaize Ison  
Regulatory Officer  
Chemicals Incorporated  
13560 Colombard Court  
Fontana, CA 92337

Subject: Notification Application Per PR Notice 98-10  
**7618**  
EPA Registration Number: 39959-2  
Application Date: August 5, 2009  
Receipt Date: August 11, 2009

Dear Mr. Ison:

This will acknowledge receipt of your notification, submitted under the provisions of PR Notice 98-10, FIFRA section 3 (c) 9.

**Proposed Notification:**

Update container disposal per PR Notice 2007-4

**General Comments:**

Based on a review of the material submitted, the following comment applies:

The notification is acceptable.

Should you have any questions concerning this letter, please contact Lisa McKelvin at (703) 308-7496 or by email at [mckelvin.lisa@epa.gov](mailto:mckelvin.lisa@epa.gov)

Sincerely,

ShaRon Carlisle  
(Acting)Product Manager 34  
Regulatory Management Branch II  
Antimicrobials Division (7510P)



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number <i>7618 39959-2</i>	2. EPA Product Manager <i>Mukhtiar Dhatt</i>	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <i>7618</i>	PM# <i>34</i>	
5. Name <i>Chemicals Incorporated 13560 Colombard Court Fontana, CA 92337</i>	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

Amendment - Explain below.  
 Resubmission in response to Agency letter dated \_\_\_\_\_  
 Notification - Explain below.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulation of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Explanation: Use additional page(s) if necessary. (For section I and S)

fdfa

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents Information  
 Label  Container

4. Size(s) Retail Container  
*5.55, 30, 275 gal*

5. Location of Label Directions  
 On Label  On Labeling accompanying product

6. Manner in Which Label is Affixed to Product  
 Lithograph Paper glued Stenciled  Other \_\_\_\_\_

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name <i>Blaise Ison</i>	Title <i>Reg. officer</i>	Telephone No. (Include Area Code) <i>951-681-7697</i>
----------------------------	------------------------------	--

Certification  
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature <i>Blaise Ison</i>	3. Title <i>Reg. officer</i>	6. Date Application Received (Stamped) ..... ..... ..... ..... .....
4. Typed Name <i>Blaise Ison</i>	5. Date <i>8/15/09</i>	

ORIGINAL

NOTIFICATION  
Date Reviewed: 9/19/09  
Reviewed By: J. The Kelvin



EPA EST. NO. 39959-C  
EPA EST. NO. 61688-A

a subsidiary of Harpure Enterprises, Inc.

13560 Colombard Court, Fontana, CA 92337 • (951) 681-9697

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### WARRANTY

Seller's guarantee shall be limited to the terms of the label, and subject thereto. The buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

#### IN CASE OF EMERGENCY

Endangering life or property involving this product, call CHEMTREC (800) 424-9300

# 7618

A SPECIALIZED FORMULATION OF ORGANIC SCALE AND CORROSION INHIBITORS CONTAINING A MICROBIOCIDAL FOR USE IN CONTROLLING ALGAE, AND BACTERIA IN COMMERCIAL AND INDUSTRIAL RECIRCULATING WATER COOLING TOWERS AND INDUSTRIAL AIRWASHING SYSTEMS. THIS PRODUCT IS SPECIFICALLY DESIGNED AS A COMPLETE ALL-IN-ONE LIQUID TREATMENT PROGRAM.

#### ACTIVE INGREDIENTS:

Poly [oxyethylene (dimethyliminio) ethylene-(dimethyliminio) ethylene dichloride] ..... 5%

INERT INGREDIENTS: ..... 95%

TOTAL ..... 100%

This product contains 0.43 lbs. of active ingredient per gallon and weighs 8.71 lbs. per gallon.

### KEEP OUT OF REACH OF CHILDREN CAUTION

#### FIRST AID

##### If Swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

##### If in Eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor immediately for treatment advice.

##### If on Skin or Clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have MSDS and, if available, the product container or label with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

7618 is used to control scale, corrosion, algae, and bacteria in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 12 to 30 fluid ounces of 7618 per 1000 gallons of water to provide a concentration of 96 to 240 parts per million of 7618, based on the total weight of water in the system, is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 3.0 to 30 fluid ounces of 7618 per 1000 gallons of water (24 to 240 parts per million of 7618) should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

#### CONTINUOUS FEED METHOD

**INITIAL DOSE:** When the system is noticeably fouled, apply 12 to 30 fluid ounces of 7618 per 1000 gallons of water used in the system.

**SUBSEQUENT DOSE:** When microbial control is evident, add 3.0 to 30 fluid ounces of 7618 per 1000 gallons of water used in the system per day.

76  
inc  
mi  
sh  
de  
ou  
rec  
ev  
ou  
err  
of  
an  
ma  
of  
  
Do  
dis  
  
ST  
Le  
dr  
or  
co  
  
PI  
us  
ap  
  
CO  
PI  
rec  
in  
str  
ou  
  
M  
rec  
in  
str  
  
No

f/u



EPA EST. NO. 39959-CA-1  
EPA EST. NO. 61688-AL-1

EPA REG. NO. 39959-2

a subsidiary of Harpure Enterprises, Inc.

3560 Colombar Court, Fontana, CA 92337 • (951) 681-9697

**18**

ION OF ORGANIC SCALE  
S CONTAINING A  
CONTROLLING ALGAE,  
GAL AND INDUSTRIAL  
OLING TOWERS AND  
YSTEMS. THIS PRODUCT  
AS A COMPLETE ALL-IN-  
OGRAM.

nio) ethylene-  
oride] ..... 5%  
..... 95%  
..... 100%

of active ingredient per  
gallon.

CH OF CHILDREN  
**ION**

**AID**

r doctor immediately for  
ster if able to swallow.  
ss told to do so by a poison  
th to an unconscious person.  
ly and gently with water for  
esent, after the first 5 minutes,  
r doctor immediately for  
ng.  
plenty of water for 15-20  
r doctor for treatment advice.  
product container or label  
ontrol center or a doctor, or

OR ADDITIONAL  
Y STATEMENTS

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

7618 is used to control scale, corrosion, algae, and bacteria in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 12 to 30 fluid ounces of 7618 per 1000 gallons of water to provide a concentration of 96 to 240 parts per million of 7618, based on the total weight of water in the system, is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 3.0 to 30 fluid ounces of 7618 per 1000 gallons of water (24 to 240 parts per million of 7618) should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

**CONTINUOUS FEED METHOD**

**INITIAL DOSE:** When the system is noticeably fouled, apply 12 to 30 fluid ounces of 7618 per 1000 gallons of water used in the system.

**SUBSEQUENT DOSE:** When microbial control is evident, add 3.0 to 30 fluid ounces of 7618 per 1000 gallons of water used in the system per day.

7618 is used to control scale, corrosion, and bacteria in industrial airwashing systems that maintain effective mist eliminating components. Prior to its use, system should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 44.4 to 74.1 fluid ounces of 7618 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 30.3 to 74.1 fluid ounces of 7618 per 1000 gallons of water should be employed each 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays of the airwash system.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:**  
**PLASTIC:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**METAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Net Contents: \_\_\_\_\_ Lot No. \_\_\_\_\_

f/f