PREVENTOL[®] TM Preservative Insecticide

FOR CONTROL OF CERTAIN INSECTS INFECTING WOOD AND WOOD COMPOSITES, PLASTICS AND TEXTILES

ACTIVE INGREDIENT: Imidacloprid: 1[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine -------98.42% INERT INGREDIENTS ------- 1.58% TOTAL --------- 100 0%

KEEP OUT OF REACH OF CHILDREN WARNING!

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING! May be fatal if swallowed or inhaled. Do not breathe dust or vapor. Wear a mask or respirator jointly approved by the Mine Safety and Health Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and warm water after handling and before eating, drinking or using tobacco products. Remove contaminated clothing and wash before reuse.

FIRST AID

- IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if the to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by buth to an unconscious person.
- IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or when going for treatment. NOTE TO PHYSICIAN: No specific antidote is available. Treat the patient symptomatically.

The LANXESS Pittsburgh Emergency Response Telephone Number is 800-410-3063 ENVIRONMENTAL HAZARDS

Pesticide wastes are acutely toxic. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of reach of children, preferably in a locked storage area.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, sprav mixture, or rinsate is a violation of ral Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Do not use container in connection with food, feed, or drinking water. Completely empty container into the processing equipment. Then dispose of empty container in a sanitary landfill, by incineration or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material is spilled for any reason or cause, carefully sweep the material into a pile and dispose of as directed for pesticides as above. Refer to Precautionary Statements on label for hazards associated with the handling of this material. In spill or leak incidents, keep unauthorized people away.

LANXESS Corporation

111 RIDC Park West Drive

Pittsburgh, PA 15275-1112

* PREVENTOL is a registered trademark of LANXESS Corporation.

IN CASE OF EMERGENCY, CALL: CHEMTREC 800-424-9300 EPA REGISTRATION NUMBER: 39967-15 EPA ESTABLISHMENT NUMBER:



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Wood and Wood-based Composite Products GENERAL: PREVENTOL® TM Preservative Insecticide is recommended for

the preservation of wood and wood-based composite products, such as lumber, timber landscaping ties, fence posts, building and utility poles, pilings, decking, wood shingles, waferboard, fiberboard, particleboard, plywood and oriented-strand board when it is important to prevent the attack of insects, including termites, on the product. Composites are used in the following applications: millwork, including door and window frames; exterior siding; construction lumber; and exterior wood. Composite wood treated with PREVENTOL® TM Preservative Insecticide does not change in appearance and may be painted when dry. Wood and wood composites treated with PREVENTOL® TM Preservative Insecticide must be manufactured indoors through a number of methods, including: (a) Blending PREVENTOL® TM Preservative Insecticide with an appropriate solvent, water repellant and injecting the solution into the wood through vacuum pressure in a closed vacuum cylinder. (b) Metering PREVENTOL® TM Preservative Insecticide onto the dried wood flakes, fibers, etc. immediately before the blender. The PREVENTOL® TM Preservative Insecticide is then mixed with flakes in the blender. (c) Mixing PREVENTOL® TM Preservative Insecticide with the wood flakes in the blender. (d) Mixing PREVENTOL® TM Preservative Insecticide with the . adhesive or wax, which is subsequently applied to the flakes in the blender. The method of incorporation of PREVENTOL® TM Preservative Insecticide will depend on the specific manufacturing process and wood species. The suggested use level is 0.0003 to 0.005 lbs. PREVENTOL® TM Preservative Insecticide per cubic foot of wood.

Plastics Preservation

GENERAL: Preventol® TM Preservative Insecticide is recommended for the insecticidal preservation of plastics such as PVC, polyurethane, polyethylene, polypropylene, natural synthetic rubber, and other plastics. These plastics are used in the O following applications: boat covers, carpet backing, convertible car tops, flooring, hoses, automotive underbody coatings, pond 🗙 liners, roofing foils, wall coverings, cable sheeting, film and sheet of agricultural products, and other applications.~ PREVENTOL® TM Preservative Insecticide is recommended for film and sheeting, extruded profiles, plastisols, molded goods, 1 N organosols, fabric coatings and similar systems requiring an effective termiticidal compound. Plastics treated with ŏ PREVENTOL® TM Preservative Insecticide must be manufactured indoors at an application rate of 0.01 - 1% PREVENTOL® TM Preservative Insecticide based on the weight of the finished article. To insure uniform distribution in the end product, it is 01 recommended that PREVENTOL® TM Preservative Insecticide be pre-blended with plasticizer or other liquid ingredient of the finished formulation before the final production step, but it can also be fed directly into an extruder, roller mill, colander, or other plastic manufacturing device. The method of incorporation of PREVENTOL® TM Preservative Insecticide is predissolved in a suitable solvent. The method of incorporation of PREVENTOL® TM Preservative Insecticide will depend on the specific 💙 manufacturing process and plastic to be protected; the treatment is recommended up to a temperature of 350°F and is limited only by decomposition of the substance.

SOME OF THE ABOVE USES ARE SOIL CONTACT, AND ALL OF THEM NON FUMIGATION TREATMENTS Textiles

GENERAL: PREVENTOL® TM Preservative Insecticide is recommended for use as an insecticide in textiles such as tents and groundsheets, boat and car covers, awnings, tarpaulins, marine upholstery, seals, felts, and other applications. Textiles treated with PREVENTOL® TM Preservative Insecticide must be manufactured indoors at an application rate of 0.01 - 1% PREVENTOL® TM Preservative Insecticide, based on weight of the finished products. The application rate depends on the conditions of use, the weight of the textiles, the ultimate use of the end-product and the degree of exposure. To ensure uniform distribution in the end-product it is recommended that PREVENTOL® TM Preservative Insecticide will depend on the specific manufacturing process and the type of textile to be protected. Heavy and close-woven fabrics should be dipped several times to ensure adequate penetration.

SOME OF THE ABOVE USES ARE SOIL CONTACT, AND ALL OF THEM NON INTERNATIONAL 703-527-3887	FUNICOIO	THEFT	ED
Net Contents:			,
Lot No :	A MIG	3 0 2007	

registered under EPA Reg. No. 39916

as amended, for the pesticide

LABEL TEXT DATE: 8/21/200 Fungicide, and Reconticide Act,