

39967-46

01/14/2010

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

JAN 14 2010

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

Luanne Jeram, Senior Regulatory Affair Specialist  
Lanxess Corporation  
111 RIDC Park West Drive  
Pittsburgh, PA 15275-1112

Subject: Notification per PR Notice 2007-4  
Preventol CT-L  
EPA Registration Number: 39967-46  
Application Date: December 15, 2009  
Receipt Date: December 16, 2009

Dear Ms. Jeram:

This acknowledges receipt of your notification, submitted under the provisions of FIFRA section 3 (c) 9 and PR Notice 2007-4.

**Proposed Notification:**

Updating Container Disposal statement per PRN 2007-4.

**General Comments:**

The notification is acceptable. A copy has been inserted in your file for future reference.

Should you have further questions concerning this letter, please contact me at (703-308-6416 or by email at [mcfarlane.jacqueline@epa.gov](mailto:mcfarlane.jacqueline@epa.gov) or Killian Swift by telephone at 703-308-6346 or by email at [swift.killian@epa.gov](mailto:swift.killian@epa.gov). When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jacqueline McFarlane".

Jacqueline McFarlane  
(Acting) Product Manager 34  
Regulatory Management Branch II  
Antimicrobials Division (7510P)

34

2/4

	United States <b>Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
---	---	--	-----------------------

**Application for Pesticide - Section I**

1. Company / Product Number 39967-46	2. EPA Product Manager Heyward	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company / Product (Name) Preventol CT-L	PM# 34	
5. Name and Address of Applicant (include ZIP Code) LANXESS Corporation 111 RIDC Park West Drive Pittsburgh, PA 15275-1112 <input type="checkbox"/> Check of this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____ Product Name _____

**Section - II**

<input type="checkbox"/> Amendment - Explain Below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation: Use additional page(s) if necessary. (For section I and Section II.)**  
 Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

**Section - III**

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
* Certification must be submitted		If "Yes" Unit Packaging wgt.    No. per container	If "Yes" Package Wgt    No. per container

3. Location of Net Contents Information  
 Label     Container

4. Size(s) retail Container


5. Location of Label Directions

6. Manner in Which Label is affixed to Product  
 Lithograph     Other  
 Paper glues  
 Stenciled

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary. To process this application.)

Name Heather F. Collins	Title Senior Regulatory Affairs Specialist	Telephone No. (Include Area Code) 412-809-3595
----------------------------	---	---

<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6: Date Application Received (Stamper)
2. Signature 	3. Title Senior Regulatory Affairs Specialist	
4. Typed Name Heather F. Collins	5. Date 11/18/09	

29  
November 18, 2009

**VIA COURIER**

Mr. Adam Heyward  
Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

Heather F. Collins  
Material Protection Products  
Regulatory Affairs  
111 RIDC Park West Drive  
Pittsburgh, PA 15275-1112

Phone 412-809-3595  
Fax 412-809-1068  
heather.collins@lanxess.com  
www.US.LANXESS.com

**RE: Product: Preventol CT-L  
Registration #: 39967-46  
Notification of Label Change per PR Notice 2007-4**

Dear Mr. Heyward:

Enclosed is a label change notification for the above listed product per PR Notice 2007-4.

Specifically enclosed are:

1. Application form (EPA Form 8570-1)
2. Proposed label highlighting the updated statements in yellow – 1 copy
3. Proposed label – 1 copy

Please feel free to contact me at 412-809-3595 with any questions.

Sincerely,



Heather F. Collins  
Senior Regulatory Affairs Specialist

# PREVENTOL® CT-L

**INDUSTRIAL MICROBIOCIDES: PRESERVATIVE FOR THE LEATHER INDUSTRY, FOR THE PROTECTION OF CHROME OR VEGETABLE TANNED LEATHER**

**ACTIVE INGREDIENTS**

Sodium p-chloro-m-cresol-----37.3%

2-n-octyl-4-isothiazolin-3-one-----2.0%

**INERT INGREDIENTS** -----60.7%

## KEEP OUT OF REACH OF CHILDREN DANGER!

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER! CORROSIVE:** Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles, face shield, protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged and repeated contact may cause an allergic reaction in some individuals.

**NOTE TO USER**

For worker protection during mixing, loading and during application, wear a hat, long sleeved shirt, and long legged trousers or overalls. In addition, during mixing and loading, wear rubber or neoprene gloves and protective goggles. Protective clothing should be laundered separately following application.

**FIRST AID**

**If swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Poison Control Center or doctor for treatment advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate gastric lavage.

Have the product container or label with you when calling a Poison Control Center, doctor or going for treatment.

LANXESS Pittsburgh Emergency Response Phone: 800-410-3063

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**PHYSICAL AND CHEMICAL HAZARDS**

Avoid contact with eyes and skin. Avoid inhaling vapors or mists. Do not use or store near heat or open flame. Store in original containers away from food and drink. Keep containers tightly sealed. Reseal container immediately after use. Avoid unnecessary contact.

**IN CASE OF EMERGENCY, CALL: CHEMTREC 800-424-9300**

**EPA REGISTRATION NUMBER: 49967-45**

**EPA ESTABLISHMENT NUMBER:**

# LANXESS

LANXESS Corporation

111 RIDC Park West Drive • Pittsburgh, PA 15275-1112

LABEL TEXT DATE: DRAFT

## STORAGE AND DISPOSAL

**Do not contaminate water, food or feed by storage and disposal.**

**Pesticide disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or reconditioning if appropriate. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or by incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke. Handle and open container in a manner as to prevent spillage. If the container is leaking, invert to prevent leakage. If the container is leaking or material spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds, and dispose of as directed above.

**DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.**

Preventol CT-L should be diluted with 2-5 parts of water before use. Dilution with 1-2 parts water yields a clear micro-emulsion. Lower concentrations tend to become milky after stirring. This homogeneous emulsion should then be added gradually to the float or to the product to be preserved. As Preventol CT-L is miscible in water lower concentration may be used if required. These solutions tend to separate if left to stand for one hour or more, but they can be homogenized by stirring and are suitable for use.

**Preservation of Pickled Pelts:** Add 0.2-0.5% Preventol CT-L, calculated on the pelt weight, to the solution. After a running time of approximately 10 minutes, add the acids as usual. In a pure preservation pickle, the final pH value should be <2 in the pelt cross section. [Note: Preventol CT-L is not compatible with strong oxidizing and bleaching agents, e.g. sodium chlorite (NaClO<sub>2</sub>). Such products must therefore NOT be present in the pickle when Preventol CT-L is added.]

**Preservation During Chrome Tannage:** Dilute 1 part Preventol CT-L with 2-5 parts water before use. Good results are obtained if Preventol CT-L is used as early as possible in the pickle. It should be added a few minutes after the salt. The pipes should then be flushed with water to ensure that no Preventol CT-L is left in them. After a running time of approximately 10 minutes, add the acids as usual. [Note: If the pickle float is drained off, or if strong oxidizing or bleaching agents are used in the pickle, Preventol CT-L should be added at the beginning of the chrome tanning process. If tanning floats contain sulfite, or in the presence of stronger reducing agents, there is a risk of partial decomposition of the 2-n-octyl-4-isothiazolin-3-one (N-OIT).]

**Recommended Additions For Wet Blues:** 0.2-0.4% Preventol CT-L

0.3-0.5% Preventol CT-L in topical areas and for small skins

The amount of Preventol CT-L required to give optimum protection against microbial attack and the exact addition procedure may vary from tannery to tannery. For this reason the values given are for guidance and must be determined for each individual case.

**INTERNATIONAL 703-527-3887**

**Net Contents:**

**Lot No.:**

® Preventol is a Registered Trademark of LANXESS AG

**NOTIFICATION**

Date Reviewed: 1/11/10

Reviewed By: [Signature]

b/h