

39967-67

01/13/2009

1/4



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510C)
1200 Pennsylvania Avenue NW
Washington, D.C. 20460

NOTICE OF PESTICIDE:

[x] Registration
Reregistration

(under FIFRA, as amended)

EPA Reg. Number: 39967-67

Date of Issuance: JAN 13 2009

Term of Issuance: Conditional

Name of Pesticide Product: Preventol TC 60

Name and Address of Registrant (include ZIP Code):

Lanxess Corporation
111RIDC Park West Drive
Pittsburgh, PA 15275-1112

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.

2. Make the labeling changes listed below before you release the product for shipment:

a. Revise the "EPA Registration Number to read, "EPA Reg. No. 39967-67".

Signature of Approving Official:

Marshall Swindell
Product Manager Team-33
Regulatory Management Branch I
Antimicrobials Division (7510P)

[Handwritten signature of Marshall Swindell]

Date:

JAN 13 2009

Page 2
EPA Registration No. 39967-67

b. Please note that the studies for 830.6317 (Storage Stability) and 830.6320 (Corrosion characteristics) guidelines must be submitted within one (1) year from the date of this Notice of Registration.

3. Submit two (2) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the "accepted" label is enclosed for your records.

Sincerely,



Marshall Swindell
Product Manager 33
Regulatory Management Branch I
Antimicrobials Division (7510P)

Enclosure

PREVENTOL TC 60

FOR MANUFACTURING USE ONLY

ACTIVE INGREDIENT: 2-(Thiocyanomethylthio)benzothiazole [CAS# 21564-17-0]-----60%
INERT INGREDIENTS -----40%
TOTAL -----100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

May be fatal if inhaled. Do not breathe vapor. Wear a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter. Causes irreversible eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (such as goggles or face shield), chemical resistant (such as nitrile or butyl) gloves and chemical resistant apron when handling. Harmful if swallowed or absorbed through the skin. This product may cause allergic skin reactions. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or when going in for treatment. For emergency information concerning this product, call the National Pesticide Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven days a week. During other times, call the poison control center 1-800-222-1222.

The LANXESS Pittsburgh Emergency Response Telephone Number is 800-410-3063

IN CASE OF EMERGENCY, CALL: CHEMTREC 800-424-9300

EPA REGISTRATION NUMBER: 39967-XX

EPA ESTABLISHMENT NUMBER:

LANXESS

LANXESS Corporation

111 RIDC Park West Drive • Pittsburgh, PA 15275-1112

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR USE BY MANUFACTURERS, FORMULATORS AND REPACKAGERS ONLY TO PRODUCE END-USE/MANUFACTURING USE PRODUCTS. When this product is used to formulate an end-use/manufacturing use product, manufacturers, formulators and repackagers must obtain their own EPA Registration Number.

PREVENTOL TC 60 is intended for formulation into end use products for the following uses: Bacteriostatic paper and paperboard (Non-food contact), Particle Board, Coatings, Caulks, Sealants, Wallcovering Adhesives, Pigment Slurries, Non-food Adhesives, Leather, Hides and Skins, Drilling Fluids, Cutting Fluids, Pulp and Paper Mills, Crude and Refined Oils, Cooling Towers, Petroleum Secondary Recovery, Wastewater Treatment Systems.

REFORMULATORS AND REPACKAGERS OF THIS PRODUCT MUST OBTAIN THEIR OWN REGISTRATIONS FROM THE U.S. ENVIRONMENTAL PROTECTION AGENCY.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Product should be stored in an area that is not subject to extreme temperatures. Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Empty residue into application equipment. Triple rinse (or equivalent) then offer drum for recycling or reconditioning, or puncture. Dispose of drum and liner in a sanitary landfill, by incineration or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination Systems (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste.

INTERNATIONAL 703-527-3887

Net Contents:

Lot No.:

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 39967-67

REGISTRATION
EPA Label Date:
JAN 13 2009

3/4

PREVENTOL TC 60

FOR MANUFACTURING USE ONLY

ACTIVE INGREDIENT: 2-(Thiocyanomethylthio)benzothiazole [CAS# 21564-17-0]-----60%
 INERT INGREDIENTS -----40%
 TOTAL -----100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

May be fatal if inhaled. Do not breathe vapor. Wear a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter. Causes irreversible eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (such as goggles or face shield), chemical resistant (such as nitrile or butyl) gloves and chemical resistant apron when handling. Harmful if swallowed or absorbed through the skin. This product may cause allergic skin reactions. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or when going in for treatment. For emergency information concerning this product, call the National Pesticide Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven days a week. During other times, call the poison control center 1-800-222-1222.

The LANXESS Pittsburgh Emergency Response Telephone Number is 800-410-3063

IN CASE OF EMERGENCY, CALL: CHEMTREC 800-424-9300
 EPA REGISTRATION NUMBER: 39967-XX
 EPA ESTABLISHMENT NUMBER:

LANXESS

LANXESS Corporation
 111 RIDC Park West Drive • Pittsburgh, PA 15275-1112

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR USE BY MANUFACTURERS, FORMULATORS AND REPACKAGERS ONLY TO PRODUCE END-USE/MANUFACTURING USE PRODUCTS. When this product is used to formulate an end-use/manufacturing use product, manufacturers, formulators and repackagers must obtain their own EPA Registration Number.

PREVENTOL TC 60 is intended for formulation into end use products for the following uses: Bacteriostatic paper and paperboard (Non-food contact), Particle Board, Coatings, Caulks, Sealants, Wallcovering Adhesives. Pigment Slurries, Non-food Adhesives, Leather, Hides and Skins, Drilling Fluids, Cutting Fluids, Pulp and Paper Mills, Crude and Refined Oils, Cooling Towers, Petroleum Secondary Recovery, Wastewater Treatment Systems.

REFORMULATORS AND REPACKAGERS OF THIS PRODUCT MUST OBTAIN THEIR OWN REGISTRATIONS FROM THE U.S. ENVIRONMENTAL PROTECTION AGENCY.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Product should be stored in an area that is not subject to extreme temperatures. Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Empty residue into application equipment. Triple rinse (or equivalent) then offer drum for recycling or reconditioning, or puncture. Dispose of drum and liner in a sanitary landfill, incineration or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination Systems (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste.

INTERNATIONAL 703-527-3887
 Net Contents:
 Lot No.:

ACCEPTED
 EPA Letter Date:
 JAN 13 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 39967-67

h/k