



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510C)
1200 Pennsylvania Avenue NW
Washington, D.C. 20460

NOTICE OF PESTICIDE:

[x] Registration
Reregistration

(under FIFRA, as amended)

EPA Reg. Number: 39967-74

Date of Issuance: JAN 15 2009

Term of Issuance:

Conditional

Name of Pesticide Product:

Preventol BIT 20N

Name and Address of Registrant (include ZIP Code):

Lanxess Corporation
111RIDC Park West Drive
Pittsburgh, PA 15275-1112

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
2. Make the labeling changes listed below before you release the product for shipment:
a. Revise the "EPA Registration Number to read, "EPA Reg. No. 39967-74".

Signature of Approving Official:

Marshall Swindell
Product Manager Team-33
Regulatory Management Branch I
Antimicrobials Division (7510P)

[Handwritten signature of Marshall Swindell]

Date:

JAN 15 2009

b. Add instructions to the "Pesticide Storage" section that specify what to do if the product leaks or spills from its container.

c. Under the "Container Disposal" section, change "or incineration" to read "or by incineration."

d. Revise the "Precautionary statements" to read:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage. May be fatal if inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Harmful if swallowed. Do not get in eyes or on clothing. Wear goggles or face shield, chemically resistant gloves, long pants and long sleeved shirt. Wear a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-210C), or a NIOSH approved respirator with N, R, P, or HE filter. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco or using the toilet. Remove and wash clothing contaminated clothing before reuse.

e. In the First Aid Statements, include the following paragraphs directly below the "If swallowed:" section.

"Have the product container or label with you when calling a poison Control center or doctor or going for treatment."

"For emergency information on {product, use, etc.}, call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM Pacific Time (PT), seven days a week. During other times, call the poison control center 1-800-222-1222."

f. Please note that the studies for 830.6317 (Storage Stability) and 830.6320 (Corrosion characteristics) guidelines must be submitted within one (1) year from the date of this Notice of Registration.

3/10


Page 3
EPA Registration No. 39967-64

3. Submit two (2) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the "accepted" label is enclosed for your records.

Sincerely,



Marshall Swindell
Product Manager 33
Regulatory Management Branch I
Antimicrobials Division (7510P)

Enclosure

PREVENTOL[®] BIT 20N

FOR INDUSTRIAL USE ONLY AS AN ANTIMICROBIAL TO PROTECT AQUEOUS COMPOSITIONS SUCH AS POLYMER EMULSIONS, OIL-IN-WATER EMULSIONS, METAL WORKING FLUIDS, PAINTS AND COATINGS, INKS AND FONT SOLUTIONS, WATER-BASED ADHESIVES, AQUEOUS PIGMENT OR MINERAL SLURRIES, BUILDING AND CONSTRUCTION MATERIALS, PESTICIDE FORMULATIONS, CLEANING PRODUCTS, LIQUID LAUNDRY ADDITIVES, CAR CARE PRODUCTS, OIL RECOVERY MATERIALS, SECONDARY OIL RECOVERY FLUIDS, PAPER OR TEXTILE COATING COMPOSITIONS, PULP AND PAPER MILL SYSTEMS, LEATHER PROCESSING SOLUTIONS, OR TO PROTECT FRESH ANIMAL HIDES OR SKINS, SEED COATING

ACTIVE INGREDIENT: 1,2-benzisothiazolin-3-one _____ 20.5%
INERT INGREDIENTS _____ 79.5%
TOTAL _____ 100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed. Do not get in eyes or on clothing. Do not breathe vapor or spray mist. Avoid contact with skin or clothing. Wear goggles or face shield, chemical resistant gloves, long pants and long sleeved shirt. Wear a mask or pesticide respirator approved by the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply in marine or estuarine oil fields.

[®] PREVENTOL is a registered trademark of LANXESS Corporation

IN CASE OF EMERGENCY, CALL: CHEMTREC 800-424-9300 INTERNATIONAL 703-527-3887
EPA REGISTRATION NUMBER: 39967-XX
EPA ESTABLISHMENT NUMBER:

LANXESS

LANXESS Corporation
111 RIDC Park West Drive - Pittsburgh, PA 15275-1112

FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center or when going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF SKIN IRRITATION OR DERMAL EXPOSURE: Take off contaminated clothes. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Poison Control Center: Call 1-800-272-1222

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Detailed Directions For Use, Please Refer To The LANXESS Corporation Technical Information Bulletin. Read these entire directions before using PREVENTOL[®] BIT 20N.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE STORAGE: Protect from frost. If frozen, allow to thaw and stir well before use. Handle and open container in a manner as to prevent spillage. If the container is leaking, invert to prevent leakage. If the container is leaking material for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed below.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ACCEPTED FOR COMMENT
EPA Letter
JAN 15 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 39967-74


LABEL TEXT DATE: DRAFT

4/10

LANXESS

Energizing Chemistry

Technical Information Bulletin



PREVENTOL[®] BIT 20N

EPA Registration Number: : 39967-XX

ACCEPTED
with COMMENTS
EPA Letter Dated:

JAN 15 2009

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

39967-74

6/10

PREVENTOL® BIT 20N

FOR INDUSTRIAL USE ONLY AS AN ANTIMICROBIAL TO PROTECT AQUEOUS COMPOSITIONS SUCH AS POLYMER EMULSIONS, OIL-IN-WATER EMULSIONS, METAL WORKING FLUIDS, PAINTS AND COATINGS, INKS AND FONT SOLUTIONS, WATER-BASED ADHESIVES, AQUEOUS PIGMENT OR MINERAL SLURRIES, BUILDING AND CONSTRUCTION MATERIALS, PESTICIDE FORMULATIONS, CLEANING PRODUCTS, LIQUID LAUNDRY ADDITIVES, CAR CARE PRODUCTS, OIL RECOVERY MATERIALS, SECONDARY OIL RECOVERY FLUIDS, PAPER OR TEXTILE COATING COMPOSITIONS, PULP AND PAPER MILL SYSTEMS, LEATHER PROCESSING SOLUTIONS, OR TO PROTECT FRESH ANIMAL HIDES OR SKINS, SEED COATING

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

The following guidance is given as an approximation for each use pattern, but field testing is recommended to achieve optimum effectiveness.

GENERAL USE INSTRUCTIONS

PREVENTOL® BIT 20N is an effective preservative for many aqueous formulations. It is recommended that the compatibility and microbiological efficacy is checked for individual formulations. The concentration required to give protection depends on several factors. These include the susceptibility of the system to microbiological degradation, the micro-organisms load, the species involved, pH, temperature, and the time period for which protection is required.

POLYMER EMULSIONS

PREVENTOL® BIT 20N is effective for the protection of polymer emulsions based on monomers such as acrylate, butadiene, PVA, or styrene.

Recommended Dosages:

Polymer Emulsions 0.03 – 0.25 %
(0.3 to 2.5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

OIL-IN-WATER EMULSIONS

PREVENTOL® BIT 20N is effective for the protection of oil-in-water emulsions, such as textile spin-finish solutions and photographic emulsions.

Recommended Dosages:

OIL-IN-WATER EMULSIONS 0.05 – 0.18 %
(0.5 to 1.8 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

ACCEPTED
with COMMENTS
EPA Letter Dated:
JAN 15 2009
Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.
39967-74

METAL WORKING FLUIDS

PREVENTOL® BIT 20N is effective for the protection of metal working fluids such as cutting/ rolling oils and soluble oils used in metal and industrial industries.

Note: Limit amount of PREVENTOL® BIT 20N in metalworking fluid concentrate (to be diluted before use) to 3.0 % to reduce the possibility of dermal sensitization.

Recommended Dosages:

METAL WORKING FLUIDS..... 0.05 – 0.18 %
(0.5 to 1.8 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

PAINTS AND COATINGS

PREVENTOL® BIT 20N is effective for the protection of paints and coatings, such as aqueous coatings, water-based paints, and emulsion paints.

Recommended Dosages:

PAINTS..... 0.05 – 0.25 %
(0.5 to 2.5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)
COATINGS..... 0.05 – 0.25 %
(0.5 to 2.5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

INKS AND FONT SOLUTIONS

PREVENTOL® BIT 20N is effective for the protection of inks and font solutions.

Recommended Dosages:

INKS AND FONT SOLUTIONS..... 0.05 – 0.25 %
(0.5 to 2.5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

WATER-BASED ADHESIVES

PREVENTOL® BIT 20N is effective for the protection of water-based adhesives, including animal and plant derived glues, adhesives based on carboxymethylcellulose (CMC) and derivatives, gelatin and/or latex.

Recommended Dosages:

WATER-BASED ADHESIVES..... 0.05 – 0.25 %
(0.5 to 2.5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

AQUEOUS PIGMENT OR MINERAL SLURRIES

PREVENTOL® BIT 20N is effective for the protection of aqueous slurries of pigments such as titanium dioxide slurries or of minerals such as kaolin, calcium carbonate, calcium sulfate, or magnesium sulfate

Recommended Dosages:

AQUEOUS PIGMENT OR MINERAL SLURRIES..... 0.04 – 0.125 %
(0.4 to 1.25 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

ACCEPTED
with COMMENTS
EPA Letter Dated:

JAN 15 2009

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

39967-74

8/10

BUILDING AND CONSTRUCTION MATERIALS

PREVENTOL® BIT 20N is effective for the protection of building materials, such as adhesives, glues, caulks, sealants, grouts, spackling, concrete admixtures, ready-mixed cement, wallboard compounds, and joint compounds.

Recommended Dosages:

BUILDING AND CONSTRUCTION MATERIALS.....0.08 – 0.25 %
(0.8 to 2.5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

PESTICIDE FORMULATIONS

PREVENTOL® BIT 20N is effective for the protection of pesticide formulations, including in-can protection and protection of use dilutions.

Recommended Dosages:

PESTICIDE FORMULATIONS.....0.05 – 0.25 %
(0.5 to 2.5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

CLEANING PRODUCTS

PREVENTOL® BIT 20N is effective for the protection of cleaning products, including floor waxes and polishes, surface cleaners, window cleaners, and dish detergents.

Recommended Dosages:

CLEANING PRODUCTS.....0.05 – 0.15 %
(0.5 to 1.5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

LIQUID LAUNDRY ADDITIVES

PREVENTOL® BIT 20N is effective for the protection of liquid laundry additives, including laundry detergents, fabric softeners, and stain removers.

Recommended Dosages:

LIQUID LAUNDRY ADDITIVES.....0.05 – 0.15 %
(0.5 to 1.5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

CAR CARE PRODUCTS

PREVENTOL® BIT 20N is effective for the protection of car care products, including car washing products, car waxes, and silicone emulsions

Recommended Dosages:

CAR CARE PRODUCTS.....0.05 – 0.15 %
(0.5 to 1.5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

ACCEPTED
with COMMENTS
EPA Letter Dated:

JAN 15 2009

39967-74

9/10

OIL RECOVERY MATERIALS

PREVENTOL® BIT 20N is effective for the protection of oil recovery materials, such as drill muds, packer fluids, and completion fluids, containing polysaccharide fluid loss control agents and/or thickeners such as starch, guar, or xanthan gum.

Recommended Dosages:

OIL RECOVERY MATERIALS.....0.05 – 0.15 % (total weight of fluid)
(0.5 to 1.5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected or 15 to 45 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected of dry polysaccharide added.

SECONDARY OIL RECOVERY FLUIDS

PREVENTOL® BIT 20N is effective for the protection of secondary oil recovery injection water containing additives, such as polymer or micellar/polymer waterfloods using thickeners such as xanthan gum and/or polyacrylamides.

Recommended Dosages:

SECONDARY OIL RECOVERY FLUIDS.....0.015 – 0.15 %
(0.15 to 1.5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

ACCEPTED
with COMMENTS
EPA Letter Dated:

PAPER OR TEXTILE COATINGS

PREVENTOL® BIT 20N is effective for the protection of paper and textile coatings, including rosin dispersions, starch and casein based products.

Recommended Dosages:

PAPER OR TEXTILE COATING.....0.05 – 0.15 %
(0.5 to 1.5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

JAN 15 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended, for the pesticide, registered under EPA Reg. No. 39967-74

PULP AND PAPER MILL SYSTEMS

The preferred method of addition is by shock dosing because this ensures that a high concentration of PREVENTOL® BIT 20N is present in the system for several hours. If a slime control agent is added by continuous methods over periods of several hours, its concentration in the system at all times is low which can lead to the development of resistant organisms. This is less likely to occur when the shock dosing method is used.

It is not possible to give precise recommendations as to the quantity of PREVENTOL® BIT 20N to add to control slime formation, because the magnitude of the problem varies greatly from mill to mill, depending on the furnish employed, the cleanliness of the mill system, and the additional nutrients (for example, starch) that may be added to the stock.

For a trial the following quantities of PREVENTOL® BIT 20N are suggested:

Shock dosing: Between 2.5 to 9 ounces of PREVENTOL® BIT 20N for each ton of paper produced per day as a single shock dose, should be sufficient for most slime problems. This addition may be made to any part of the stock preparation or backwater system or may be made to those parts of the system where it is known that slime deposits accumulate.

Continuous addition: PREVENTOL® BIT 20N should be added continuously for either the single period of 8 hours during every 24 hours or for two separate periods of 4 hours during every 24 hours. PREVENTOL® BIT 20N should be metered into the recirculated backwater at a rate of 7 to 8.5 ounces for each ton of paper produced during the dosing period.

10/10

LEATHER

PREVENTOL® BIT 20N is effective for the protection of leather processing solutions to preserve the solutions. PREVENTOL® BIT 20N is also intended to protect fresh animal hides or skins to preserve the integrity of the hides and skins before or during processing.

Add the appropriate quantity of PREVENTOL® BIT 20N to the brine solution during the curing operation or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend on the degree of decomposition of the hides or skins prior to treatment.

Recommended Dosages:

LEATHER PROCESSING SOLUTIONS 0.025 – 0.20 %
(0.25 to 2 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

FRESH ANIMAL SKINS AND HIDES 1 to 24 lb (13 fluid ounces to 2.5 gallons) of PREVENTOL® BIT 20N to use per 1000 lb of hides or skin.

SEED COATING

PREVENTOL® BIT 20N is effective for the protection of in-can preservation of Seed Coatings Materials, which includes, but is not limited to, colorants, dyes, seed coatings, and pesticide formulations up to 500 ppm of PREVENTOL® BIT 20N.

PREVENTOL® BIT 20N is exempt from tolerance under 40 CFR 180.920: Materials exempted from the requirements of a tolerance when used in accordance with good agricultural practice as an inert (or occasionally active) ingredients in pesticide formulations applied to growing crops only.

Recommended Dosages:

Seed Coating 0.05 – 0.50 %
(0.5 to 5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected)

LANXESS Corporation
111 RIDC Park West Drive
Pittsburgh, PA 15275
412-809-1000

The conditions of your use and application of our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations, are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis at least must include testing to determine suitability from a technical as well as health, safety and environmental standpoint. Such testing has not necessarily been done by LANXESS Corporation. All information is given without warranty or guarantee. It is expressly understood and agreed that the customer assumes and hereby expressly releases LANXESS from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance and information. Any statement or recommendation not contained herein is unauthorized and shall not bind LANXESS. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

11/08

ACCEPTED
with COMMENTS
EPA Letter Dated:
JAN 15 2009

PREVENTOL® BIT 20N
39967-XX
Page 6 of 6

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

39967-74