2/24/2009

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

SEPA United States Environmental Protection Office of Pesticide Programs

Lanxess Corporation 111RIDC Park West Drive Pittsburgh, PA 15275-1112 FEB 2 4 2009

Attention: Jeanne Spiegel Regulatory Affairs Representative

Subject: Preventol Bit 20N EPA Registration No.39967-74 Amendment Dated February 2, 2009

The amendment, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

- Additional Change in the "First Aid" section

A stamped copy of the "accepted" product labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

Marshall Swindell Product Manager (33) Regulatory Management Branch 1 Antimcrobials Division (7510P)

Enclosure

PREVENTOL[®] BIT 20N

FOR INDUSTRIAL USE ONLY AS AN ANTIMICROBIAL TO PROTECT AQUEOUS COMPOSITIONS SUCH AS POLYMER EMULSIONS, OIL-IN-WATER EMULSIONS, METAL WORKING FLUIDS. PAINTS AND COATINGS, INKS AND FONT SOLUTIONS, WATER-BASED ADHESIVES, AQUEOUS PIGMENT OR MINERAL SLURRIES, BUILDING AND CONSTRUCTION MATERIALS, PESTICIDE FORMULATIONS, CLEANING PRODUCTS, LIQUID LAUNDRY ADDITIVES, CAR CARE PRODUCTS, OIL RECOVERY MATERIALS, SECONDARY OIL RECOVERY FLUIDS, PAPER OR TEXTILE COATING COMPOSITIONS, PULP AND PAPER MILL SYSTEMS, LEATHER PROCESSING SOLUTIONS, OR TO PROTECT FRESH ANIMAL HIDES OR SKINS, SEED COATING

ACTIVE INGREDIENT: 1,2-benzisothiazolin-3-one	
INERT INGREDIENTS	<u>79.5%</u>
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eve damage. May be fatal if inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Harmful if swallowed. Do not get in eyes or on clothing. Wear goggles or face shield. chemical resistant gloves, long pants and long sleeved shirt. Wear a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-210C), or a NIOSH approved respirator with N, R, P, or HE filter. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply in marine or estuarine oil fields.

* PREVENTOL is a registered trademark of LANXESS Corporation

IN CASE OF EMERGENCY, CALL: CHEMTREC 800-424-9300 INTERNATIONAL 703-527-3883 2 4 2009 EPA REGISTRATION NUMBER: 39967-74 EPA ESTABLISHMENT NUMBER:



FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center or when going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

For emergency information on product, call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific Time (PT), seven days a week. During other times, call the poison control center 1-800-222-1222.

IF SKIN IRRITATION OR DERMAL EXPOSURE: Take off contaminated clothes. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may Polson Control Center: Call 1809-222-3222 contraindicate the use of gastric lavage

EPA Letter Dated

Lot No.:

Under the Federal Insection Rungicide, and Rodenticire amended, for the pesticiregistered under BPA Res. No. 39967-74

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Detailed Directions For Use, Please Refer To The LANXESS Corporation Technical Information Bulletin. Read these entire directions before using PREVENTOL® **BIT 20N.**

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE STORAGE: Protect from frost. If frozen, allow to thaw and stir well before use. Handle and open container in a manner as to prevent spillage. If the container is leaking, invert to prevent leakage. If the container is leaking material for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as dim below.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

LANXESS Corporation 111 RIDC Park West Drive - Pittsburgh, PA 15275-1112

LABEL TEXT DATE: 2/2/2009

ા શક

Technical Information Bulletin

3/8

PREVENTOL[®] BIT 20N

EPA Registration Number: : 39967-74

ACCEPTED with COMMENTS EPA Letter Dated: FEB 2 4 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 39967-74

> PREVENTOL[®] BIT 20N 39967-74 Page 1 of 6

PREVENTOL[®] BIT 20N

FOR INDUSTRIAL USE ONLY AS AN ANTIMICROBIAL TO PROTECT AQUEOUS COMPOSITIONS SUCH AS POLYMER EMULSIONS, OIL-IN-WATER EMULSIONS, METAL WORKING FLUIDS, PAINTS AND COATINGS, INKS AND FONT SOLUTIONS, WATER-BASED ADHESIVES, AQUEOUS PIGMENT OR MINERAL SLURRIES, BUILDING AND CONSTRUCTION MATERIALS, PESTICIDE FORMULATIONS, CLEANING PRODUCTS, LIQUID LAUNDRY ADDITIVES, CAR CARE PRODUCTS, OIL RECOVERY MATERIALS, SECONDARY OIL RECOVERY FLUIDS, PAPER OR TEXTILE COATING COMPOSITIONS, PULP AND PAPER MILL SYSTEMS, LEATHER PROCESSING SOLUTIONS, OR TO PROTECT FRESH ANIMAL HIDES OR SKINS, SEED COATING

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

The following guidance is given as an approximation for each use pattern, but field testing is recommended to achieve optimum effectiveness.

GENERAL USE INSTRUCTIONS

PREVENTOL[®] BIT 20N is an effective preservative for many aqueous formulations. It is recommended that the compatibility and microbiological efficacy is checked for individual formulations. The concentration required to give protection depends on several factors. These include the susceptibility of the system to microbiological degradation, the micro-organisms load, the species involved, pH, temperature, and the time period for which protection is required.

POLYMER EMULSIONS

PREVENTOL[®] BIT 20N is effective for the protection of polymer emulsions based on monomers such as acrylate, butadiene, PVA, or styrene.

Recommended Dosages:

OIL-IN-WATER EMULSIONS

PREVENTOL[®] BIT 20N is effective for the protection of oil-in-water emulsions, such as textile spin-finish solutions and photographic emulsions.

Recommended Dosages:

ACCEPTED à 1.8 lb of PREVENTOL[®] BIT 20N to use per 1000 lb of material to be protected) with COMMENTS

EPA Letter Dated!

FEB 2 4 2009

Under the Federal Insecticide, Fungicide and Rodenticide Act as 7 amended 10. The stickle, registered under the Mo. 39967.74

PREVENTOL[®] BIT 20N 39967-74 Page 2 of 6

METAL WORKING FLUIDS

PREVENTOL® BIT 20N is effective for the protection of metal working fluids such as cutting/ rolling oils and soluble oils used in metal and industrial industries.

Note: Limit amount of PREVENTOL® BIT 20N in metalworking fluid concentrate (to be diluted before use) to 3.0 % to reduce the possibility of dermal sensitization.

Recommended Dosages:

(0.5 to 1.8 b of PREVENTOL[®] BIT 20N to use per 1000 lb of material to be protected)

PAINTS AND COATINGS

PREVENTOL® BIT 20N is effective for the protection of paints and coatings, such as aqueous coatings, water-based paints, and emulsion paints.

Recommended Dosages:

PAINTS..... (0.5 to 2.5 lb of PREVENTOL[®] BIT 20N to use per 1000 lb of material to be protected) (0.5 to 2.5 lb of PREVENTOL[®] BIT 20N to use per 1000 lb of material to be protected)

INKS AND FONT SOLUTIONS

PREVENTOL® BIT 20N is effective for the protection of inks and font solutions.

Recommended Dosages:

(0.5 to 2.5 lb of PREVENTOL[®] BIT 20N to use per 1000 lb of material to be protected)

WATER-BASED ADHESIVES

PREVENTOL® BIT 20N is effective for the protection of water-based adhesives, including animal and plant derived glues, adhesives based on carboxymethylcellulose (CMC) and derivatives, gelatin and/or latex.

Recommended Dosages:

(0.5 to 2.5 lb of PREVENTOL[®] BIT 20N to use per 1000 lb of material to be protected)

AQUEOUS PIGMENT OR MINERAL SLURRIES

PREVENTOL® BIT 20N is effective for the protection of aqueous slurries of pigments such as titanium dioxide slurries or of minerals such as kaolin, calcium carbonate, calcium sulfate, or magnesium sulfate

Recommended Dosages:

ACCEPTEL with COMME EPA Letter Date 1.25 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected) FEB 2 4 2009

Under the Federal Incerticide, amended, for the pesucise, registered under EPA Reg. No. 39967-14

PREVENTOL® BIT 20N 39967-74 Page 3 of 6

BUILDING AND CONSTRUCTION MATERIALS

PREVENTOL[®] BIT 20N is effective for the protection of building materials, such as adhesives, glues, caulks, sealants, grouts, spackling, concrete admixtures, ready-mixed cement, wallboard compounds, and joint compounds.

Recommended Dosages:

PESTICIDE FORMULATIONS

PREVENTOL[®] BIT 20N is effective for the protection of pesticide formulations, including in-can protection and protection of use dilutions.

Recommended Dosages:

(0.5 to 2.5 lb of PREVENTOL[®] BIT 20N to use per 1000 lb of material to be protected)

CLEANING PRODUCTS

PREVENTOL[®] BIT 20N is effective for the protection of cleaning products, including floor waxes and polishes, surface cleaners, window cleaners, and dish detergents.

Recommended Dosages:

LIQUID LAUNDRY ADDITIVES

PREVENTOL[®] BIT 20N is effective for the protection of liquid laundry additives, including laundry detergents, fabric softeners, and stain removers.

Recommended Dosages:

CAR CARE PRODUCTS

PREVENTOL[®] BIT 20N is effective for the protection of car care products, including car washing products, car waxes, and silicone emulsions

Recommended Dosages:

(0.5 to 1.5 lb of PREVENTOL[®] BIT 20N to use per 1000 lb of material to be protected)

ACCEPTED with COMMENTS EPA Letter Dated:

FEB 2 4 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, recustered under EPA Reg. No. 39967-14

PREVENTOL[®] BIT 20N 39967-74 Page 4 of 6

OIL RECOVERY MATERIALS

PREVENTOL® BIT 20N is effective for the protection of oil recovery materials, such as drill muds, packer fluids, and completion fluids, containing polysaccharide fluid loss control agents and/or thickeners such as starch, guar, or xanthan gum.

Recommended Dosages:

(0.5 to 1.5 lb of PREVENTOL® BIT 20N to use per 1000 lb of material to be protected or 15 to 45 b of PREVENTOL[®] BIT 20N to use per 1000 b of material to be protected of dry polysaccharide added.

SECONDARY OIL RECOVERY FLUIDS

PREVENTOL® BIT 20N is effective for the protection of secondary oil recovery injection water containing additives, such as polymer or micellar/polymer waterfloods using thickeners such as xanthan gum and/or polyacrylamides.

Recommended Dosages:

SECONDARY OIL RECOVERY FLUIDS......0.015 - 0.15 % (0.15 to 1.5 lb of PREVENTOL[®] BIT 20N to use per 1000 lb of material to be protected)

PAPER OR TEXTILE COATINGS

PREVENTOL® BIT 20N is effective for the protection of paper and textile coatings, including rosin dispersions, starch and casein based products.

Recommended Dosages:

(0.5 to 1.5 lb of PREVENTOL[®] BIT 20N to use per 1000 lb of material to be protected)

PULP AND PAPER MILL SYSTEMS

The preferred method of addition is by shock dosing because this ensures that a high concentration of PREVENTOL[®] BIT 20N is present in the system for several hours. If a slime control agent is added by continuous methods over periods of several hours, its concentration in the system at all times is low which can lead to the development of resistant organisms. This is less likely to occur when the shock dosing method is used.

It is not possible to give precise recommendations as to the quantity of PREVENTOL[®] BIT 20N to add to control slime formation, because the magnitude of the problem varies greatly from mill to mill, depending on the furnish employed, the cleanliness of the mill system, and the additional nutrients (for example, starch) that may be added to the stock.

For a trial the following quantities of PREVENTOL® BIT 20N are suggested:

Shock dosing: Between 2.5 to 9 ounces of PREVENTOL[®] BIT 20N for each ton of paper produced per day as a single shock dose, should be sufficient for most slime problems. This addition may be made to any part of the stock preparation or backwater system or may be made to those parts of the system where it is known that slime deposits accumulate.

ACCEPTED with COSPILITIONS addition: PREVENTOL[®] BIT 20N should be added continuously for either the single period EPAL of 8 hours euring every 24 hours or for two separate periods of 4 hours during every 24 hours. PREVENTED BIT 20N should be metered into the recirculated backwater at a rate of 7 in 8.5 ounces for

each ton of paper produced during the dosing period. FEB 2

Inder the Federal Insecticide, ungicide, and Rodenticide Act as mended, for the pesticide, egistered under EPA Reg. No. 39947-74 PREVENTOL® BIT 20N 39967-74 Page 5 of 6

LEATHER

PREVENTOL[®] BIT 20N is effective for the protection of leather processing solutions to preserve the solutions. PREVENTOL[®] BIT 20N is also intended to protect fresh animal hides or skins to preserve the integrity of the hides and skins before or during processing.

Add the appropriate quantity of PREVENTOL[®] BIT 20N to the brine solution during the curing operation or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend on the degree of decomposition of the hides or skins prior to treatment.

Recommended Dosages:

LEATHER PROCESSING SOLUTIONS0.025 – 0.20 % (0.25 to 2 lb of PREVENTOL[®] BIT 20N to use per 1000 lb of material to be protected)

FRESH ANIMAL SKINS AND HIDES1 to 24 lb (13 fluid ounces to 2.5 gallons) of PREVENTOL[®] BIT 20N to use per 1000 lb of hides or skin.

SEED COATING

PREVENTOL[®] BIT 20N is effective for the protection of in-can preservation of Seed Coatings Materials which includes, but is not limited to, colorants, dyes, seed coatings, and pesticide formulations up to 500 ppm of PREVENTOL[®] BIT 20N.

PREVENTOL[®] BIT 20N is exempt from tolerance under 40 CFR 180.920: Materials exempted from the requirements of a tolerance when used in accordance with good agricultural practice as an inert (or occasionally active) ingredients in pesticide formulations applied to growing crops only.

Recommended Dosages:

LANXESS Corporation 111 RIDC Park West Drive Pittsburgh, PA 15275 412-809-1000

The conditions of your use and application of our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations, are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis at least must include testing to determine suitability from a technical as well as health, safety and environmental standpoint. Such testing has not necessarily been done by LANXESS Corporation. All information is given without warranty or guarantee. It is expressly understood and agreed that the customer assumes and hereby expressly releases LANXESS from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical as and information to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

ACCEPTED with COMMENTS EPA Letter Dated:

FEB 2 / 2009

Under the Federal Insecticide Fungicide, and Rodenticide Act as anended, for the pesticide, registered under EPA Reg. No. 39967-74

PREVENTOL[®] BIT 20N 39967-74 Page 6 of 6