

39967-77

05/12/2009

1/8

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



United States
Environmental Protection
Agency

Office of Pesticide Programs

Lanxess Corporation
111RIDC Park West Drive
Pittsburgh, PA 15275-1112

MAY 12 2009

Attention: Jeanne Spiegel
Regulatory Affairs Representative

Subject: Preventol Blt 20D
EPA Registration No.39967-77
Amendment Dated March 30, 2009

The amendment, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

- Change in "Precautionary Statements" section

A stamped copy of the "accepted" product labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

A handwritten signature in cursive script that reads "M Swindell".

Marshall Swindell
Product Manager (33)
Regulatory Management Branch 1
Antimicrobials Division (7510P)

Enclosure

PREVENTOL® BIT 20D

FOR INDUSTRIAL USE ONLY AS AN ANTIMICROBIAL TO PROTECT AQUEOUS COMPOSITIONS SUCH AS POLYMER EMULSIONS, RUBBER LATEX, OIL-IN-WATER EMULSIONS, METAL WORKING FLUIDS, PAINTS AND COATINGS, INKS AND FONT SOLUTIONS, WATER-BASED ADHESIVES, AQUEOUS PIGMENT OR MINERAL SLURRIES, BUILDING AND CONSTRUCTION MATERIALS, PESTICIDE FORMULATIONS, CLEANING PRODUCTS, LIQUID LAUNDRY ADDITIVES, CAR CARE PRODUCTS, OIL RECOVERY MATERIALS, SECONDARY OIL RECOVERY FLUIDS, PAPER OR TEXTILE COATING COMPOSITIONS, PULP AND PAPER MILL SYSTEMS, LEATHER PROCESSING SOLUTIONS, OR TO PROTECT FRESH ANIMAL HIDES OR SKINS

ACTIVE INGREDIENT: 1,2-benzisothiazolin-3-one -----20.5%
INERT INGREDIENTS -----79.5%
TOTAL -----100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Wear protective eye wear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Wear long sleeved shirt and long pants, socks, shoes and chemical resistant gloves. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply in marine or estuarine oil fields.

® PREVENTOL is a registered trademark of LANXESS Corporation

IN CASE OF EMERGENCY, CALL: CHEMTREC 800-424-9300
EPA REGISTRATION NUMBER: 39967-77
EPA ESTABLISHMENT NUMBER:

LANXESS

LANXESS Corporation
111 RIDC Park West Drive - Pittsburgh, PA 15275-1112

FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center or when going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF SKIN IRRITATION OR DERMAL EXPOSURE: Take off contaminated clothes. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

Poison Control Center Call 1-800-222-1222

ACCEPTED
with COMMENTS
EPA Letter Dated:

INTERNATIONAL 703-527-3887
Net Contents: LBS
Lot No.:

MAY 12 2009
Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 39967-77

LABEL TEXT DATE: 3/30/2009

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Detailed Directions For Use, Please Refer To The LANXESS Corporation Technical Information Bulletin. Read these entire directions before using PREVENTOL® BIT 20D.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE STORAGE: Protect from frost. If frozen, allow to thaw and stir well before use. Handle and open container in a manner as to prevent spillage. If the container is leaking, invert to prevent leakage. If the container is leaking material for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed below.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple-rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

8/e

LANXESS

Energizing Chemistry

Technical Information Bulletin


ACCEPTED
with COMMENTS
EPA Letter Dated:

MAY 19 2009

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 39967-77

PREVENTOL® BIT 20D

EPA Registration Number: : 39967-XX



PREVENTOL® BIT 20D

FOR INDUSTRIAL USE ONLY AS AN ANTIMICROBIAL TO PROTECT AQUEOUS COMPOSITIONS SUCH AS POLYMER EMULSIONS, RUBBER LATEX, OIL-IN-WATER EMULSIONS, METAL WORKING FLUIDS, PAINTS AND COATINGS, INKS AND FONT SOLUTIONS, WATER-BASED ADHESIVES, AQUEOUS PIGMENT OR MINERAL SLURRIES, BUILDING AND CONSTRUCTION MATERIALS, PESTICIDE FORMULATIONS, CLEANING PRODUCTS, LIQUID LAUNDRY ADDITIVES, CAR CARE PRODUCTS, OIL RECOVERY MATERIALS, SECONDARY OIL RECOVERY FLUIDS, PAPER OR TEXTILE COATING COMPOSITIONS, PULP AND PAPER MILL SYSTEMS, LEATHER PROCESSING SOLUTIONS, OR TO PROTECT FRESH ANIMAL HIDES OR SKINS

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

The following guidance is given as an approximation for each use pattern, but field testing is recommended to achieve optimum effectiveness.

GENERAL USE INSTRUCTIONS

PREVENTOL® BIT 20D is an effective preservative for many aqueous formulations. It is recommended that the compatibility and microbiological efficacy is checked for individual formulations. The concentration required to give protection depends on several factors. These include the susceptibility of the system to microbiological degradation, the micro-organisms load, the species involved, pH, temperature, and the time period for which protection is required.

POLYMER EMULSIONS

PREVENTOL® BIT 20D is effective for the protection of polymer emulsions based on monomers such as acrylate, butadiene, PVA, or styrene; synthetic rubber/latex.

Recommended Dosages:

Polymer Emulsions 0.03 – 0.25 %
(0.3 to 2.5 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

Rubber Latex.....up to a maximum of 0.05 weight %

For use in uncured liquid rubber latex used to manufacture repeat-use rubber gloves intended for use in contact with all types of food for use in food handling establishments.

OIL-IN-WATER EMULSIONS

PREVENTOL® BIT 20D is effective for the protection of oil-in-water emulsions, such as textile spin-finish solutions and photographic emulsions.

Recommended Dosages:

OIL-IN-WATER EMULSIONS..... 0.05 – 0.18 %

0.5 to 1.8 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

ACCEPTED with COMMENTS
EPA Letter Dated:

MAY 12 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 39967-77

5/8

METAL WORKING FLUIDS

PREVENTOL® BIT 20D is effective for the protection of metal working fluids such as cutting/ rolling oils and soluble oils used in metal and industrial industries.

Note: Limit amount of PREVENTOL® BIT 20D in metalworking fluid concentrate (to be diluted before use) to 3.0 % to reduce the possibility of dermal sensitization.

Recommended Dosages:

METAL WORKING FLUIDS..... 0.05 – 0.18 %
(0.5 to 1.8 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

PAINTS AND COATINGS

PREVENTOL® BIT 20D is effective for the protection of paints and coatings, such as aqueous coatings, water-based paints, and emulsion paints.

Recommended Dosages:

PAINTS.....0.05 – 0.25 %
(0.5 to 2.5 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

COATINGS.....0.05 – 0.25 %
(0.5 to 2.5 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

INKS AND FONT SOLUTIONS

PREVENTOL® BIT 20D is effective for the protection of inks and font solutions.

Recommended Dosages:

INKS AND FONT SOLUTIONS.....0.05 – 0.25 %
(0.5 to 2.5 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

WATER-BASED ADHESIVES

PREVENTOL® BIT 20D is effective for the protection of water-based adhesives, including animal and plant derived glues, adhesives based on carboxymethylcellulose (CMC) and derivatives, gelatin and/or latex.

Recommended Dosages:

WATER-BASED ADHESIVES.....0.05 – 0.25 %
(0.5 to 2.5 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

AQUEOUS PIGMENT OR MINERAL SLURRIES

PREVENTOL® BIT 20D is effective for the protection of aqueous slurries of pigments such as titanium dioxide slurries or of minerals such as kaolin, calcium carbonate, calcium sulfate, or magnesium sulfate.

Recommended Dosages:

AQUEOUS PIGMENT OR MINERAL SLURRIES.....0.04 – 0.125 %
(0.4 to 1.25 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

ACCEPTED
with COMMENTS
EPA Letter Dated:

MAY 12 2009

PREVENTOL® BIT 20D
39967-XX
Page 3 of 6

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 39967-77

BUILDING AND CONSTRUCTION MATERIALS

PREVENTOL® BIT 20D is effective for the protection of building materials, such as adhesives, glues, caulks, sealants, grouts, spackling, concrete admixtures, ready-mixed cement, wallboard compounds, and joint compounds.

Recommended Dosages:

BUILDING AND CONSTRUCTION MATERIALS.....0.08 – 0.25 %
(0.8 to 2.5 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

PESTICIDE FORMULATIONS

PREVENTOL® BIT 20D is effective for the protection of pesticide formulations, including in-can protection and protection of use dilutions.

Recommended Dosages:

PESTICIDE FORMULATIONS.....0.05 – 0.25 %
(0.5 to 2.5 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

CLEANING PRODUCTS

PREVENTOL® BIT 20D is effective for the protection of cleaning products, including floor waxes and polishes, surface cleaners, window cleaners, and dish detergents.

Recommended Dosages:

CLEANING PRODUCTS.....0.05 – 0.15 %
(0.5 to 1.5 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

LIQUID LAUNDRY ADDITIVES

PREVENTOL® BIT 20D is effective for the protection of liquid laundry additives, including laundry detergents, fabric softeners, and stain removers.

Recommended Dosages:

LIQUID LAUNDRY ADDITIVES.....0.05 – 0.15 %
(0.5 to 1.5 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

CAR CARE PRODUCTS


PREVENTOL® BIT 20D is effective for the protection of car care products, including car washing products, car waxes, and silicone emulsions

Recommended Dosages:

CAR CARE PRODUCTS.....0.05 – 0.15 %
(0.5 to 1.5 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

ACCEPTED
with COMMENTS
EPA Letter Dated:
MAY 12 2009

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 39967-77



7/8

OIL RECOVERY MATERIALS

PREVENTOL® BIT 20D is effective for the protection of oil recovery materials, such as drill muds, packer fluids, and completion fluids, containing polysaccharide fluid loss control agents and/or thickeners such as starch, guar, or xanthan gum.

Recommended Dosages:

OIL RECOVERY MATERIALS.....0.05 – 0.15 % (total weight of fluid)
(0.5 to 1.5 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected or 15 to 45 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected of dry polysaccharide added.

SECONDARY OIL RECOVERY FLUIDS

PREVENTOL® BIT 20D is effective for the protection of secondary oil recovery injection water containing additives, such as polymer or micellar/polymer waterfloods using thickeners such as xanthan gum and/or polyacrylamides.

Recommended Dosages:

SECONDARY OIL RECOVERY FLUIDS.....0.015 – 0.15 %
(0.15 to 1.5 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

PAPER OR TEXTILE COATINGS

PREVENTOL® BIT 20D is effective for the protection of paper and textile coatings, including rosin dispersions, starch and casein based products.

Recommended Dosages:

PAPER OR TEXTILE COATING.....0.05 – 0.15 %
(0.5 to 1.5 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

PULP AND PAPER MILL SYSTEMS

The preferred method of addition is by shock dosing because this ensures that a high concentration of PREVENTOL® BIT 20D is present in the system for several hours. If a slime control agent is added by continuous methods over periods of several hours, its concentration in the system at all times is low which can lead to the development of resistant organisms. This is less likely to occur when the shock dosing method is used.

It is not possible to give precise recommendations as to the quantity of PREVENTOL® BIT 20D to add to control slime formation, because the magnitude of the problem varies greatly from mill to mill, depending on the furnish employed, the cleanliness of the mill system, and the additional nutrients (for example, starch) that may be added to the stock.

For a trial the following quantities of PREVENTOL® BIT 20D are suggested:

Shock dosing: Between 2.5 to 9 ounces of PREVENTOL® BIT 20D for each ton of paper produced per day as a single shock dose, should be sufficient for most slime problems. This addition may be made to any part of the stock preparation or backwater system or may be made to those parts of the system where it is known that slime deposits accumulate.

Continuous addition: PREVENTOL® BIT 20D should be added continuously for either the single period with 0.5 to 1.5 lb of PREVENTOL® BIT 20D during every 24 hours or for two separate periods of 4 hours during every 24 hours. PREVENTOL® BIT 20D should be metered into the recirculated backwater at a rate of 7 to 8.5 ounces for each ton of paper produced during the dosing period.

PREVENTOL® BIT 20D
39967-XX
Page 5 of 6

MAY 12 2009
Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 39967-77

8/8

LEATHER

PREVENTOL® BIT 20D is effective for the protection of leather processing solutions to preserve the solutions. PREVENTOL® BIT 20D is also intended to protect fresh animal hides or skins to preserve the integrity of the hides and skins before or during processing.

Add the appropriate quantity of PREVENTOL® BIT 20D to the brine solution during the curing operation or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend on the degree of decomposition of the hides or skins prior to treatment.

Recommended Dosages:

LEATHER PROCESSING SOLUTIONS0.025 – 0.20 %
(0.25 to 2 lb of PREVENTOL® BIT 20D to use per 1000 lb of material to be protected)

FRESH ANIMAL SKINS AND HIDES1 to 24 lb (13 fluid ounces to 2.5 gallons) of PREVENTOL® BIT 20D to use per 1000 lb of hides or skin.

LANXESS Corporation
111 RIDC Park West Drive
Pittsburgh, PA 15275
412-809-1000

The conditions of your use and application of our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations, are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis at least must include testing to determine suitability from a technical as well as health, safety and environmental standpoint. Such testing has not necessarily been done by LANXESS Corporation. All information is given without warranty or guarantee. It is expressly understood and agreed that the customer assumes and hereby expressly releases LANXESS from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance and information. Any statement or recommendation not contained herein is unauthorized and shall not bind LANXESS. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

3/09

ACCEPTED
with COMMENTS
EPA Letter Dated:

MAY 12 2009

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 39967-77

