

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

November 29, 2017

Ellen Baldassare Regulatory Affairs and Product Stewardship Consultant Lanxess Corporation 111 RIDC Park West Drive Pittsburgh, PA 15275-1112

Subject: Notification per PRN 98-10 – Formatting updates; Minor corrections and revisions; Product Name: Rely+On Multipurpose Disinfectant Cleaner EPA Registration Number: 39967-138 Application Date: September 25, 2017 Decision Number: 535574

Dear Ms. Baldassare:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 39967-138 Decision No. 535574

If you have any questions, you may contact Tom Luminello at (703) 308-8075 or via email at <u>luminello.tom@epa.gov</u>.

Sincerely,

or for

Jacquie Hardy, Product Manager 34 Regulatory Management Branch II Antimicrobials Division (7510P) Office of Pesticide Programs

Rely+OnTM Multipurpose Disinfectant Cleaner

[Broad Spectrum Disinfectant] [Hospital Disinfectant]

[FOR USE IN: Cleaning and disinfecting hard non-porous surfaces in institutional, commercial, residential and public service facilities including hospitals and nursing homes; field medical units, medical and dental offices; clinics and other health-care facilities; Emergency Medical Services (EMS) facilities, equipment and gear including respirators; laboratories; food processing plants, equipment and warehouses; food service and preparation areas including commercial and institutional kitchens, restaurants and cafeterias; restrooms and portable restrooms; retail stores including supermarkets, florists, barbers, and beauty salons; factories; schools and daycare centers; hotels; offices; correctional facilities; funeral parlors and mortuaries; gymnasiums, stadiums and health spas; transportation terminals and vehicles including ships, automobiles, trucks, trains, and homes and residences.]

[EFFECTIVE AGAINST A WIDE RANGE OF VIRUSES*, BACTERIA, AND FUNGI:]

[* Hepatitis A Virus (HAV), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), and HIV (Human Immunodeficiency Virus (HIV-1) (AIDS virus), Influenza A Virus, Respiratory Syncytial Virus (RSV), Norovirus (Norwalk-like Viruses), Avian Influenza Virus, [Pandemic 2009 H1N1 influenza A virus].

Bacillus cereus, Campylobacter jejuni, Chlamydia psittaci, Clostridium perfringens, Listeria monocytogenes, Shigella sonnei, Streptococcus pyogenes, Helicobacter pylori, Klebsiella pneumoniae, Escherichia coli O157:H7, Escherichia coli, Salmonella typhimurium, Salmonella enterica, Pseudomonas aeruginosa, Staphylococcus aureus, Staphylococcus epidermidis, Methicillin-Resistant Staphylococcus aureus (MRSA), Vancomycin-Resistant Enterococcus faecalis, (VRE), Candida albicans, and Trichophyton mentagrophytes]

[Respiratory illnesses attributable to Pandemic 2009 H1N1are caused by influenza A virus. Rely+OnTM Multipurpose Disinfectant Cleaner [Product Name] is a broad-spectrum hard surface disinfectant that has been shown to be effective against (influenza A virus tested and listed on the label) and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).]

[This product has demonstrated effectiveness against influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 influenza A virus.]

[This product has demonstrated effectiveness against (influenza A virus tested and listed on the label) and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).]

[Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).]

 [Kills Pandemic 2009 H1N1 influenza A virus.]

 ACTIVE INGREDIENTS

 Potassium peroxymonosulfate
 21.41%

 Sodium chloride
 1.50%

 OTHER INGREDIENTS
 77.09%

 TOTAL
 100.00%

[Equivalent to 9.75% Available Chlorine]

NOTIFICATION

39967-138 The applicant has certified that no changes, other than those reported to the Agency have been made to the

labeling. The Agency acknowledges this notification by letter dated:

11/29/2017

Front Panel Continued

KEEP OUT OF REACH OF CHILDREN

DANGER / PELIGRO

[See [Back Panel] [Box] for Additional Precautions][and product insert for Directions for Use]

[See product insert for [additional precautions and] Directions for Use]

[POWDER FORM]

[TABLET FORM]

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in Eyes:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for further treatment advice.

If on Skin:

Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes.

Call a Poison Control Center or doctor for further treatment advice.

If Swallowed:

Call a Poison Control Center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by the poison control center or doctor.

Do not give anything by mouth to an unconscious person.

For 24-hour emergency information on this product, call 866-673-6350.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Net Contents: [0.18 oz. (5 grams), 0.35 oz. (10 grams), 1.44 oz. (40 grams), 1.75 oz. (50 grams), 1.1 lbs. (500 grams), 11 lbs. (5 kilograms)] [See individual product] [refer to container label]

[When dissolved in lukewarm water forms a [16 oz] [32 oz] [1 gallon] [5 quarts][13 gallons][132 gallons] 1% solution]

A 1% solution is stable as a broad spectrum disinfectant for 7 days.

[Use one 5 gram tablet in 16 oz of water to make a 1% solution]

[Use two 5 gram tablets in 32 oz of water to make a 1% solution]

[Use one 40 gram tablet in 1 gallon of water to make a 1% solution]

Manufactured for Lanxess Corporation 111 RIDC Park West Drive Pittsburgh, PA 15275 For information: US/Canada (800) LANXESS International +1 412 809 1000

EPA Reg. No.39967-138

<Lot or batch #>

EPA Est. No. XXXXX

©2017 LANXESS. Rely+On[™], LANXESS[™] and the LANXESS Logo are trademarks of LANXESS Deutschland GmbH or its affiliates. All trademarks are registered in many countries worldwide.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INSTITUTIONAL, FOOD PROCESSING, AND PUBLIC SERVICE FACILITIES

With Rely+OnTM Multipurpose Disinfectant Cleaner, only one product is needed to clean and disinfect.

Do Not Use Rely+On[™] Multipurpose Disinfectant Cleaner on acid-sensitive surfaces such as marble or soft metals such as copper, brass, and certain grades of aluminum. Avoid splashing Rely+On[™] Multipurpose Disinfectant Cleaner solution on textiles or carpets. End-user should assure compatibility of all critical materials that may be contacted by Rely+On[™] Multipurpose Disinfectant Cleaner.

Do not mix product or in-use solution with other chemicals including bleach or other halogen-containing materials.

Cleaning Procedure: Remove gross dirt and prepare a 1.0% solution according to the table below. Apply to surface using a sponge, brush, or spray device, scrubbing as necessary until the surface is visibly clean. Rinse.

Cleaning and Disinfecting Hard Non-porous Food Contact Surfaces: Remove gross dirt and prepare 1.0% solution according to the table below. Apply to surface using a sponge, brush, or spray device until the surface is visibly clean. Let stand for 10 minutes and rinse with potable water.

Cleaning and Disinfecting Hard Non-porous Non-Food Contact Surfaces: Remove gross dirt and use 1.0% Rely+OnTM Multipurpose Disinfectant Cleaner solution prepared according to the table below. Apply to surface using a mop, sponge, brushes or spray device until the surface is visibly clean. Let stand 10 minutes and air dry. In cases of fungal contamination of non-food contact surfaces, follow these instructions substituting a 2.0% Rely+OnTM Multipurpose Disinfectant Cleaner solution.

This product is not to be used on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

Cleaning and Disinfecting, or Sanitizing Manikins Used in CPR Training:

Sanitizing manikins between students:

Prepare a 3% solution of Rely+OnTM Multipurpose Disinfectant Cleaner [according to dilution chart] [by dissolving 3 tablets (5 gm each) of Rely+OnTM Multipurpose Disinfectant Cleaner in one pint [16 oz] water] [by dissolving 1 tablet (5 gm) of Rely+OnTM Multipurpose Disinfectant Cleaner in pre-marked 5.3 oz spray bottle that has been filled to line with water.] Thoroughly spray the manikin surface (mouth and nose area) or wipe with a cloth saturated with 3% solution until fully wetted. Allow surface to remain visibly wet for a minimum of 30 seconds, and wipe with a disposable cloth until dry. Rinse surface with potable water.

Cleaning and disinfecting manikins after class:

Manikins should be cleaned as soon as possible at the end of each class to avoid drying of contaminants on surfaces. Disassemble the manikin as directed by the manufacturer's instructions. Thoroughly wash all internal and external surfaces and reusable protective face shields with a brush using a 1% Rely+OnTM Multipurpose Disinfectant Cleaner solution. Let stand for 10 minutes and rinse with potable water.

Crisis Scene Disinfection of Hard Non-Porous Surfaces:

For bacterial and viral^{*} control: Streptococcus pyogenes, Helicobacter pylori, Klebsiella pneumoniae, Escherichia coli, Salmonella typhimurium, Salmonella enterica, Pseudomonas aeruginosa, Staphylococcus aureus, Methicillin-Resistant Staphylococcus aureus (MRSA), Vancomycin-Resistant Enterococcus faecalis, (VRE), and Staphylococcus epidermidis.

*Hepatitis A Virus (HAV), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), and HIV (Human Immunodeficiency Virus (HIV-1) (AIDS virus), Influenza A, Respiratory Syncytial Virus (RSV), Norovirus (Norwalk-like viruses), Avian Influenza Virus, [Pandemic 2009 H1N1 influenza A virus].

Not for use with Medical Instruments.

This product is not to be used on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contact intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

[For [sachet] [pouch] [packet] [bag] packaged with bottle of water: Remove gross dirt. To make a 1% solution, remove cap from bottle of pre-measured water provided. Completely empty entire contents of [sachet] [pouch] [packet] [bag] into the bottle of water provided. Recap bottle and gently shake until powder is dissolved. Remove cap and replace with sprayer. Apply to surface until surface is visibly wet. Let stand 10 minutes and air dry.] [For tablet packaged with [16 oz][32 oz]bottle of water provided. Add [one][two] tablet(s) into the bottle. Recap bottle and gently shake until tablet is dissolved. Remove cap and replace with sprayer.

[For [sachet] [pouch] [packet] [bag] packaged with empty bottle: Remove gross dirt. To make a 1% solution, remove cap from empty bottle provided. Fill bottle with water. Completely empty contents of Rely+OnTM Multipurpose Disinfectant Cleaner [sachet] [pouch] [packet] [bag] into the bottle of water, recap bottle, and gently shake until powder is dissolved. Remove cap and replace with sprayer. Apply to surface until surface is visibly wet. Let stand 10 minutes and air dry.]

[For tablet packaged with empty [16 oz][32oz]bottle: Remove gross dirt. To make a 1% solution, remove cap from empty bottle provided. Fill bottle with water. Add tablet into the bottle, recap bottle, and gently shake until tablet is dissolved. Remove cap and replace with sprayer. Apply solution to surface until surface is visibly wet. Let stand 10 minutes and air dry.]

[For a 1% solution from powder: Remove gross dirt. Refer to dilution chart. Fill container with required amount of water and add Rely+OnTM Multipurpose Disinfectant Cleaner powder to achieve solution concentration. Cap container and gently shake until powder is dissolved. Apply solution to surface using a sponge, brush, or spray device until the surface is visibly wet. Let stand for 10 minutes and air dry.]

[For a 1% solution from tablet: Remove gross dirt. Add one 5 gm (0.18 oz) Rely+OnTM Multipurpose Disinfectant Cleaner tablet per pint of water. Cap container and gently shake until tablet is dissolved. Apply solution to surface using a sponge, brush, or spray device until the surface is visibly wet. Let stand for 10 minutes and air dry.]

[To Use for Cleaning and Disinfecting Respirator Face Plates: Disassemble respirator per manufacture's manufacturer's directions for cleaning and disinfection. Remove gross dirt. Refer to Rely+OnTM Multipurpose Disinfectant Cleaner dilution chart. Prepare a 1% Rely+OnTM Multipurpose Disinfectant Cleaner solution by fully dissolving the appropriate amount of Rely+OnTM Multipurpose Disinfectant Cleaner (powder or tablets) in water. Submerge or spray the respirator face plate with a 1% Rely+OnTM Multipurpose Disinfectant Cleaner solution so that the surfaces to be disinfected remain wet for 10 minutes. Rinse thoroughly with water to remove disinfectant. Allow to dry].

[To Use as an absorbent for blood, body fluids, or vomit: Cover soiled area with Rely+OnTM Multipurpose Disinfectant Cleaner powder. Let stand for 10 minutes and scoop into plastic bag and handle as biohazardous waste. Follow up with a disinfectant step by applying a 1% Rely+OnTM Multipurpose Disinfectant Cleaner solution (prepared according to dilution chart) to surface using a sponge, brush, or spray device until the surface is visibly wet. Let stand for 10 minutes and air dry. Bag containing soil must be disposed of as infectious waste.]

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST ^{*}HIV-1, Hepatitis B (HBV), and Hepatitis C (HCV) ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

^{*}Kills HIV-1, HBV, and HCV on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (Hospitals, Nursing Homes, etc.) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the

potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

PERSONAL PROTECTION: When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, and eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects using a cleaner (such as Rely+OnTM Multipurpose Disinfectant Cleaner) before application of this product as a disinfectant. (See previous label instructions for use of Rely+OnTM Multipurpose Disinfectant Cleaner as cleaner.)

CONTACT TIME: Allow surface to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal.

A 1% solution is effective as a [broad spectrum disinfectant][hospital disinfectant] for 7 days.

DILUTION CHART

Choose a product option from the list below		Add the following amount of Rely+On™ Multipurpose Disinfectant Cleaner to the designated volume of water					
		1% Use-Diluted Solution					
Rely+On™ Multipurpose Disinfectant Cleaner Product			16 oz. (Pint)	32 oz. (Quart)	128 oz. (Gallon)	160 oz. (5 Quarts)	640 oz. (5 Gallons)
Metric	Standard						
5 g Tablet	0.18 oz. Tablet		1 Tablet	2 Tablets	8 Tablets	10 Tablets	40 Tablets
40 g Tablet	1.44 oz. Tablet				1 Tablet		5 Tablets
50 g Sachet	1.8 oz. Sachet					1 Sachet	4 Sachets
500 g Shaker Bottle	17.6 oz. Shaker Bottle		1 tsp.	2 tsp.	8 tsp.	10 tsp.	40 tsp.
5 kg Bucket	176 oz. Bucket		1 tsp.	2 tsp.	8 tsp.	10 tsp.	40 tsp.
		2% Use-Diluted Solution					
Metric	Standard		16 oz. (Pint)	32 oz. (Quart)	128 oz. (Gallon)	160 oz. (5 Quarts)	640 oz. (5 Gallons)
5 g Tablet	0.18 oz. Tablet		2 Tablets	4 Tablets	16 Tablets	20 Tablets	80 Tablets
40 g Tablet	1.44 oz. Tablet				2 Tablet		10 Tablets
50 g Sachet	1.8 oz. Sachet					2 Sachet	8 Sachets
500 g Shaker Bottle	17.6 oz. Shaker Bottle		2 tsp.	4 tsp.	16 tsp. (1/3 cup)	20 tsp.	1-2/3 cups
5 kg Bucket	176 oz. Bucket		2 tsp.	4 tsp.	16 tsp. (1/3 cup)	20 tsp.	1-2/3 cups
		3% Use-Diluted Solution					
Metric	Standard	170 ml. (5.75 oz.)	16 oz. (Pint)	32 oz. (Quart)	128 oz. (Gallon)	160 oz. (5 Quarts)	640 oz. (5 Gallons)
5 g Tablet	0.18 oz. Tablet	1 Tablet	3 Tablets	6 Tablets	24 Tablets	30 Tablets	120 Tablets
40 g Tablet	1.44 oz. Tablet				3 Tablet		15 Tablets
50 g Sachet	1.8 oz. Sachet					3 Sachets	12 Sachets
500 g Shaker Bottle	17.6 oz. Shaker Bottle		<mark>1</mark> Tbsp.	2 Tbsp.	0.5 cups	10 Tbsp.	2 - ½ cups
5 kg Bucket	176 oz. Bucket		1 Tbsp.	2 Tbsp.	0.5 cups	10 Tbsp.	2 – ½ cups

[tsp=teaspoon] [Tbsp=tablespoon]

Note to Reviewer: Dilution table is optional. Full table or specific sections may appear on applicable labels *Note to Reviewer: Minor updates made 20170922 to column & row sizes and title row font (Note to Reviewer: Minor updates made 20170922 to column & row sizes and title row font)*

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Powder is corrosive. Causes skin burns and irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear protective clothing and rubber gloves. Wear goggles, face shield, or safety glasses. Wash hands thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Corrosive statement does not refer to 1% in- use solution.

Environmental Hazards

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

{Note to Reviewer: Effluent discharge statement to be included for package sizes of greater than or equal 5 gallons (liquid) or 50 pounds (solid, dry weight), in accordance with PR Notice 95-1.}

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE:

For pails, jugs, bottles: Store in a cool dry place in tightly closed container. Keep out of reach of children. Always replace lid after use. [Retain desiccant desiccant canister with product during storage.] Do not mix this product with other chemicals.

For [sachet] [pouch] [packet] [bag]: Store in cool dry place. Keep out of reach of children. [Retain desiccant desiccant canister with product during storage.] Do not mix this product with other chemicals.

For spray bottle with in-use solution: Store in a cool dry place. Keep out of reach of children. Do not mix this product with other chemicals.]

PESTICIDE DISPOSAL: Pesticide wastes may be hazardous. [Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.]^{1} [-refer to product [leaflet] [insert] [booklet] for pesticide disposal instructions]

<u>CONTAINER DISPOSAL</u>: Nonrefillable container. Do not reuse or refill this container. [Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¹/₄ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.]^{{2}} [-refer to product [leaflet] [insert] [booklet] for container disposal instructions]

{¹Note to reviewer: When the size of container prohibits fitting full statement on the container, the text in brackets denoted in [...]¹above will be replaced with the below statement in red:

[-refer to product [leaflet] [insert] [booklet] for pesticide disposal instructions]

Please note this will only occur when the full statement (denoted in [...]¹) instead appears on additional labeling accompanying or included with each container of product.}

f²Note to reviewer: When the size of container prohibits fitting full statement on the container, the text in brackets denoted in [...]²above will be replaced with the below statement in red:

[-refer to product [leaflet] [insert] [booklet] for pesticide disposal instructions] Please note this will only occur when the full statement (denoted in [...]²) instead appears on additional labeling

accompanying or included with each container of product.}

{DISINFECTANT CLAIMS}

[One step cleaner/disinfectant*] [Cleans and disinfects in one step*] [Multipurpose disinfectant cleaner for use on inanimate hard non-porous surfaces] [Will effectively clean and disinfect when used as directed] [Hospital Disinfectant] [Broad Spectrum Disinfectant] [Effective against Hepatitis A Virus (HAV)] [Kills Hepatitis A Virus (HAV)] [Effective against Hepatitis B Virus (HBV) on pre-cleaned environmental surfaces previously soiled with blood or body fluids] [Kills Hepatitis B Virus (HBV) on pre-cleaned environmental surfaces previously soiled with blood or body fluids] [Effective against Hepatitis C Virus (HCV) on pre-cleaned environmental surfaces previously soiled with blood or body fluids] [Kills Hepatitis C Virus (HCV) on pre-cleaned environmental surfaces previously soiled with blood or body fluids] [Effective against Hepatitis A Virus, Hepatitis B Virus, [and] Hepatitis C Virus [and HIV-1]] on precleaned environmental surfaces/objects previously soiled with blood or body fluids]. [Kills Hepatitis A Virus, Hepatitis B Virus, [and] Hepatitis C Virus [and HIV-1] on precleaned environmental surfaces previously soiled with blood or body fluids]. [Effective against Avian Influenza Virus] [Kills Avian Influenza Virus] [Effective against both Human and Avian Influenza Virus] [Kills [more than] 99.9% [bacterial] germs and viruses** (Helicobacter pylori, Klebsiella pneumoniae, Escherichia coli, Salmonella typhimurium, Salmonella enterica, Pseudomonas aeruginosa, Staphylococcus aureus, and Staphylococcus epidermidis)] * A pre-cleaning step is necessary for Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), and HIV (Human immunodeficiency Virus (HIV-1) (AIDS virus). **Hepatitis A Virus (HAV), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), and HIV (Human immunodeficiency Virus (HIV-1) (AIDS virus).

[Kills Hepatitis B and HIV (Human Immunodeficiency Virus (HIV- 1) (AIDS virus) on precleaned environmental surfaces previously soiled with blood or body fluids] [Kills Hepatitis A Virus, Hepatitis B Virus, [and] Hepatitis C Virus on pre-cleaned environmental surfaces previously soiled with blood or body fluids] [Virucidal], [Bacteriocidal Bactericidal], [Germicidal], [Fungicidal] [Kills bacteria and viruses^{*} [important to First Responders]: ^{*} Hepatitis A (Hepatitis A Virus), Hepatitis B (Hepatitis B Virus), Hepatitis C (Hepatitis C Virus), HIV (Human Immunodeficiency Virus (HIV-I) (AIDS virus) Kills Pandemic 2009 H1N1 influenza A virus]

- [Disinfects respirators]
- [For disinfecting respirators]
- [Sanitizes CPR manikins between use]
- [Efficacious against prevalent hospital pathogens such as MRSA, VRE, RSV]

 [Efficacious against prevalent foodborne pathogens such as Hepatitis A Virus and E. coli O157:H7]

Effective against [Norovirus (Norwalk-like viruses)] [MRSA], [VRE], [RSV], [Influenza virus], [Avian Influenza Virus [(H3N2)], [Swine Influenza A (H1N1) Virus] [Pandemic 2009 H1N1 influenza A virus]

• [Use one tablet per pint of water to make a 1% solution]

{ADDITIONAL MARKETING CLAIMS}

[Will not harm most surfaces upon incidental contact] [Will not harm most hard non-porous surfaces] [Compatible with most surfaces upon incidental contact] [Compatible with most hard non-porous surfaces] [Non-damaging to most surfaces upon incidental contact] [Non-damaging to most hard non-porous surfaces] [Safe for most hard non-porous surfaces] [Pleasant citrus scent] [Does not compromise the integrity of turnout gear (i.e. Treated Cotton, Aramid fiber, Indura® Ultra-Soft®, PBI, Kevlar®, Lenzing FR®, Tychem®, Polyethylene film coated, Saranex 23P film coated, Sparkguard[®], Nomex[®], Neoprene] [Compliant with OSHA bloodborne pathogen standard] [Meets NFPA 1581 guidelines] [Use powder to absorb spills and solution to disinfect] [NSF listed] [Has NSF listing (D1)] [Fragrance Free] [No dyes or fragrances added]

{Optional company logo-may appear in color, black only, or grey scale}

