

12 FEB 1987

K-Klean Chemical Company, Inc.
8939 Diplomacy Row
Dallas, TX 75247

Attention: Ray Kimbrell

Gentlemen:

Subject: ID 1 Disinfectant
EPA Registration No. 39978-1
Your Amendment Dated October 17, 1986

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling change listed below before you release the product for shipment bearing the amended labeling:
 - Delete "Rinsing is not required" from your label and add "Do not rinse."
3. Add Storage statement per enclosed PR Notices 83-3 and 84-1.
4. Submit two (2) copies of your final printed labeling before you release the product for shipment.

The Confidential Statement of Formula received was on an obsolete Form. Complete and return the enclosed revised Form to the Agency.

93779:Farmer:K-14:KENCO:2/10/87:2/20/87:NeeCee:VO:JS:EK:NeeCee


CONCURRENCES

SYMBOL	AS 767C							
SURNAME	Castro							
DATE	2/11/87							

2

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

Sincerely yours,



Jeff Kempter
Product Manager (32)
Disinfectants Branch
Registration Division (TS-767C)

Enclosures

213

39978-1

K-KLEAN

D 1 DISINFECTANT

Food Plants-Livestock Buildings-Hospitals-Veterinary Clinics
NO RINSE FOOD PLANT SANITIZER
POULTRY DRINKING WATER SANITIZER

ACTIVE INGREDIENTS:

5-chloro-2-(p-nonylphenyl)-omega-hydroxypolyoxyethylene-iodine complex:	18.05%
(Providing 1.75% titratable iodine)	
Asphoric acid:	16.00%
INERT INGREDIENTS:	65.95%
TOTAL INGREDIENTS:	100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER

First Aid: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. For eyes, call a physician.

Prevention: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Call a physician.

Medical Treatment: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory collapse, respiratory depression, and convulsion may be needed.

USE: FOR MEDICAL, INDUSTRIAL, COMMERCIAL, AND AGRICULTURAL USE ONLY.

Manufactured by:
K-KLEAN CHEMICAL CO. INC.
DALLAS, TEXAS 75247

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION INFORMATION

For use on hard, non-porous, inanimate surfaces (glass, stainless steel, galvanized metal, porcelain, linoleum, tile, enameled and finished wood surfaces). Use on walls, floors, appliances, furnishings, and utensils.

Prepare fresh solutions daily. Do not reuse solutions. Discard solutions that are visibly soiled. Apply use solutions by flooding, immersion, swabbing, mopping or brushing to thoroughly wet all surfaces.

FOR DISINFECTION: In Hospitals, Nursing Homes, Food Plants, Commercial Freezers, Restrooms, Restaurants, and Veterinary Clinics, Farm Premises and Poultry Houses. Use 1 oz. of this Disinfectant in 2 gallons of water for one-step cleaning and disinfecting light and moderately soiled surfaces. Heavily soiled surfaces should be cleaned and rinsed before disinfecting. For effective action, surfaces must remain wet for at least 10 minutes.

Food contact surfaces and all surfaces in edible food processing areas of Federally inspected meat and poultry plants must be rinsed with potable water before reuse when using the product at this concentration. Always carefully protect or remove food and packaging materials from the area before disinfecting.

For Farms and Poultry use, remove all animals, poultry and feed from premises. Remove all litter and manure from surfaces occupied or traversed by livestock. Empty all troughs, racks, and other feeding and watering equipment. Then, clean and disinfect as above. Ventilate buildings, coops, and other closed spaces. Do not house animals or poultry until treatment has been absorbed, set or dried.

EPA Reg. No. 39978-1

EPA Est. No. 39978-TX-01

SANITIZATION OF MEAT AND FOOD PROCESSING EQUIPMENT AND UTENSILS: Remove gross soils by flushing, scraping, or mopping. Pre-clean surface with suitable cleaner. Rinse well. Sanitize with 1 oz. of this Disinfectant per gallon of water or with 1 oz. of this Disinfectant in 5 gallons of water (25 ppm available iodine). Sanitizing solution should contact surface for 30 minutes. Drain well and air dry.

HAND SANITIZATION IN MEAT AND FOOD PROCESSING PLANTS: For sanitizing hands and handiers, rinse hands with water and immerse hands in 1 oz. per 5 gallons of water sanitizing solution (5 ppm available iodine) for 30 to 60 seconds.

DISINFECTING TOILET BOWLS AND URINALS: Flush commode or urinal several times and rinse bowl well. Add 1 oz. of this Disinfectant to the bowl water. Use brush or scrubber to thoroughly clean bowl surfaces, especially under the rim. Flush commode or urinal several times and rinse bowl well.

DEODORANT: This Disinfectant destroys many odors and sanitizes and disinfects. For general deodorant use, add 1 oz. of this Disinfectant per gallon of water to garbage pails, refuse containers, etc., and flush solution of 1 ounce of disinfectant per gallon of water.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER

Harmful or fatal if swallowed. Corrosive. Causes skin damage and skin irritation. Do not get in eyes, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water when handling. Remove and wash contaminated clothing before reuse. Avoid contamination of food.

Not Contents: 1 U. S. Gallon

BEST AVAILABLE COPY