

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS: Toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not spray on turf or plants.

PHYSICAL OR CHEMICAL HAZARDS: Extinguish open flame before space spraying. This formulation is combustible. DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME. Store at room temperatures above 32°F.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Get medical attention. If stomach material was taken internally, DO NOT INDUCE VOMITING. Induced vomiting may cause aspiration pneumonia.

IF INHALED: Remove person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes thoroughly with water. Obtain medical attention if irritation persists.

BLANCO THERMFOG RTU INSECTICIDE SPRAY

OIL BASE INSECTICIDE 0.20%

A SYNTHETIC PYRETHROID FOR CONTROL OF HOUSE FLIES, HORSE FLIES, DEER FLIES, HORN FLIES, MOSQUITOES, GNATS, ROACHES, SILVERFISH, EARWIGS, ANTS, SPIDERS, CARPET BEETLES, GRANARY WEEVILS, CONFUSED FLOUR BEETLES, GRAIN MITES, AND SAWTOOTHED GRAIN BEETLES IN WAREHOUSES, RESTAURANTS AND INDUSTRIAL INSTITUTIONS, AND FOR SMALL OUTDOOR AREAS.

ACTIVE INGREDIENTS

* + ° Resmethrin (5-(phenylmethyl)-3-(4-uranyl) methyl 2, 2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate)	0.200%
Related compounds	0.027%
Aromatic petroleum hydrocarbons	0.265%
Petroleum distillate	99.500%
INERT INGREDIENTS	0.008%

* cis,trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans

+ U.S. Patent Nos. 3,465,007 and 3,542,928

° Perick's SBP-1382 (R) brand of resmethrin insecticide
Perick Corp., 1050 Wall Street West, Lyndhurst, NJ 07071

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read Side Panel For Additional Precautionary Statements

Manufactured by

BLANCO CHEMICAL
Houston, Texas 77290

NET CONTENT 55 GALLONS

EPA Reg. No. 40018-16

EPA Est. 40018-TX-1

DIRECT

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE IN WAREHOUSE AND INDUSTRIAL INSTITUTIONS

This formulation is to be used with thermal applicator equipment within the aerosol size range. Food should be removed or covered from food processing surfaces thoroughly cleaned before use. **THERMAL APPLICATIONS:** mosquitoes, gnats, roaches, carpet beetles, granary weevils and sawtoothed grain beetles in industrial institutions. Remove animals from surfaces. Remove animals from systems, air ducts, air conditioning or area to be treated. Do not occupy or in operation.

Extinguish all flames and pilot lights of 1 1/3 fluid ounces per 1,000 thermal applicator toward the ceiling. Close off room to be treated areas.

Ventilate the area after treatment. Repeat treatment as needed.

THERMAL APPLICATIONS: away from flies, mosquitoes, gnats, patios, around swimming pools, and horse stables, etc., in horse stables where 1. Hold thermal applicator at 1 ft. from plants and shrubbery. Avoid contact at the rate of 33.4 ft. is no breeze or the wind velocity. Ideal time is generally at dusk, temperature and ground temperature. Under these conditions the fog will last longer time. Apply fog while in operation of the fog. Do not disperse. Repeat application.

STORAGE

Do not contaminate water. For PESTICIDE DISPOSAL: Resmethrin can be used according to a labeling of Federal, State or Conservation and Recovery Act. **CONTAINER DISPOSAL:** To be recycled or incinerated.

