

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling. If swallowed, do not induce vomiting. Call a physician immediately.

Do not allow children or pets to contact treated surfaces until spray has dried.

Do not spray air in rooms or use on plants. Apply as a surface spray only as specified on this label.

Thoroughly wash dishes and food handling utensils if contaminated with this product.

ENVIRONMENTAL HAZARDS

Product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE Do not smoke while using. Do not use, pour, spill or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. If gastric lavage is deemed necessary, undertake if material was taken internally. Do not induce vomiting unless no other treatment is available. Vomiting may cause aspiration pneumonia. If necessary to induce vomiting, give 1 or 2 glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Contains a cholinesterase inhibitor. Atropine Sulfate is antidotal.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES: Rinse eyes for at least 15 minutes with water and call a physician immediately.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food and feed by storage or disposal. Open dumping is prohibited.

Pesticide, spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

Triple rinse, or equivalent and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place.

Consult Federal, State or Local disposal authorities for approved alternative procedures.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with direction given herewith.

**BLANCO
STAKILL RTU
w/DURSBAN*****

Provides Flushing Action and Fast Knockdown

Controls cockroaches, ants, silverfish, spiders, crickets, earwigs and brown dog ticks and fleas.

Use in and around homes, apartments, garages, similar residential structures, institutions, restaurants and food processing plants.

Use outdoors as an aid in reducing annoyance from flies and mosquitoes entering the home.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

ACTIVE INGREDIENTS:

| | |
|---|---------|
| Pyrethrins | 0.052% |
| * Piperonyl butoxide, technical | 0.260% |
| ** Chlorpyrifos (0, 0-diethyl 0-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate) | 0.500% |
| Petroleum distillate | 98.736% |


INERT INGREDIENTS

0.452%

* Equivalent to 0.208% (butylcarbityl)(6-propylpiperonyl) ether and 0.052% related compounds.

** U.S. Patent No. 3,244,586

*** DURSBAN - Trademark of The Dow Chemical Company



KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful or fatal if swallowed

Read Side Panel For Additional Precautionary Statements

Manufactured By

**BLANCO CHEMICAL
HOUSTON, TX. 77090**

NET CONTENTS GALLONS

EPA Reg. No. 40018-20

EPA Est. 40018-TX-1

**DIRECTIONS FOR HOUSEHOLD AND OUTDOOR USE
IN NON-FOOD AREAS**

For use in garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required.

BROWN DOG TICKS AND FLEAS: Apply thoroughly as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices along and behind baseboards, window and door frames and localized areas of floor and floor covering where these insects may be present. Fresh bedding should be placed in animal quarters following treatment. Do not spray pets with this product. Treat pets with registered flea control product prior to reentry.

FLIES AND MOSQUITOES: Use only on outdoor surfaces. Spray outside surfaces of windows and door frames and other areas where these pests may enter the home. Also spray dark corners and localized resting areas, such as under eaves, porches, partitions and in garages where these insects may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when effectiveness diminishes.

COCKROACHES, ANTS, EARWIGS, WATERBUGS, SILVERFISH, SPIDERS and CRICKETS: Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, in conduits, motor housing, junction or switch boxes. Prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in "ON" position. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and facility is in operation).

SERVING AREAS: Facilities where foods are served such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot treatment to selective surfaces, such as baseboards, under elements or construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

BEST AVAILABLE COPY