

DIRECTIONS FOR USE (Cont'd.)

This liquid weed killer is composed of chlorinated 5-bromo-3-sec-butyl-6-methyluracil (bromacil) and a volatile 2,4-D ester in a phytotoxic oil. The oil combines the properties of low volatility with penetration and translocation in the plant. The ins...

This liquid produces rapid top kill of annual vegetation. Translocation and root rot occur. Persistent herbicides produce extra residual control and provide long term residual control.

This liquid may be applied at any time of the year when the ground is frozen. Best results are obtained when dominant weeds have emerged and developed a plant where they present a problem. The product is applied as is. No agitation or dilution is necessary. Any equipment from sprinkler can to complicated may be used. Equipment should be calibrated to assure application of the recommended amount of material.

This liquid weed killer when used according to directions will provide low cost, convenient and complete control for a season or more. Sprayed vegetation is more flammable than vegetation destroyed by mechanical or other agricultural means. Because of the taste, it is unlikely that sprayed vegetation will be eaten by livestock.

Recommendations for Use: For annual weeds and grasses such as crabgrass, foxtail, barnyard grass, lamb ears and pigweed use 1/2 to 1 gal. per 500 sq. ft. or 4 gal. per acre.

Perennial weeds and grasses such as smooth stalked grass, Canada bluegrass, broomsedge, wild onion, goldenrod, platin, wild carrot and pigweed use 1 gal. per 250 sq. ft. or 16 gallons per acre.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse that cannot be used according to label instructions must be disposed of according to Federal or a State procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or disposal in sanitary landfill or by other approved State or local procedures.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

IF SWALLOWED: Do not inhale spray drift. This liquid can cause skin irritation. Avoid contact with skin, eyes, and clothing. Do not wear contaminated clothing.

In case of contact wash with soap and water. For eyes, flush with large amounts of water immediately and get medical attention.

ENVIRONMENTAL HAZARDS

Do not apply this liquid to areas where the roots of desirable plants such as trees or ornamentals will come into contact with it as injury might result. Do not use on lawns, driveways, walks or similar areas. Avoid spray drift to susceptible plants, as this product may injure cotton, beans, peas, etc. Do not contaminate domestic water or irrigation water and keep from contact with fertilizers, insecticides, fungicides and seeds. Vapors from this product may injure susceptible plants in the immediate vicinity. Coarse sprays are less likely to drift.

This product is toxic to fish and wildlife. Do not apply directly to water. Birds and other wildlife in treated areas may be killed. Apply only as specified on the label.

Do not contaminate water by cleaning of equipment or disposal of wastes.

Thoroughly clean spray equipment with a suitable chemical cleaner such as a butyl cleaner before using for other purposes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a liquid, non-selective, persistent herbicide designed for use where control of all vegetation is required. It is recommended for non-crop areas such as fence rows, parking lots, around buildings, loading ramps, storage yards, tank farms, along pipelines, industrial plant sites and other similar areas where grasses and weeds interfere with drainage, create a fire hazard or cause unsightly appearance.

RECEIVED

JUN 10 1992

40018-32

BLANCO
DOOM
RTU WEED KILLER

1991

ACTIVE INGREDIENTS

Petroleum Distillate	96.26%
Isooctyl ester of 2,4-dichlorophenoxyacetic acid*	1.09%
Pentachlorophenol	0.80%
Other chlorophenols	0.09%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	0.98%
INERT INGREDIENTS	0.78%
TOTAL	100.00%

*2,4-D equivalent 0.70%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional Precautionary Statements

BEST AVAILABLE COPY

Mfg. By

BLANCO CHEMICAL
HOUSTON, TX 77090

Net Contents

Gallon(s)

EPA Reg No 40018-32

EPA Est 40018-TX-1

PA 23 40018-32