

To prevent the development of resistance, use this product only in the measure of directions.

ACTIVE INGREDIENT	BY WEIGHT
1-Chloro-4-(2,4,6-trichlorophenyl)pyridine	1.00%
INERT INGREDIENTS	99.00%*
	100.00%

*Inerts only to be present in the active ingredient.

MINIMUM	BY WEIGHT
Calcium (Ca), Maximum	2.00%
Calcium (Ca), Minimum	11.00%
Phosphorus (P), Minimum	6.00%
Salt (NaCl), Maximum	20.50%
Salt (NaCl), Minimum	23.50%
Iodine (I), Minimum	0.007%
Magnesium (Mg), Minimum	2.10%
Iron (Fe), Minimum	0.20%
Copper (Cu), Minimum	0.02%
Cobalt (Co), Minimum	0.01%
Manganese (Mn), Minimum	0.16%
Zinc (Zn), Minimum	0.20%
Selenium (Se)	0.0008%
Vitamin A, Minimum USP Units per lb.	350,000
Vitamin D-3, Minimum USP Units per lb.	200,000
Vitamin E, Minimum USP Units per lb.	20

INGREDIENTS

Monocalcium phosphate, dicalcium phosphate, calcium carbonate, salt, yeast culture, corn distillers dried grains with solubles, dried molasses, Vitamin A acetate, D-activated animal sterol (source of vitamin D-3), vitamin E supplement, magnesium oxide, copper oxide, cobalt carbonate, ethylenediamine dihydrochloride (EDDH), iron sulfate, manganous oxide, zinc oxide, iron oxide, sodium bentonite, mineral oil, artificial flavoring, and sodium selenite

KEEP OUT OF REACH OF CHILDREN
CAUTION
 See reverse of tag for additional precautionary statements.

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS
CAUTION

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning equipment or disposal of wastes.

Net Wt. 50 lbs. EPA Reg. No. 10031
 EPA Estab. No. 10031-C-1-01

RAEON is the registered trademark of Delta Oil Company. U.S. Patent No. 3,101,842

Manufactured by
 Delta Oil Company, Inc.
 P.O. Box 511
 Kansas City, MO 64102

4 (No.)

**DIRECTIONS FOR USE
SPECIAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Allow free choice to cattle. Cattle should consume an average of $\frac{1}{2}$ lb. of the mineral per 100 pounds of live weight per month. This will supply the recommended average daily intake of 70 mg. of active ingredient per hundred pounds body weight. Animals should not be started on minerals before initiation of the IR-61 Cattle Mineral Mix program and should not receive other feeds after the program is started. Do not feed other free choice sources of salt or mineral containing salt in any form. Allow one mineral feeder per area 15-20 head, and place near watering and loafing areas. Put out no more than one feeder per day at a time, and protect from rain.

If consumption of Beef Pre-Mix No. 13 is above $\frac{1}{2}$ lb. per 100 lbs. of body weight per month, reduce the number of feeding locations or relocate. If consumption is below $\frac{1}{2}$ lb. per 100 lbs. of body weight per month, increase the number of feeding locations. Start feeding Beef Pre-Mix No. 13 early in the spring before flies begin to appear, and continue feeding throughout the summer and into the fall.

Beef Pre-Mix No. 13 may be fed to dry cows and to lactating dairy cows.

Beef Pre-Mix No. 13 prevents the development of horn flies, face flies, house flies, and stable flies in the manure of treated cattle but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, Beef Pre-Mix No. 13 should be used in conjunction with other good management and sanitation practices.

STORAGE AND DISPOSAL

Do not contaminate water or food by storage or disposal. Open dumping is prohibited. Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

-2-

subject to cancellation in accordance with FIFRA Sec. 6(e). Your release for shipment of the product constitute acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)